

ATTACHMENT A

Air Quality / Health Risk / Greenhouse Gas Emissions Assessment

CASTRO VALLEY MEDICAL OFFICE BUILDINGS AIR QUALITY, HEALTH RISK & GREENHOUSE GAS ASSESSMENT

Castro Valley, California

April 4, 2019

Prepared for:

**Sharon Wright
Lamphier-Gregory
1944 Embarcadero
Oakland, CA 94606**

Prepared by:

**Mimi McNamara &
James A. Reyff**

ILLINGWORTH & RODKIN, INC.
/// Acoustics • Air Quality ///

429 East Cotati Avenue
Cotati, CA 94931
(707) 794-0400

I&R Project#: 19-052

Introduction

The purpose of this report is to address air quality impacts and compute the greenhouse gas (GHG) emissions associated with the proposed medical office buildings in Castro Valley, California. The air quality impacts and GHG emissions would be associated with the demolition of the existing uses at the site, construction of the new medical office building and infrastructure, and operation of the project. Air pollutant and GHG emissions associated with the construction and operation of the project were predicted using models. In addition, the potential construction health risk impact to nearby sensitive receptors and the impact of existing toxic air contaminant (TAC) sources affecting the proposed residences were evaluated. This analysis addresses those issues following the guidance provided by the Bay Area Air Quality Management District (BAAQMD).¹

Project Description

The proposed Castro Valley Medical Offices building would be an outpatient facility located at 20630 and 20642 John Drive, Castro Valley. This facility would provide a range of healthcare services that may include adult medication, consultation, a pharmacy, and lab work. The project would demolish the existing buildings and construct a 25,000 square foot (sf), two-story, 35-foot high medical office on a 1.28-acre site. The construction of this project would combine APN 084A-0228-002-07 and APN 084A-0224-004-08 into a single parcel. Additionally, the project would provide 98 surface parking spaces.

Setting

The project is located in Alameda County, which is in the San Francisco Bay Area Air Basin. Ambient air quality standards have been established at both the State and federal level. The Bay Area meets all ambient air quality standards with the exception of ground-level ozone, respirable particulate matter (PM₁₀), and fine particulate matter (PM_{2.5}).

Air Pollutants of Concern

High ozone levels are caused by the cumulative emissions of reactive organic gases (ROG) and nitrogen oxides (NO_x). These precursor pollutants react under certain meteorological conditions to form high ozone levels. Controlling the emissions of these precursor pollutants is the focus of the Bay Area's attempts to reduce ozone levels. The highest ozone levels in the Bay Area occur in the eastern and southern inland valleys that are downwind of air pollutant sources. High ozone levels aggravate respiratory and cardiovascular diseases, reduced lung function, and increase coughing and chest discomfort.

Particulate matter is another problematic air pollutant of the Bay Area. Particulate matter is assessed and measured in terms of respirable particulate matter or particles that have a diameter of 10 micrometers or less (PM₁₀) and fine particulate matter where particles have a diameter of 2.5 micrometers or less (PM_{2.5}). Elevated concentrations of PM₁₀ and PM_{2.5} are the result of both region-wide (or cumulative) emissions and localized emissions. High particulate matter levels aggravate

¹ Bay Area Air Quality Management District, *CEQA Air Quality Guidelines*, May 2017.

respiratory and cardiovascular diseases, reduce lung function, increase mortality (e.g., lung cancer), and result in reduced lung function growth in children.

Toxic Air Contaminants

Toxic air contaminants (TAC) are a broad class of compounds known to cause morbidity or mortality (usually because they cause cancer) and include, but are not limited to, the criteria air pollutants. TACs are found in ambient air, especially in urban areas, and are caused by industry, agriculture, fuel combustion, and commercial operations (e.g., dry cleaners). TACs are typically found in low concentrations, even near their source (e.g., diesel particulate matter [DPM] near a freeway). Because chronic exposure can result in adverse health effects, TACs are regulated at the regional, State, and federal level.

Diesel exhaust is the predominant TAC in urban air and is estimated to represent about three-quarters of the cancer risk from TACs (based on the Bay Area average). According to the California Air Resources Board (CARB), diesel exhaust is a complex mixture of gases, vapors, and fine particles. This complexity makes the evaluation of health effects of diesel exhaust a complex scientific issue. Some of the chemicals in diesel exhaust, such as benzene and formaldehyde, have been previously identified as TACs by the CARB, and are listed as carcinogens either under the State's Proposition 65 or under the Federal Hazardous Air Pollutants programs.

Odors

Odor impacts are subjective in nature and are generally regarded as an annoyance rather than a health hazard. The ability to detect and react to odors varies considerably among people. A strong or unfamiliar odor is more easily detected and are more likely to cause complaints. BAAQMD responds to odor complaints from the public and considers a source to have a substantial number of odor complaints if the complaint history includes five or more confirmed complaints per year averaged over a 3-year period. Facilities that are regulated by CalRecycle (e.g. landfill, composting, etc.) are required to have *Odor Impact Minimization Plans* in place.

Regulatory Agencies

CARB has adopted and implemented a number of regulations for stationary and mobile sources to reduce emissions of DPM. Several of these regulatory programs affect medium and heavy-duty diesel trucks that represent the bulk of DPM emissions from California highways. These regulations include the solid waste collection vehicle (SWCV) rule, in-use public and utility fleets, and the heavy-duty diesel truck and bus regulations. In 2008, CARB approved a new regulation to reduce emissions of DPM and nitrogen oxides from existing on-road heavy-duty diesel fueled vehicles.² The regulation requires affected vehicles to meet specific performance requirements between 2014 and 2023, with all affected diesel vehicles required to have 2010 model-year engines or equivalent by 2023. These requirements are phased in over the compliance period and depend on the model year of the vehicle.

² Available online: <http://www.arb.ca.gov/msprog/onrdiesel/onrdiesel.htm>. Accessed: November 21, 2014.

The BAAQMD is the regional agency tasked with managing air quality in the region. At the State level, the CARB (a part of the California Environmental Protection Agency [EPA]) oversees regional air district activities and regulates air quality at the State level. The BAAQMD has published California Environmental Quality Act (CEQA) Air Quality Guidelines that are used in this assessment to evaluate air quality impacts of projects.³ The detailed community risk modeling methodology used in this assessment is contained in *Attachment 1*.

Regulatory Setting

Federal Regulations

The United States Environmental Protection Agency (EPA) sets nationwide emission standards for mobile sources, which include on-road (highway) motor vehicles such trucks, buses, and automobiles, and non-road (off-road) vehicles and equipment used in construction, agricultural, industrial, and mining activities (such as bulldozers and loaders). The EPA also sets nationwide fuel standards. California also has the ability to set motor vehicle emission standards and standards for fuel used in California, as long as they are the same or more stringent than the federal standards.

In the past decade the EPA has established a number of emission standards for on- and non-road heavy-duty diesel engines used in trucks and other equipment. This was done in part because diesel engines are a significant source of NO_x and particulate matter (PM₁₀ and PM_{2.5}) and because the EPA has identified DPM as a probable carcinogen. Implementation of the heavy-duty diesel on-road vehicle standards and the non-road diesel engine standards are estimated to reduce particulate matter and NO_x emissions from diesel engines up to 95 percent in 2030 when the heavy-duty vehicle fleet is completely replaced with newer heavy-duty vehicles that comply with these emission standards.⁴

In concert with the diesel engine emission standards, the EPA has also substantially reduced the amount of sulfur allowed in diesel fuels. The sulfur contained in diesel fuel is a significant contributor to the formation of particulate matter in diesel-fueled engine exhaust. The new standards reduced the amount of sulfur allowed by 97 percent for highway diesel fuel (from 500 parts per million by weight [ppmw] to 15 ppmw), and by 99 percent for off-highway diesel fuel (from about 3,000 ppmw to 15 ppmw). The low sulfur highway fuel (15 ppmw sulfur), also called ultra-low sulfur diesel (ULSD), is currently required for use by all vehicles in the U.S.

All of the above federal diesel engine and diesel fuel requirements have been adopted by California, in some cases with modifications making the requirements more stringent or the implementation dates sooner.

³ Bay Area Air Quality Management District. 2017. *BAAQMD CEQA Air Quality Guidelines*. May.

⁴ USEPA, 2000. *Regulatory Announcement, Heavy-Duty Engine and Vehicle Standards and Highway Diesel Fuel Sulfur Control Requirements*. EPA420-F-00-057. December.

State Regulations

To address the issue of diesel emissions in the state, CARB developed the Risk Reduction Plan to Reduce Particulate Matter Emissions from Diesel-Fueled Engines and Vehicles.⁵ In addition to requiring more stringent emission standards for new on-road and off-road mobile sources and stationary diesel-fueled engines to reduce particulate matter emissions by 90 percent, a significant component of the plan involves application of emission control strategies to existing diesel vehicles and equipment. Many of the measures of the Diesel Risk Reduction Plan have been approved and adopted, including the federal on-road and non-road diesel engine emission standards for new engines, as well as adoption of regulations for low sulfur fuel in California.

CARB has adopted and implemented a number of regulations for stationary and mobile sources to reduce emissions of DPM. Several of these regulatory programs affect medium and heavy-duty diesel trucks that represent the bulk of DPM emissions from California highways. CARB regulations require on-road diesel trucks to be retrofitted with particulate matter controls or replaced to meet 2010 or later engine standards that have much lower DPM and PM_{2.5} emissions. This regulation will substantially reduce these emissions between 2013 and 2023. While new trucks and buses will meet strict federal standards, this measure is intended to accelerate the rate at which the fleet either turns over so there are more cleaner vehicles on the road or is retrofitted to meet similar standards. With this regulation, older, more polluting trucks would be removed from the roads sooner.

CARB has also adopted and implemented regulations to reduce DPM and NO_x emissions from in-use (existing) and new off-road heavy-duty diesel vehicles (e.g., loaders, tractors, bulldozers, backhoes, off-highway trucks, etc.). The regulations apply to diesel-powered off-road vehicles with engines 25 horsepower (hp) or greater. The regulations are intended to reduce particulate matter and NO_x exhaust emissions by requiring owners to turn over their fleet (replace older equipment with newer equipment) or retrofit existing equipment in order to achieve specified fleet-averaged emission rates. Implementation of this regulation, in conjunction with stringent federal off-road equipment engine emission limits for new vehicles, will significantly reduce emissions of DPM and NO_x.

Bay Area Air Quality Management District (BAAQMD)

BAAQMD has jurisdiction over an approximately 5,600-square mile area, commonly referred to as the San Francisco Bay Area (Bay Area). The District's boundary encompasses the nine San Francisco Bay Area counties, including Alameda County, Contra Costa County, Marin County, San Francisco County, San Mateo County, Santa Clara County, Napa County, southwestern Solano County, and southern Sonoma County.

BAAQMD is the lead agency in developing plans to address attainment and maintenance of the National Ambient Air Quality Standards and California Ambient Air Quality Standards. The District also has permit authority over most types of stationary equipment utilized for the proposed project. The BAAQMD is responsible for permitting and inspection of stationary sources; enforcement of

⁵ California Air Resources Board, 2000. *Risk Reduction Plan to Reduce Particulate Matter Emissions from Diesel-Fueled Engines and Vehicles*. October.

regulations, including setting fees, levying fines, and enforcement actions; and ensuring that public nuisances are minimized.

The BAAQMD California Environmental Quality Act (CEQA) Air Quality Guidelines⁶ were prepared to assist in the evaluation of air quality impacts of projects and plans proposed within the Bay Area. The guidelines provide recommended procedures for evaluating potential air impacts during the environmental review process consistent with CEQA requirements including thresholds of significance, mitigation measures, and background air quality information. They also include assessment methodologies for air toxics, odors, and greenhouse gas emissions.

Castro Valley General Plan

The Castro Valley General Plan includes goals, policies, and actions to reduce exposure of the City's sensitive population to exposure of air pollution and TACs. The following goal, policies, and actions are applicable to the proposed project:

- Air Quality Goal 12.1-1 Improve air quality and meet all Federal and State ambient air quality standards by reducing the generation of air pollutants from stationary and mobile sources and by appropriate siting and design of sensitive land uses.

- Policy 12.1-3 Protection of Sensitive Receptors Adjacent to I-580. Protect sensitive receptors, including residential use, schools, day care centers, parks with recreation facilities, and medical facilities, which are located within 1000 feet of the Interstate 580 corridors from air pollutants. Also consider the impacts of odors and toxic emissions on sensitive receptors.

- Policy 12.1-5 Air quality requirements for construction and demolition activities. Reduce combustion emissions and release suspended and inhalable particulate matter during construction and demolition phases.

- Action 12.1-1 Requirements for air quality analyses for environmental review. In environmental review documents analyzing air quality, comply with the Regional Air Quality Plan's assumptions used for population and vehicles miles traveled and be consistent with the Bay Area Quality Management District's 2010 Clean Air Plan.

⁶ Bay Area Air Quality Management District, 2017. *CEQA Air Quality Guidelines*. May.

Action 12.1-4 BAAQMD's Dust Abatement Approach. Require sponsors of individual development projects requiring site development and/or environmental review to implement the BAAQMD's approach to dust abatement through conditions of approval. This calls for "basic" control measures that should be implemented at all construction sites, "enhanced" control measures that should be implemented in addition to the basic control measures at construction sites greater than four acres in area, and "optional" control measures that should be implemented on a case-by-case basis at construction sites that are large in area, located near sensitive receptors or which, for any other reason, may warrant additional emissions reductions (BAAQMD, 1999).

Sensitive Receptors

There are groups of people more affected by air pollution than others. CARB has identified the following persons who are most likely to be affected by air pollution: children under 16, the elderly over 65, athletes, and people with cardiovascular and chronic respiratory diseases. These groups are classified as sensitive receptors. Locations that may contain a high concentration of these sensitive population groups include residential areas, hospitals, daycare facilities, elder care facilities, and elementary schools. The closest sensitive receptors to the project site are residents of a single-family home adjacent to the northern project boundary. There are additional residences at farther distances from the project site. This project would not introduce new sensitive receptors to the area.

Significance Thresholds

In June 2010, BAAQMD adopted thresholds of significance to assist in the review of projects under CEQA and these significance thresholds were contained in the District's 2011 *CEQA Air Quality Guidelines*. These thresholds were designed to establish the level at which BAAQMD believed air pollution emissions would cause significant environmental impacts under CEQA. The thresholds were challenged through a series of court challenges and were mostly upheld. BAAQMD updated the *CEQA Air Quality Guidelines* in 2017 to include the latest significance thresholds that were used in this analysis are summarized in Table 1.

Table 1. BAAQMD Air Quality CEQA Significance Thresholds

Criteria Air Pollutant	Construction Thresholds	Operational Thresholds	
	Average Daily Emissions (lbs./day)	Average Daily Emissions (lbs./day)	Annual Average Emissions (tons/year)
ROG	54	54	10
NO _x	54	54	10
PM ₁₀	82 (Exhaust)	82	15
PM _{2.5}	54 (Exhaust)	54	10
CO	Not Applicable	9.0 ppm (8-hour average) or 20.0 ppm (1-hour average)	
Fugitive Dust	Construction Dust Ordinance or other Best Management Practices	Not Applicable	
Health Risks and Hazards	Single Sources Within 1,000-foot Zone of Influence	Combined Sources (Cumulative from all sources within 1,000-foot zone of influence)	
Excess Cancer Risk	>10.0 per one million	>100 per one million	
Hazard Index	>1.0	>10.0	
Incremental annual PM _{2.5}	>0.3 µg/m ³	>0.8 µg/m ³	
Odor			
5 confirmed complaints per year averaged over 3 years			
Greenhouse Gas Emissions			
Land Use Projects – direct and indirect emissions	Compliance with a Qualified GHG Reduction Strategy OR 1,100 metric tons annually or 4.6 metric tons per capita (for 2020) 660 metric tons annually or 2.6 metric tons per capita (for 2030)*		
Note: ROG = reactive organic gases, NO _x = nitrogen oxides, PM ₁₀ = course particulate matter or particulates with an aerodynamic diameter of 10 micrometers (µm) or less, PM _{2.5} = fine particulate matter or particulates with an aerodynamic diameter of 2.5µm or less. GHG = greenhouse gases.			
*BAAQMD does not have a recommended post-2020 GHG threshold.			

Air Quality Impacts and Recommended Measures

AQ Impact 1: Conflict with or obstruct implementation of the applicable air quality plan?

BAAQMD is the regional agency responsible for overseeing compliance with State and Federal laws, regulations, and programs within the San Francisco Bay Area Air Basin (SFBAAB). BAAQMD, with assistance from the Association of Bay Area Governments (ABAG) and Metropolitan Transportation Commission (MTC), has prepared and implements specific plans to meet the applicable laws, regulations, and programs. The most recent and comprehensive of which is the *Bay Area 2017 Clean Air Plan*.⁷ The primary goals of the Clean Air Plan are to attain air quality standards, reduce population exposure and protect public health, and reduce GHG emissions and protect the climate. The BAAQMD has also developed CEQA guidelines to assist lead agencies in evaluating the significance of air quality impacts. In formulating compliance strategies, BAAQMD relies on planned land uses established by local general plans. Land use planning affects vehicle travel, which in turn affects region-wide emissions of air pollutants and GHGs. The project proposed land use is consistent with the Castro Valley General Plan designation for this site. The property is identified as “Low Intensity Retail in CBD Sub-area 1”, which allows for retail, service, wholesale commercial, and industrial use with some limited office use. The proposed project is a medical office with limited office use. Therefore, it will comply with the zoning for this site.

The 2017 Clean Air Plan includes control measures that are intended to reduce air pollutant emissions in the Bay Area either directly or indirectly. The most recent clean air plan is the *2017 Clean Air Plan* that was adopted by BAAQMD in April 2017. The proposed project would not conflict with the latest Clean Air planning efforts since 1) the project would have emissions below the BAAQMD thresholds (see Impact 2), 2) the project would be considered urban infill, 3) the project would be located near transit with regional connections.

Impact 2: Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?

The Bay Area is considered a non-attainment area for ground-level ozone and PM_{2.5} under both the Federal Clean Air Act and the California Clean Air Act. The area is also considered non-attainment for PM₁₀ under the California Clean Air Act, but not the federal act. The area has attained both State and federal ambient air quality standards for carbon monoxide. As part of an effort to attain and maintain ambient air quality standards for ozone and PM₁₀, the BAAQMD has established thresholds of significance for these air pollutants and their precursors. These thresholds are for ozone precursor pollutants (ROG and NO_x), PM₁₀, and PM_{2.5} and apply to both construction period and operational period impacts.

The California Emissions Estimator Model (CalEEMod) Version 2016.3.2 was used to estimate emissions from construction and operation of the site assuming full build-out of the project. The

⁷ Bay Area Air Quality Management District (BAAQMD), 2017. *Final 2017 Clean Air Plan*.

project land use types and size, and anticipated construction schedule were input to CalEEMod. The model output from CalEEMod is included as *Attachment 2*.

Construction Period Emissions

CalEEMod provided annual emissions for construction and estimates emissions for both on-site and off-site construction activities. On-site activities are primarily made up of construction equipment emissions, while off-site activity includes worker, hauling, and vendor traffic. A construction build-out scenario, including equipment list and schedule, was information provided by the project applicant. The proposed project land uses were input into CalEEMod, which included: 25,000-sf entered as “Medical Office Building” and 98 parking spaces entered as “Parking Lot” on a 1.28-acre site. Additionally, 9,000-sf of building demolition, 49,200-sf of pavement demolished and hauled, and 19,000-sf of asphalt hauled during paving were entered into the model. The applicant also provided the number of trucks (which included semi, water, and concrete trucks) that would be used during each phase. This number of trucks used per phase was entered as vendor trips in CalEEMod.

Default construction was assumed to begin December 2019 and last 14 months. There were an estimated 306 construction workdays. Average daily emissions were computed by dividing the total construction emissions by the number of construction days. Table 2 shows average daily construction emissions of ROG, NO_x, PM₁₀ exhaust, and PM_{2.5} exhaust during construction of the project. As indicated in Table 2, predicted the construction period emissions would not exceed the BAAQMD significance thresholds.

Table 2. Construction Period Emissions

Scenario	ROG	NO _x	PM ₁₀ Exhaust	PM _{2.5} Exhaust
Total construction emissions (tons)	0.25 tons	1.17 tons	0.05 tons	0.04 tons
Average daily emissions (pounds)¹	1.62 lbs./day	7.62 lbs./day	0.29 lbs./day	0.28 lbs./day
<i>BAAQMD Thresholds (pounds per day)</i>	54 lbs./day	54 lbs./day	82 lbs./day	54 lbs./day
Exceed Threshold?	No	No	No	No
Notes: ¹ Assumes 306 workdays.				

Additionally, construction activities, particularly during site preparation and grading, would temporarily generate fugitive dust in the form of PM₁₀ and PM_{2.5}. Sources of fugitive dust would include disturbed soils at the construction site and trucks carrying uncovered loads of soils. Unless properly controlled, vehicles leaving the site would deposit mud on local streets, which could be an additional source of airborne dust after it dries. The BAAQMD CEQA Air Quality Guidelines consider these impacts to be less-than-significant if best management practices are implemented to reduce these emissions. Policy 12.1-5 of the Castro Valley General Plan requires dust abatement that is consistent with the measures recommended by BAAQMD in their CEQA Air Quality Guidelines. To ensure these are implemented, the Best Management Practices are recommended to ensure a less-than-significant impact occurs.

Operational Period Emissions

Operational air emissions from the project would be generated primarily from automobiles driven by future employees and patients. Evaporative emissions from architectural coatings and maintenance products (classified as consumer products) are typical emissions from these types of uses. CalEEMod was also used to estimate emissions from operation of the proposed project assuming full build-out.

Land Uses

The project land uses were entered into CalEEMod as described above for the construction period modeling.

Model Year

Emissions associated with vehicle travel depend on the year of analysis because emission control technology requirements are phased-in over time. Therefore, the earlier the year analyzed in the model, the higher the emission rates utilized by CalEEMod. The earliest the project could possibly be constructed and begin operating would be 2021 based on the CalEEMod default schedule. Emissions associated with build-out later than 2022 would be lower.

Trip Generation Rates

CalEEMod allows the user to enter specific vehicle trip generation rates, which were input to the model using the daily trip generation rate provided in the project trip generation table. The Saturday and Sunday trip rates were assumed to be the weekday rate adjusted by multiplying the ratio of the CalEEMod default rates for Saturday and Sunday trips. The project traffic analysis provided project trip generation values for the proposed project.⁸ Based on 870 daily trips divided by 25,000-sf, the weekday trip rate would be 34.8 trips daily trips per 1,000 square feet. The weekend trip rates were computed as 8.63 Saturday trips per 1,000 square feet and 1.49 Sunday trips per 1,000 square feet.

Energy

CalEEMod defaults for energy use were used, which include the 2016 Title 24 Building Standards. Indirect emissions from electricity were computed in CalEEMod. The model has a default rate of 641.3 pounds of CO₂ per megawatt of electricity produced, which is based on PG&E's 2008 emissions rate. The rate was adjusted to account for PG&E's projected 2020 CO₂ intensity rate. This 2020 rate is based, in part, on the requirement of a renewable energy portfolio standard of 33 percent by the year 2020. The derived 2020 rate for PG&E was estimated at 290 pounds of CO₂ per megawatt of electricity delivered.⁹

⁸ TJKM., 2019. "Focused Traffic Study for John Drive Medical Office Building in Castro Valley", Memorandum. January

⁹ Pacific Gas & Electric, 2015. *Greenhouse Gas Emission Factors: Guidance for PG&E Customers*. November.

Other Inputs

Default model assumptions for emissions associated with solid waste generation use were applied to the project. Water/wastewater use were changed to 100% aerobic conditions to represent wastewater treatment plant conditions.

Existing Uses

A CalEEMod model for the existing office and truck rental business was run as if they were operating in 2022. The existing land use on the project site included 9,000-sf entered as “General Office Building” since both existing buildings are used for office space. The trip generation rates were adjusted based on the peak hour trips provided by the traffic consultant. The number of daily trips was estimated by averaging the peak hour trips and multiplying by ten. The weekday trip generation was estimated to be 19.44 trips per 1,000 feet, which changed the Saturday rate to 4.34 trips per 1,000 square feet and the Sunday rate to 1.85 trips per 1,000 square feet.

Table 3 shows the average daily operational emissions of ROG, NO_x, PM₁₀, and PM_{2.5}. As indicated in Table 3, predicted the operational period emissions would not exceed the BAAQMD significance thresholds.

Table 3. Operational Period Emissions

Scenario	ROG	NO _x	PM ₁₀	PM _{2.5}
2022 Project Operational Emissions (tons/year)	0.29 tons	1.13 tons	0.49 tons	0.14 tons
2022 Existing Operational Emissions (tons/year)	0.08 tons	0.25 tons	0.12 tons	0.03 tons
Net Annual Emissions (tons/year)	0.22 tons	0.88 tons	0.37 tons	0.10 tons
BAAQMD Thresholds (tons /year)	10 tons	10 tons	15 tons	10 tons
<i>Exceed Threshold?</i>	No	No	No	No
2022 Project Operational Emissions (lbs/day) ¹	1.18 lbs.	4.81 lbs.	2.02 lbs.	0.56 lbs.
BAAQMD Thresholds (pounds/day)	54 lbs.	54 lbs.	82 lbs.	54 lbs.
<i>Exceed Threshold?</i>	No	No	No	No
Notes: ¹ Assumes 365-day operation.				

AQ Impact 3: Expose sensitive receptors to substantial pollutant concentrations?

Project impacts related to increased community risk can occur either by introducing a new sensitive receptor, such as a residential use, in proximity to an existing source of TACs or by introducing a new source of TACs with the potential to adversely affect existing sensitive receptors in the project vicinity. This project would not introduce new sensitive receptors that would occupy the project site for extended periods and would not introduce a new source of TACs. Operation of the project would not be considered a source of TAC or PM_{2.5} emissions that could lead to significant community risk impacts as the project would not impact existing roadway intersections and not include any stationary sources of emissions. Temporary project construction activity would generate dust and equipment exhaust on a temporary basis that could affect nearby sensitive receptors. A construction health risk assessment was prepared to

address project construction and existing TAC impacts on the surrounding off-site sensitive receptors. Community risk impacts are addressed by predicting increased lifetime cancer risk, the increase in annual PM_{2.5} concentrations and computing the Hazard Index (HI) for non-cancer health risks. The methodology for computing community risks impacts is contained in *Attachment 1*.

Construction Community Health Risk Impacts

Construction equipment and associated heavy-duty truck traffic generates diesel exhaust, which is a known TAC. These exhaust air pollutant emissions would not be considered to contribute substantially to existing or projected air quality violations as seen in Table 2. Construction exhaust emissions may still pose health risks for sensitive receptors such as surrounding residents. The primary community risk impact issue associated with construction emissions are cancer risk and exposure to PM_{2.5}. Diesel exhaust poses both a potential health and nuisance impact to nearby receptors. A health risk assessment of the project construction activities was conducted that evaluated potential health effects to nearby sensitive receptors from construction emissions of DPM and PM_{2.5}.¹⁰ This assessment included dispersion modeling to predict the offsite concentrations resulting from project construction, so that lifetime cancer risks and non-cancer health effects could then be evaluated.

Construction Emissions

The CalEEMod model provided total annual PM₁₀ exhaust emissions (assumed to be DPM) for the off-road construction equipment and for exhaust emissions from on-road vehicles, with total emissions from all construction stages as 0.0437 tons (81 pounds). The on-road emissions are a result of haul truck travel during demolition and grading activities, worker travel, and vendor deliveries during construction. A trip length of one mile was used to represent vehicle travel while at or near the construction site. It was assumed that these emissions from on-road vehicles traveling at or near the site would occur at the construction site. Fugitive PM_{2.5} dust emissions were calculated by CalEEMod as 0.0253 tons (50 pounds) for the overall construction period.

Dispersion Modeling

The U.S. EPA AERMOD dispersion model was used to predict concentrations of DPM and PM_{2.5} at sensitive receptors (residences) in the vicinity of the project construction area. The AERMOD dispersion model is a BAAQMD-recommended model for use in modeling analysis of these types of emission activities for CEQA projects.¹¹ The modeling utilized two area sources to represent the on-site construction emissions, one for exhaust emissions and one for fugitive dust emissions. To represent the construction equipment exhaust emissions, an emission release height of 6 meters (19.7 feet) was used for the area sources. The elevated source height reflects the height of the equipment exhaust pipes plus an additional distance for the height of the exhaust plume above the exhaust pipes to account for plume rise of the exhaust gases. For modeling fugitive PM_{2.5} emissions, a near-ground level release height of 2 meters (6.6 feet) was used for the area sources. Emissions from the construction equipment and on-road vehicle travel were distributed throughout the modeled area

¹⁰ DPM is identified by California as a toxic air contaminant due to the potential to cause cancer.

¹¹ Bay Area Air Quality Management District (BAAQMD), 2012, *Recommended Methods for Screening and Modeling Local Risks and Hazards, Version 3.0*. May.

sources. Construction emissions were modeled as occurring daily between 7 a.m. to 4 p.m., when the majority of construction activity would occur.

The modeling used a five-year data set (2009-2013) of hourly meteorological data from the Oakland International Airport that was prepared for use with the AERMOD model by CARB. This airport is approximately nine miles north west of the project site. Annual DPM and PM_{2.5} concentrations from construction activities during the 2020 period were calculated using the model. DPM and PM_{2.5} concentrations were calculated at nearby sensitive receptors. A receptor height of 1.5 meters (4.9 feet) was used to represent the breathing height of nearby residences in single-family homes and ground-level duplexes. The maximum-modeled annual DPM and PM_{2.5} concentrations, which includes both the DPM and fugitive PM_{2.5} concentrations, were identified at nearby sensitive receptors (as shown in Figure 1) to find the maximally exposed individuals (MEIs). Using the maximum annual modeled DPM concentrations, the maximum increased cancer risks were calculated using BAAQMD recommended methods and exposure parameters described in *Attachment 1*. Non-cancer health hazards and maximum PM_{2.5} concentrations were also calculated and identified.

Figure 1. Project Construction Site, Point Source Locations, Locations of Off-Site Sensitive Receptors, and TAC Impacts



Results of this assessment indicated that the construction MEI was located at a single-family home adjacent to the northern project boundary as seen in Figure 1. The maximum increased residential cancer risks, PM_{2.5} concentration, and HI from construction would not exceed the BAAQMD single-source thresholds of greater than 10.0 per million, greater than 0.03 µg/m³, or greater than 1.0, respectively. *Attachment 3* to this report includes the emission calculations used for the construction area source modeling and the cancer risk calculations.

Happiness Hill Preschool & Crossroad Christian Elementary School

Additionally, modeling was conducted to predict the cancer risks, non-cancer health hazards, and maximum PM_{2.5} associated with a nearby preschool for children. Happiness Hill Preschool and Crossroad Christian Elementary School are child care and school programs that is approximately 560 feet northwest of the project site. Students attending both schools were assumed to be between the ages of 2 to 9 years-old. The maximum increased cancer risks were adjusted using infant exposure parameters. Results of this assessment indicated that the maximum cancer risks (without any mitigation or construction emission controls) would be 0.1 per million for child exposure. The maximum-modeled annual PM_{2.5} concentration, which is based on combined exhausted and fugitive dust emissions, would be <0.01 µg/m³ and the HI based on the DPM concentration would be <0.01. These risk values do not exceed the BAAQMD single-source significance threshold for annual cancer risk, PM_{2.5} concentration, or HI.

Cumulative Health Risk impact at Off-Site Construction MEI

Community health risk assessments typically look at all substantial sources of TACs located within 1,000 feet of project sites and at new TAC sources that would be introduced by the project. These sources include highways, busy surface streets, and stationary sources identified by BAAQMD. A review of the project area indicates that traffic on Interstate 580 and Castro Valley Boulevard has an average daily traffic (ADT) of over 10,000 vehicles. All other roadways within the area are assumed to have an ADT that is less than 10,000 vehicles. Three stationary sources were identified within the 1,000-foot influence area using the BAAQMD's stationary source Google Earth map. This project would not introduce any new TAC sources. Figure 2 shows the sources affecting the project site. Details of the modeling and community risk calculations are included in *Attachment 4*.

Figure 2. Project Site and Nearby TAC and PM_{2.5} Sources



Highways – Interstate 580

BAAQMD provides a Google Earth *Highway Screening Analysis Tool* that can be used to identify screening level impacts from State highways. Interstate 580 (i.e. Link 455, 6ft elevation) risk impacts were screened using the BAAQMD *Highway Screening Analysis Tool*. The lifetime cancer risk, annual PM_{2.5} exposure and non-cancer hazard index corresponding to the distance between the project and the site was used. The data were based on the project being approximately 450 feet north of the interstate. Cancer risk levels were adjusted for exposure duration, age, and new exposure guidance provided by OEHHA, as described in *Attachment 1*. The risk impacts are discussed in Table 4.

Stationary Sources

Permitted stationary sources of air pollution near the project site were identified using BAAQMD's *Stationary Source Risk & Hazard Analysis Tool*. This mapping tool uses Google Earth. Three stationary sources were identified. A Stationary Source Information Form (SSIF) containing the identified sources was prepared and submitted to BAAQMD. They provided updated risk levels, emissions and adjustments to account for new OEHHA guidance.¹² The risk values from all three stationary sources were then adjusted for distance based on the BAAQMD's *Distance Adjustment Multiplier Tool for Diesel Internal Combustion Engines* or *Distance Adjustment Multiplier Tool for Gasoline Dispensing Facilities* when appropriate. Concentration levels and community risk impacts from these sources upon the project are reported in Table 4.

Local Roadways – Castro Valley Boulevard

For local roadways, BAAQMD has provided the *Roadway Screening Analysis Calculator* to assess whether roadways with traffic volumes of over 10,000 vehicles per day may have a potentially significant effect on a proposed project. Two adjustments were made to the cancer risk predictions made by this calculator: (1) adjustment for latest vehicle emissions rates predicted using EMFAC2014 and (2) adjustment of cancer risk to reflect new OEHHA guidance (see *Attachment I*).

The calculator uses EMFAC2011 emission rates for the year 2014. In addition, a new version of the emissions factor model, EMFAC2014 is available. This version predicts lower emission rates. An adjustment factor of 0.5 was developed by comparing emission rates of total organic gases (TOG) for running exhaust and running losses developed using EMFAC2011 for year 2014 and those from EMFAC2014 for 2018. The predicted cancer risk was then adjusted using a factor of 1.3744 to account for new OEHHA guidance. This factor was provided by BAAQMD for use with their CEQA screening tools that are used to predict cancer risk.

The ADT on Castro Valley Boulevard was estimated to be 25,740 vehicles. This estimate was based on the peak hour turning movement count included in the project's traffic analysis.¹³ The AM and PM peak-hour volumes were averaged and then multiplied by 10 to estimate the ADT.

The BAAQMD *Roadway Screening Analysis Calculator* for Alameda County was used for these roadways. Castro Valley Boulevard was identified as an east-west roadway with the construction MEI north of the roadway. Estimated risk values for the roadway upon the Construction MEI is listed in Table 4. Note that BAAQMD has found that non-cancer hazards from all local roadways would be below a Hazard Index of 0.03.

Combined Community Health Risk at Off-site Construction MEI

Cumulative TAC impacts are assessed by predicting the combined community risk impacts to the project and nearby sources. Table 4 reports both the project and cumulative community risk impacts.

¹² Correspondence with Areana Flores, BAAQMD, 27 March 2019.

¹³ TJKM., 2019. "Focused Traffic Study for John Drive Medical Office Building in Castro Valley", Memorandum. January

The project would have a *less-than-significant* impact with respect to community risk caused by construction activities, since the cancerous, non-cancerous, and PM_{2.5} risks would not exceed the BAAQMD single-source thresholds. The combined cancer risk, PM_{2.5} concentrations and Hazard risk values, which includes unmitigated and mitigated, would also not exceed the BAAQMD cumulative thresholds and have a *less-than-significant* impact. However, Recommended Measure AQ-1 and AQ-2 are suggested to ensure that the project’s construction would have *less-than-significant* impacts.

Table 4. Impacts from Combined Sources at Off-Site Construction MEI

Source	Cancer Risk (per million)	Annual PM _{2.5} (µg/m ³)	Hazard Index
Project Construction	7.5 (infant)	0.08	0.01
BAAQMD Single-Source Threshold	>10.0	>0.3	>1.0
Significant?	No	No	No
Highway 580 (Link 455, 6ft elevation) – MEI at 990-ft North	7.2	0.04	0.01
Castro Valley Boulevard (ADT 25,740) – MEI at 360-ft North	3.3	0.09	<0.03
Stop & Save (Gas Station, Plant #107480) – MEI at 450-ft	0.6		<0.01
Verizon Wireless (Generator, Plant #16293) – MEI at >1,000-ft	0.3	<0.01	<0.01
Seesan Enterprises, Inc. (Gas Dispensing Facility, Plant #111565) – MET at 560-ft	0.7		<0.01
Combined Sources	19.6	0.22	0.08
BAAQMD Cumulative Source Threshold	>100	>0.8	>10.0
Significant?	No	No	No

Recommended Measure AQ-1: Include measures to control dust and exhaust during construction.

During any construction period ground disturbance, the applicant shall ensure that the project contractor implement measures to control dust and exhaust. Implementation of the measures recommended by BAAQMD and listed below would reduce the air quality impacts associated with grading and new construction to a less-than-significant level. Additional measures are identified to reduce construction equipment exhaust emissions. The contractor shall implement the following best management practices that are required of all projects:

1. All exposed surfaces (e.g., parking areas, staging areas, soil piles, graded areas, and unpaved access roads) shall be watered two times per day.
2. All haul trucks transporting soil, sand, or other loose material off-site shall be covered.
3. All visible mud or dirt track-out onto adjacent public roads shall be removed using wet power vacuum street sweepers at least once per day. The use of dry power sweeping is prohibited.
4. All vehicle speeds on unpaved roads shall be limited to 15 miles per hour (mph).

5. All roadways, driveways, and sidewalks to be paved shall be completed as soon as possible. Building pads shall be laid as soon as possible after grading unless seeding or soil binders are used.
6. Idling times shall be minimized either by shutting equipment off when not in use or reducing the maximum idling time to 5 minutes (as required by the California airborne toxics control measure Title 13, Section 2485 of California Code of Regulations [CCR]). Clear signage shall be provided for construction workers at all access points.
7. All construction equipment shall be maintained and properly tuned in accordance with manufacturer's specifications. All equipment shall be checked by a certified mechanic and determined to be running in proper condition prior to operation.
8. Post a publicly visible sign with the telephone number and person to contact at the Lead Agency regarding dust complaints. This person shall respond and take corrective action within 48 hours. The Air District's phone number shall also be visible to ensure compliance with applicable regulations.

Recommended Measure AQ-2: Selection of equipment during construction to minimize emissions. Such equipment selection would include the following:

1. The project shall consider utilizing diesel-powered off-road equipment equipped with U.S. EPA particulate matter emissions standards for Tier 3 engines. Equipment that meets U.S. EPA Tier 4 standards for particulate matter or use of equipment that is electrically powered or uses non-diesel fuels would also be appropriate.

AQ Impact 4: Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?

Emissions of air pollutants or TACs are addressed under impacts 2 and 3. Emission of greenhouse gases are addressed separately. In terms of odor emissions, BAAQMD has identified a variety of land uses and types of operations that would produce emissions that may lead to odors in their CEQA Air Quality Guidelines. Some of the identified land uses include wastewater treatment plans, sanitary landfills, food processing facilities, coffee roasters, compositing facilities, and confined animal facility/feed lot/dairy facility. The proposed project would construct a medical office building which does not fall under any of the land uses BAAQMD has identified. Therefore, odors that could cause complaints from the general public and affect a substantial number of people are not expected and the project would have a *less-than-significant impact*.

Greenhouse Gas Emissions

Setting

Gases that trap heat in the atmosphere, GHGs, regulate the earth's temperature. This phenomenon, known as the greenhouse effect, is responsible for maintaining a habitable climate. The most common GHGs are carbon dioxide (CO₂) and water vapor but there are also several others, most importantly methane (CH₄), nitrous oxide (N₂O), hydrofluorocarbons (HFCs), perfluorocarbons (PFCs), and sulfur hexafluoride (SF₆). These are released into the earth's atmosphere through a variety of natural processes and human activities. Sources of GHGs are generally as follows:

- CO₂ and N₂O are byproducts of fossil fuel combustion.
- N₂O is associated with agricultural operations such as fertilization of crops.
- CH₄ is commonly created by off-gassing from agricultural practices (e.g., keeping livestock) and landfill operations.
- Chlorofluorocarbons (CFCs) were widely used as refrigerants, propellants, and cleaning solvents but their production has been stopped by international treaty.
- HFCs are now used as a substitute for CFCs in refrigeration and cooling.
- PFCs and sulfur hexafluoride emissions are commonly created by industries such as aluminum production and semi-conductor manufacturing.

Each GHG has its own potency and effect upon the earth's energy balance. This is expressed in terms of a global warming potential (GWP), with CO₂ being assigned a value of 1 and sulfur hexafluoride being several orders of magnitude stronger. In GHG emission inventories, the weight of each gas is multiplied by its GWP and is measured in units of CO₂ equivalents (CO₂e).

An expanding body of scientific research supports the theory that global climate change is currently affecting changes in weather patterns, average sea level, ocean acidification, chemical reaction rates, and precipitation rates, and that it will increasingly do so in the future. The climate and several naturally occurring resources within California are adversely affected by the global warming trend. Increased precipitation and sea level rise will increase coastal flooding, saltwater intrusion, and degradation of wetlands. Mass migration and/or loss of plant and animal species could also occur. Potential effects of global climate change that could adversely affect human health include more extreme heat waves and heat-related stress; an increase in climate-sensitive diseases; more frequent and intense natural disasters such as flooding, hurricanes and drought; and increased levels of air pollution.

Recent Regulatory Actions

Assembly Bill 32 (AB 32), California Global Warming Solutions Act (2006)

AB 32, the Global Warming Solutions Act of 2006, codified the State's GHG emissions target by directing CARB to reduce the State's global warming emissions to 1990 levels by 2020. AB 32 was signed and passed into law by Governor Schwarzenegger on September 27, 2006. Since that time, the CARB, CEC, California Public Utilities Commission (CPUC), and Building Standards

Commission have all been developing regulations that will help meet the goals of AB 32 and Executive Order S-3-05.

A Scoping Plan for AB 32 was adopted by CARB in December 2008. It contains the State's main strategies to reduce GHGs from business-as-usual emissions projected in 2020 back down to 1990 levels. Business-as-usual (BAU) is the projected emissions in 2020, including increases in emissions caused by growth, without any GHG reduction measures. The Scoping Plan has a range of GHG reduction actions, including direct regulations, alternative compliance mechanisms, monetary and non-monetary incentives, voluntary actions, and market-based mechanisms such as a cap-and-trade system.

As directed by AB 32, CARB has also approved a statewide GHG emissions limit. On December 6, 2007, CARB staff resolved an amount of 427 million metric tons (MMT) of CO_{2e} as the total statewide GHG 1990 emissions level and 2020 emissions limit. The limit is a cumulative statewide limit, not a sector- or facility-specific limit. CARB updated the future 2020 BAU annual emissions forecast, in light of the economic downturn, to 545 MMT of CO_{2e}. Two GHG emissions reduction measures currently enacted that were not previously included in the 2008 Scoping Plan baseline inventory were included, further reducing the baseline inventory to 507 MMT of CO_{2e}. Thus, an estimated reduction of 80 MMT of CO_{2e} is necessary to reduce statewide emissions to meet the AB 32 target by 2020.

Senate Bill 375, California's Regional Transportation and Land Use Planning Efforts (2008)

California enacted legislation (SB 375) to expand the efforts of AB 32 by controlling indirect GHG emissions caused by urban sprawl. SB 375 provides incentives for local governments and applicants to implement new conscientiously planned growth patterns. This includes incentives for creating attractive, walkable, and sustainable communities and revitalizing existing communities. The legislation also allows applicants to bypass certain environmental reviews under CEQA if they build projects consistent with the new sustainable community strategies. Development of more alternative transportation options that would reduce vehicle trips and miles traveled, along with traffic congestion, would be encouraged. SB 375 enhances CARB's ability to reach the AB 32 goals by directing the agency in developing regional GHG emission reduction targets to be achieved from the transportation sector for 2020 and 2035. CARB works with the metropolitan planning organizations (e.g. Association of Bay Area Governments [ABAG] and Metropolitan Transportation Commission [MTC]) to align their regional transportation, housing, and land use plans to reduce vehicle miles traveled and demonstrate the region's ability to attain its GHG reduction targets. A similar process is used to reduce transportation emissions of ozone precursor pollutants in the Bay Area.

SB 350 Renewable Portfolio Standards

In September 2015, the California Legislature passed SB 350, which increases the states Renewables Portfolio Standard (RPS) for content of electrical generation from the 33 percent target for 2020 to a 50 percent renewables target by 2030.

Executive Order EO-B-30-15 (2015) and SB 32 GHG Reduction Targets

In April 2015, Governor Brown signed Executive Order which extended the goals of AB 32, setting a greenhouse gas emissions target at 40 percent of 1990 levels by 2030. On September 8, 2016, Governor Brown signed SB 32, which legislatively established the GHG reduction target of 40 percent of 1990 levels by 2030. In November 2017, CARB issued *California's 2017 Climate Change Scoping Plan*. While the State is on track to exceed the AB 32 scoping plan 2020 targets, this plan is an update to reflect the enacted SB 32 reduction target.

SB 32 was passed in 2016, which codified a 2030 GHG emissions reduction target of 40 percent below 1990 levels. CARB is currently working on a second update to the Scoping Plan to reflect the 2030 target set by Executive Order B-30-15 and codified by SB 32. The proposed Scoping Plan Update was published on January 20, 2017 as directed by SB 32 companion legislation AB 197. The mid-term 2030 target is considered critical by CARB on the path to obtaining an even deeper GHG emissions target of 80 percent below 1990 levels by 2050, as directed in Executive Order S-3-05. The Scoping Plan outlines the suite of policy measures, regulations, planning efforts, and investments in clean technologies and infrastructure, providing a blueprint to continue driving down GHG emissions and obtain the statewide goals.

The new Scoping Plan establishes a strategy that will reduce GHG emissions in California to meet the 2030 target (note that the AB 32 Scoping Plan only addressed 2020 targets and a long-term goal). Key features of this plan are:

- Cap and Trade program places a firm limit on 80 percent of the State's emissions;
- Achieving a 50-percent Renewable Portfolio Standard by 2030 (currently at about 29 percent statewide);
- Increase energy efficiency in existing buildings;
- Develop fuels with an 18-percent reduction in carbon intensity;
- Develop more high-density, transit-oriented housing;
- Develop walkable and bikable communities;
- Greatly increase the number of electric vehicles on the road and reduce oil demand in half;
- Increase zero-emissions transit so that 100 percent of new buses are zero emissions;
- Reduce freight-related emissions by transitioning to zero emissions where feasible and near-zero emissions with renewable fuels everywhere else; and
- Reduce "super pollutants" by reducing methane and hydrofluorocarbons or HFCs by 40 percent.

In the updated Scoping Plan, CARB recommends statewide targets of no more than 6 metric tons CO_{2e} per capita (statewide) by 2030 and no more than 2 metric tons CO_{2e} per capita by 2050. The statewide per capita targets account for all emissions sectors in the State, statewide population forecasts, and the statewide reductions necessary to achieve the 2030 statewide target under SB 32 and the longer-term State emissions reduction goal of 80 percent below 1990 levels by 2050.

Castro Valley General Plan

The Castro Valley General Plan also includes goals, policies, and actions to address climate change and reduce GHG emissions. The following policies are applicable to the project:

- | | |
|----------------------------|---|
| Climate Change Goal 12.2-1 | Reduce greenhouse gas emissions in Castro Valley |
| Goal 12.2-2 | Prepare Castro Valley for the effects of climate change through the adoption of adaptation and resiliency strategies |
| Policy 12.2-1 G | GHG Reduction Program Participation. The County shall continue to participate in international, national, regional, and local programs to reduce greenhouse gas emissions. |
| Policy 12.2-2 | County Climate Action Plan. The County's Climate Action Plan shall be the guiding document for the reduction of greenhouse gases in Castro Valley and shall be implemented through all components of the County General Plan including the Castro General Plan. |

Alameda County Climate Action Plan

The Alameda County (Unincorporated Areas) Community Climate Action Plan (CAP) was adopted by the Board of Supervisors on February 4, 2014. The CAP was established to address GHG emissions and create policy measures to reduce GHG emissions throughout the Alameda County. This CAP is a BAAQMD-qualified GHG reduction strategy. The CAP does not have plan level GHG thresholds that go beyond 2020 yet.

BAAQMD Significance Thresholds

The BAAQMD's CEQA Air Quality Guidelines do not use quantified thresholds for projects that are in a jurisdiction with a qualified GHG reductions plan (i.e., a Climate Action Plan). The plan has to address emissions associated with the period that the project would operate (e.g., beyond year 2020). For quantified emissions, the guidelines recommended a GHG threshold of 1,100 metric tons or 4.6 metric tons (MT) per capita. These thresholds were developed based on meeting the 2020 GHG targets set in the scoping plan that addressed AB 32. Development of the project would occur beyond 2020, so a threshold that addresses a future target is appropriate.

Although BAAQMD has not published a quantified threshold for 2030 yet, this assessment uses a "Substantial Progress" efficiency metric of 2.8 MT CO_{2e}/year/service population and a bright-line threshold of 660 MT CO_{2e}/year based on the GHG reduction goals of EO B-30-15. The service population metric of 2.8 is calculated for 2030 based on the 1990 inventory and the projected 2030

statewide population and employment levels.¹⁴ The 2030 bright-line threshold is a 40 percent reduction of the 2020 1,100 MT CO_{2e}/year threshold.

GHG Impact 1: Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?

GHG emissions associated with development of the proposed project would occur over the short-term from construction activities, consisting primarily of emissions from equipment exhaust and worker and vendor trips. There would also be long-term operational emissions associated with vehicular traffic within the project vicinity, energy and water usage, and solid waste disposal. Emissions for the proposed project are discussed below and were analyzed using the methodology recommended in the BAAQMD CEQA Air Quality Guidelines.

CalEEMod Modeling

CalEEMod was used to predict GHG emissions from operation of the site assuming full build-out of the project. The project land use types and size and other project-specific information were input to the model, as described above within the operational period emissions. CalEEMod output is included in *Attachment 2*.

Service Population Emissions

The project service population efficiency rate is based on the number of future employees. For this project, the number of future residents is anticipated to be between 35 and 50 employees. The maximum number of 50 employees will be used to calculate the per capita emissions.

Construction Emissions

GHG emissions associated with construction were computed to be 264 MT of CO_{2e} for the total construction period. These are the emissions from on-site operation of construction equipment, vendor and hauling truck trips, and worker trips. Neither the City nor BAAQMD have an adopted threshold of significance for construction-related GHG emissions, though BAAQMD recommends quantifying emissions and disclosing that GHG emissions would occur during construction. BAAQMD also encourages the incorporation of best management practices to reduce GHG emissions during construction where feasible and applicable.

Operational Emissions

The CalEEMod model, along with the project vehicle trip generation rates, was used to estimate daily emissions associated with operation of the fully-developed site under the proposed project. As shown in Table 7, the net annual emissions resulting from operation of the proposed project are predicted to be 623 MT of CO_{2e} for the year 2022 and 528 MT of CO_{2e} for the year 2030. The Service Population Emissions for the year 2022 would be 15.9 MT CO_{2e}/year/service population and 14.0 MT CO_{2e}/year/service population for the year 2030.

¹⁴ Association of Environmental Professionals, 2016. *Beyond 2020 and Newhall: A Field Guide to New CEQA Greenhouse Gas Thresholds and Climate Action Plan Targets for California*. April.

To be considered significant, the project must exceed both the GHG significance threshold in metric tons per year and the service population significance threshold. The 2030 emissions do not exceed the 2030 “bright-line” threshold of 660 MT of CO_{2e}/year. Therefore, the project would have a *less-than-significant* impact regarding GHG emissions.

Table 5. Annual Project GHG Emissions (CO_{2e}) in Metric Tons and Per Capita

Source Category	Existing Land Use in 2022	Proposed Project in 2022	Proposed Project in 2030
Area	<1	<1	<1
Energy Consumption	24	69	69
Mobile	142	586	491
Solid Waste Generation	4	136	136
Water Usage	2	4	4
Total (MT CO _{2e} /year)	173	796	701
Net Emissions		623 MT CO _{2e} /year	528 MT CO _{2e} /year
<i>Significance Threshold</i>			<i>660 MT CO_{2e}/year</i>
Service Population Emissions (MT CO _{2e} /year/service population)		15.9	14.0
<i>Significance Threshold</i>			<i>2.8 in 2030</i>
<i>Significant (Exceeds both thresholds)?</i>			<i>No</i>

GHG Impact 2: Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?

The proposed project would not conflict or otherwise interfere with the statewide GHG reduction measures identified in CARB’s Scoping Plan. For example, proposed buildings would be constructed in conformance with CALGreen and the Title 24 Building Code, which requires high-efficiency water fixtures and water-efficient irrigation systems. The proposed project will also adhere to measures from the CAP that the County deems applicable and appropriate.

Supporting Documentation

Attachment 1 is the methodology used to compute community risk impacts, including the methods to compute lifetime cancer risk from exposure to project emissions.

Attachment 2 includes the CalEEMod output for project construction and operational criteria air pollutant and GHG emissions. The operational output for existing uses is also included in this attachment. Also included are any modeling assumptions.

Attachment 3 is the construction health risk assessment. AERMOD dispersion modeling files for this assessment, which are quite voluminous, are available upon request and would be provided in digital format

Attachment 4 includes the screening community risk calculations from sources affecting the project and MEI.

Attachment 1: Health Risk Calculation Methodology

A health risk assessment (HRA) for exposure to Toxic Air Contaminates (TACs) requires the application of a risk characterization model to the results from the air dispersion model to estimate potential health risk at each sensitive receptor location. The State of California Office of Environmental Health Hazard Assessment (OEHHA) and California Air Resources Board (CARB) develop recommended methods for conducting health risk assessments. The most recent OEHHA risk assessment guidelines were published in February of 2015.¹⁵ These guidelines incorporate substantial changes designed to provide for enhanced protection of children, as required by State law, compared to previous published risk assessment guidelines. CARB has provided additional guidance on implementing OEHHA's recommended methods.¹⁶ This HRA used the 2015 OEHHA risk assessment guidelines and CARB guidance. The BAAQMD has adopted recommended procedures for applying the newest OEHHA guidelines as part of Regulation 2, Rule 5: New Source Review of Toxic Air Contaminants.¹⁷ Exposure parameters from the OEHHA guidelines and the recent BAAQMD HRA Guidelines were used in this evaluation.

Cancer Risk

Potential increased cancer risk from inhalation of TACs are calculated based on the TAC concentration over the period of exposure, inhalation dose, the TAC cancer potency factor, and an age sensitivity factor to reflect the greater sensitivity of infants and children to cancer causing TACs. The inhalation dose depends on a person's breathing rate, exposure time and frequency and duration of exposure. These parameters vary depending on the age, or age range, of the persons being exposed and whether the exposure is considered to occur at a residential location or other sensitive receptor location.

The current OEHHA guidance recommends that cancer risk be calculated by age groups to account for different breathing rates and sensitivity to TACs. Specifically, they recommend evaluating risks for the third trimester of pregnancy to age zero, ages zero to less than two (infant exposure), ages two to less than 16 (child exposure), and ages 16 to 70 (adult exposure). Age sensitivity factors (ASFs) associated with the different types of exposure are an ASF of 10 for the third trimester and infant exposures, an ASF of 3 for a child exposure, and an ASF of 1 for an adult exposure. Also associated with each exposure type are different breathing rates, expressed as liters per kilogram of body weight per day (L/kg-day). As recommended by the BAAQMD for residential exposures, 95th percentile breathing rates are used for the third trimester and infant exposures, and 80th percentile breathing rates for child and adult exposures. For children at schools and daycare facilities, BAAQMD recommends using the 95th percentile breathing rates. Additionally, CARB and the BAAQMD recommend the use of a residential exposure duration of 30 years for sources with long-term emissions (e.g., roadways). For workers, assumed to be adults, a 25-year exposure period is recommended by the BAAQMD.

¹⁵ OEHHA, 2015. *Air Toxics Hot Spots Program Risk Assessment Guidelines, The Air Toxics Hot Spots Program Guidance Manual for Preparation of Health Risk Assessments*. Office of Environmental Health Hazard Assessment. February.

¹⁶ CARB, 2015. *Risk Management Guidance for Stationary Sources of Air Toxics*. July 23.

¹⁷ BAAQMD, 2016. *BAAQMD Air Toxics NSR Program Health Risk Assessment (HRA) Guidelines*. December 2016.

Under previous OEHHA and BAAQMD HRA guidance, residential receptors are assumed to be at their home 24 hours a day, or 100 percent of the time. In the 2015 Risk Assessment Guidance, OEHHA includes adjustments to exposure duration to account for the fraction of time at home (FAH), which can be less than 100 percent of the time, based on updated population and activity statistics. The FAH factors are age-specific and are: 0.85 for third trimester of pregnancy to less than 2 years old, 0.72 for ages 2 to less than 16 years, and 0.73 for ages 16 to 70 years. Use of the FAH factors is allowed by the BAAQMD if there are no schools in the project vicinity that would have a cancer risk of one in a million or greater assuming 100 percent exposure (FAH = 1.0).

Functionally, cancer risk is calculated using the following parameters and formulas:

$$\text{Cancer Risk (per million)} = CPF \times \text{Inhalation Dose} \times ASF \times ED/AT \times FAH \times 10^6$$

Where:

CPF = Cancer potency factor (mg/kg-day)⁻¹

ASF = Age sensitivity factor for specified age group

ED = Exposure duration (years)

AT = Averaging time for lifetime cancer risk (years)

FAH = Fraction of time spent at home (unitless)

$$\text{Inhalation Dose} = C_{\text{air}} \times DBR \times A \times (EF/365) \times 10^{-6}$$

Where:

C_{air} = concentration in air (µg/m³)

DBR = daily breathing rate (L/kg body weight-day)

A = Inhalation absorption factor

EF = Exposure frequency (days/year)

10⁻⁶ = Conversion factor

The health risk parameters used in this evaluation are summarized as follows:

Parameter	Exposure Type →	Infant		Child		Adult
	Age Range →	3 rd Trimester	0<2	2 < 9	2 < 16	16 - 30
DPM Cancer Potency Factor (mg/kg-day) ⁻¹		1.10E+00	1.10E+00	1.10E+00	1.10E+00	1.10E+00
Daily Breathing Rate (L/kg-day) 80 th Percentile Rate		273	758	631	572	261
Daily Breathing Rate (L/kg-day) 95 th Percentile Rate		361	1,090	861	745	335
Inhalation Absorption Factor		1	1	1	1	1
Averaging Time (years)		70	70	70	70	70
Exposure Duration (years)		0.25	2	14	14	14
Exposure Frequency (days/year)		350	350	350	350	350
Age Sensitivity Factor		10	10	3	3	1
Fraction of Time at Home		0.85-1.0	0.85-1.0	0.72-1.0	0.72-1.0	0.73

Non-Cancer Hazards

Potential non-cancer health hazards from TAC exposure are expressed in terms of a hazard index (HI), which is the ratio of the TAC concentration to a reference exposure level (REL). OEHHA has defined acceptable concentration levels for contaminants that pose non-cancer health hazards. TAC concentrations below the REL are not expected to cause adverse health impacts, even for sensitive individuals. The total HI is calculated as the sum of the HIs for each TAC evaluated and the total HI is compared to the BAAQMD significance thresholds to determine whether a significant non-cancer health impact from a project would occur.

Typically, for residential projects located near roadways with substantial TAC emissions, the primary TAC of concern with non-cancer health effects is diesel particulate matter (DPM). For DPM, the chronic inhalation REL is 5 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

Annual PM_{2.5} Concentrations

While not a TAC, fine particulate matter (PM_{2.5}) has been identified by the BAAQMD as a pollutant with potential non-cancer health effects that should be included when evaluating potential community health impacts under the California Environmental Quality Act (CEQA). The thresholds of significance for PM_{2.5} (project level and cumulative) are in terms of an increase in the annual average concentration. When considering PM_{2.5} impacts, the contribution from all sources of PM_{2.5} emissions should be included. For projects with potential impacts from nearby local roadways, the PM_{2.5} impacts should include those from vehicle exhaust emissions, PM_{2.5} generated from vehicle tire and brake wear, and fugitive emissions from re-suspended dust on the roads.

Attachment 2: Provided Construction Sheet & CalEEMod Modeling Output

Project Name: Meridian - John Drive MOB, Castro Valley								Complete ALL Portions in Yellow
See Equipment Type TAB for type, horsepower and load factor								
Project Size Dwelling Units <u>1.28</u> total project acres disturbed s.f. residential _____ s.f. retail _____ <u>25,000</u> s.f. office/commercial _____ s.f. other, specify: _____ s.f. parking garage _____ spaces s.f. parking lot _____ 98 spaces Construction Hours 7:00 am to 4:00 pm								
Qty	Description	HP	Load Factor	Hours/day	Total Work Days	Avg. Hours per day	Annual Hours	Comments
Demolition								
		Start Date:	12/18/2019	Total phase:	21			Overall Import/Export Volumes
		End Date:	1/17/2020					
1	Concrete/Industrial Saws	81	0.73	8	3	1	24	Demolition Volume
1	Excavators	162	0.38	8	2	1	16	
1	Rubber-Tired Dozers	247	0.4	8	10	4	80	Square footage of buildings to be demolished (or total tons to be hauled)
1	Tractors/Loaders/Backhoes	97	0.37	8	20	8	160	Estimated 9,000 square feet or
3	Semi Trucks			8	18	7	432	? Hauling volume (tons)
1	Water Trucks			8	18	7	144	Any pavement demolished and hauled? Est. 49,200 sf
Site Preparation								
		Start Date:	1/20/2020	Total phase:	5			
		End Date:	1/24/2020					
1	Graders	187	0.41	8	4	6	32	
1	Rubber-Tired Dozers	247	0.4	8	4	6	32	
1	Tractors/Loaders/Backhoes	97	0.37	8	4	6	32	
1	Water Trucks			4	5	4	20	
Grading / Excavation								
		Start Date:	1/27/2020	Total phase:	20			Soil Hauling Volume
		End Date:	2/21/2020					Export volume = ? cubic yards?
1	Excavators	162	0.38	8	3	1	24	Import volume = ? cubic yards?
1	Graders	187	0.41	8	5	2	40	Assuming Balanced Site: No import/export
1	Rubber Tired Dozers	247	0.4	8	10	4	80	
1	Tractors/Loaders/Backhoes	97	0.37	8	15	6	120	
1	Water Trucks			4	20	4	80	
1	Scrapers	361	0.48	8	10	4	80	
<i>Other Equipment?</i>								
Trenching/Foundation								
		Start Date:	2/24/2020	Total phase:	153			
		End Date:	9/25/2020					
1	Tractor/Loader/Backhoe	97	0.37	8	40	2	320	footings/plumbing/electrical/utilities/onsite
1	Excavators	162	0.38	8	20	1	160	sanitary sewer/storm drain
1	Rolling Compactors	80	0.38	8	10	1	80	
1	Laser Screed			8	2	0	16	
1	Concrete Saws	81	0.73	8	2	0	16	
4	Concrete Trucks Per Pour			8	2	0	64	
1	Finish Machines			8	4	0	32	
1	Concrete Pump	84	0.74	8	2	0	16	2 panel pours
4	Concrete Trucks			8	2	0	64	Footing pours
1	Water Trucks			8	10	1	80	Backfill / SWPPP
<i>Other Equipment?</i>								
Cement Trucks - Estimated 75 Total Round-Trips								
Building - Exterior								
		Start Date:	3/31/2020	Total phase:	166			
		End Date:	11/20/2020					
1	Cranes	231	0.29	8	3	0	24	panels
2	Forklifts	89	0.2	8	30	1	480	diesel/roof/concrete/rebar/storm
2	Generator Sets	84	0.74	8	40	2	640	gas/diesel/concret/roofer/roof/temp power for trailer
1	Tractors/Loaders/Backhoes	97	0.37	8	0	0	0	
1	Welders	46	0.45	8	10	0	80	diesel
4	Concrete Trucks			8	3	0	96	curbs/walks
1	Paint Rigs			8	10	0	80	gas
1	Water Trucks			8	20	1	160	diesel
<i>Other Equipment?</i>								
Building - Interior/Architectural Coating								
		Start Date:	10/26/2020	Total phase:	81			
		End Date:	2/19/2021					
2	Air Compressors	78	0.48	8	30	3	480	roof nailer/other
3	Aerial Lift	62	0.31	8	60	6	1440	roof/acker/glazer/caulking/paint/other
<i>Other Equipment?</i>								
Paving								
		Start Date:	11/2/2020	Total phase:	76			
		Start Date:	2/19/2021					
1	Cement and Mortar Mixers	9	0.56	8	10	1	80	Asphalt / PCC - Estimated 19,000 sf
1	Pavers	130	0.42	8	3	0	24	
1	Paving Equipment	132	0.36	8	3	0	24	
1	Rollers	80	0.38	8	3	0	24	
1	Tractors/Loaders/Backhoes	97	0.37	8	10	1	80	
1	Water Trucks			8	20	2	160	
<i>Other Equipment?</i>								

Equipment types listed in "Equipment Types" worksheet tab.
Equipment listed in this sheet is to provide an example of inputs
It is assumed that water trucks would be used during grading
Add or subtract phases and equipment, as appropriate
Modify horsepower or load factor, as appropriate

Castro Valley Medical Office Building - Alameda County, Annual

Castro Valley Medical Office Building
Alameda County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Medical Office Building	25.00	1000sqft	1.28	25,000.00	0
Parking Lot	98.00	Space	0.00	39,200.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	63
Climate Zone	5			Operational Year	2022
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MWhr)	290	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Castro Valley Medical Office Building - Alameda County, Annual

Project Characteristics - PG&E 2020 290 rate

Land Use - Land use inputs from 2/4/2019 plans

Construction Phase - Project applicant provided construction schedule, used total work days which takes into account holidays

Off-road Equipment - Project applicant's equipment usage

Off-road Equipment - Project applicant's equipment usage

Off-road Equipment - Project applicant's equipment usage

Off-road Equipment - Project applicant's equipment usage

Off-road Equipment - Project applicant's equipment usage

Off-road Equipment - Project applicant's equipment usage

Off-road Equipment - Project applicant's equipment usage

Trips and VMT - estimated 110 demo hauling trips for pavement, estimated 75 cement truck trips (round-trip), estimated 46 trips for paving. Vendor trips based on the trucks listed in the construction sheet. TAC trip length 1 mile

Demolition - 9,000-sf of building demo

Grading - Assuming balanced site

Vehicle Trips - 870 trips/ 25 ksf = 34.8 weekday rate, 8.63 saturday rate, 1.49 sunday rate

Energy Use -

Water And Wastewater - 100% aerobic

Construction Off-road Equipment Mitigation - BMPS, Tier 3

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00

Castro Valley Medical Office Building - Alameda County, Annual

tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstructionPhase	NumDays	10.00	81.00
tblConstructionPhase	NumDays	200.00	166.00
tblConstructionPhase	NumDays	20.00	21.00
tblConstructionPhase	NumDays	4.00	20.00
tblConstructionPhase	NumDays	10.00	76.00
tblConstructionPhase	NumDays	2.00	5.00
tblLandUse	LotAcreage	0.57	1.28
tblLandUse	LotAcreage	0.88	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	1.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	1.00
tblOffRoadEquipment	UsageHours	6.00	3.00
tblOffRoadEquipment	UsageHours	6.00	1.00
tblOffRoadEquipment	UsageHours	8.00	1.00
tblOffRoadEquipment	UsageHours	6.00	1.00
tblOffRoadEquipment	UsageHours	6.00	1.00
tblOffRoadEquipment	UsageHours	8.00	2.00
tblOffRoadEquipment	UsageHours	6.00	2.00
tblOffRoadEquipment	UsageHours	8.00	6.00
tblOffRoadEquipment	UsageHours	6.00	1.00
tblOffRoadEquipment	UsageHours	8.00	1.00
tblOffRoadEquipment	UsageHours	7.00	1.00

Castro Valley Medical Office Building - Alameda County, Annual

tblOffRoadEquipment	UsageHours	8.00	4.00
tblOffRoadEquipment	UsageHours	6.00	4.00
tblOffRoadEquipment	UsageHours	7.00	6.00
tblOffRoadEquipment	UsageHours	6.00	0.00
tblOffRoadEquipment	UsageHours	7.00	6.00
tblOffRoadEquipment	UsageHours	8.00	1.00
tblOffRoadEquipment	UsageHours	8.00	6.00
tblOffRoadEquipment	UsageHours	8.00	1.00
tblProjectCharacteristics	CO2IntensityFactor	641.35	290
tblTripsAndVMT	HaulingTripNumber	41.00	110.00
tblTripsAndVMT	HaulingTripNumber	0.00	150.00
tblTripsAndVMT	HaulingTripNumber	0.00	70.00
tblTripsAndVMT	VendorTripNumber	0.00	4.00
tblTripsAndVMT	VendorTripNumber	0.00	1.00
tblTripsAndVMT	VendorTripNumber	0.00	1.00
tblTripsAndVMT	VendorTripNumber	0.00	9.00
tblTripsAndVMT	VendorTripNumber	11.00	16.00
tblTripsAndVMT	VendorTripNumber	0.00	1.00
tblVehicleTrips	ST_TR	8.96	8.63
tblVehicleTrips	SU_TR	1.55	1.49
tblVehicleTrips	WD_TR	36.13	34.80
tblWater	AerobicPercent	87.46	100.00
tblWater	AerobicPercent	87.46	100.00
tblWater	AnaerobicandFacultativeLagoonsPercent	2.21	0.00
tblWater	AnaerobicandFacultativeLagoonsPercent	2.21	0.00
tblWater	SepticTankPercent	10.33	0.00
tblWater	SepticTankPercent	10.33	0.00

Castro Valley Medical Office Building - Alameda County, Annual

2.0 Emissions Summary

Castro Valley Medical Office Building - Alameda County, Annual

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2019	4.9700e-003	0.0566	0.0300	7.0000e-005	3.4400e-003	2.5200e-003	5.9700e-003	6.7000e-004	2.3400e-003	3.0100e-003	0.0000	6.8603	6.8603	1.3100e-003	0.0000	6.8931
2020	0.1812	1.0393	0.7760	2.0300e-003	0.0942	0.0397	0.1340	0.0357	0.0377	0.0734	0.0000	183.3931	183.3931	0.0255	0.0000	184.0301
2021	0.0624	0.0698	0.0962	1.8000e-004	2.8900e-003	2.8800e-003	5.7700e-003	7.7000e-004	2.7700e-003	3.5400e-003	0.0000	15.5234	15.5234	2.9600e-003	0.0000	15.5973
Maximum	0.1812	1.0393	0.7760	2.0300e-003	0.0942	0.0397	0.1340	0.0357	0.0377	0.0734	0.0000	183.3931	183.3931	0.0255	0.0000	184.0301

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2019	1.5800e-003	0.0329	0.0313	7.0000e-005	2.2800e-003	1.2400e-003	3.5200e-003	4.3000e-004	1.2400e-003	1.6600e-003	0.0000	6.8603	6.8603	1.3100e-003	0.0000	6.8931
2020	0.1298	0.8302	0.8467	2.0300e-003	0.0660	0.0337	0.0997	0.0171	0.0336	0.0507	0.0000	183.3930	183.3930	0.0255	0.0000	184.0300
2021	0.0590	0.0768	0.1051	1.8000e-004	2.8900e-003	4.7900e-003	7.6700e-003	7.7000e-004	4.7800e-003	5.5500e-003	0.0000	15.5234	15.5234	2.9600e-003	0.0000	15.5973
Maximum	0.1298	0.8302	0.8467	2.0300e-003	0.0660	0.0337	0.0997	0.0171	0.0336	0.0507	0.0000	183.3930	183.3930	0.0255	0.0000	184.0300

Castro Valley Medical Office Building - Alameda County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	23.41	19.38	-8.98	0.00	29.24	12.01	23.91	50.63	7.43	27.50	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	12-18-2019	3-17-2020	0.3290	0.1843
2	3-18-2020	6-17-2020	0.2706	0.2244
3	6-18-2020	9-17-2020	0.2998	0.2478
4	9-18-2020	12-17-2020	0.3049	0.2744
5	12-18-2020	3-17-2021	0.1795	0.1823
		Highest	0.3290	0.2744

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.1141	1.0000e-005	1.1300e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003
Energy	2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	68.6339	68.6339	4.7800e-003	1.3600e-003	69.1584
Mobile	0.1671	1.1090	1.7105	6.3400e-003	0.4814	6.0400e-003	0.4874	0.1294	5.6700e-003	0.1351	0.0000	585.5244	585.5244	0.0268	0.0000	586.1934
Waste						0.0000	0.0000		0.0000	0.0000	54.8076	0.0000	54.8076	3.2390	0.0000	135.7834
Water						0.0000	0.0000		0.0000	0.0000	1.1099	2.5079	3.6178	4.0700e-003	2.4700e-003	4.4543
Total	0.2839	1.1327	1.7315	6.4800e-003	0.4814	7.8400e-003	0.4892	0.1294	7.4700e-003	0.1369	55.9174	656.6684	712.5858	3.2747	3.8300e-003	795.5918

Castro Valley Medical Office Building - Alameda County, Annual

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.1141	1.0000e-005	1.1300e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003
Energy	2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	68.6339	68.6339	4.7800e-003	1.3600e-003	69.1584
Mobile	0.1671	1.1090	1.7105	6.3400e-003	0.4814	6.0400e-003	0.4874	0.1294	5.6700e-003	0.1351	0.0000	585.5244	585.5244	0.0268	0.0000	586.1934
Waste						0.0000	0.0000		0.0000	0.0000	54.8076	0.0000	54.8076	3.2390	0.0000	135.7834
Water						0.0000	0.0000		0.0000	0.0000	1.1099	2.5079	3.6178	4.0700e-003	2.4700e-003	4.4543
Total	0.2839	1.1327	1.7315	6.4800e-003	0.4814	7.8400e-003	0.4892	0.1294	7.4700e-003	0.1369	55.9174	656.6684	712.5858	3.2747	3.8300e-003	795.5918

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Castro Valley Medical Office Building - Alameda County, Annual

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	12/18/2019	1/15/2020	5	21	
2	Site Preparation	Site Preparation	1/20/2020	1/24/2020	5	5	
3	Grading	Grading	1/27/2020	2/21/2020	5	20	
4	Trenching	Trenching	2/24/2020	9/23/2020	5	153	
5	Building Construction	Building Construction	3/31/2020	11/17/2020	5	166	
6	Architectural Coating	Architectural Coating	10/26/2020	2/15/2021	5	81	
7	Paving	Paving	11/2/2020	2/15/2021	5	76	

Acres of Grading (Site Preparation Phase): 1.88

Acres of Grading (Grading Phase): 12.5

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 37,500; Non-Residential Outdoor: 12,500; Striped Parking Area: 2,352 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	1.00	81	0.73
Demolition	Excavators	1	1.00	158	0.38
Demolition	Rubber Tired Dozers	1	4.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Site Preparation	Graders	1	6.00	187	0.41
Site Preparation	Rubber Tired Dozers	1	6.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Grading	Excavators	1	1.00	158	0.38
Grading	Graders	1	2.00	187	0.41

Castro Valley Medical Office Building - Alameda County, Annual

Grading	Rubber Tired Dozers	1	4.00	247	0.40
Grading	Scrapers	1	4.00	367	0.48
Grading	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Trenching	Concrete/Industrial Saws	1	1.00	81	0.73
Trenching	Excavators	1	1.00	158	0.38
Trenching	Rollers	1	1.00	80	0.38
Trenching	Tractors/Loaders/Backhoes	1	2.00	97	0.37
Building Construction	Cranes	2	1.00	231	0.29
Building Construction	Forklifts	2	1.00	89	0.20
Building Construction	Generator Sets	2	2.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	0	0.00	97	0.37
Building Construction	Welders	1	1.00	46	0.45
Architectural Coating	Aerial Lifts	3	6.00	63	0.31
Architectural Coating	Air Compressors	2	3.00	78	0.48
Paving	Cement and Mortar Mixers	1	1.00	9	0.56
Paving	Pavers	1	1.00	130	0.42
Paving	Paving Equipment	1	1.00	132	0.36
Paving	Rollers	1	1.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	1.00	97	0.37

Trips and VMT

Castro Valley Medical Office Building - Alameda County, Annual

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	4	10.00	4.00	110.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	3	8.00	1.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Grading	5	13.00	1.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Trenching	4	10.00	9.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	7	24.00	16.00	150.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	5	5.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Paving	5	13.00	1.00	70.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

Use Soil Stabilizer

Replace Ground Cover

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

Castro Valley Medical Office Building - Alameda County, Annual

3.2 Demolition - 2019

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					2.1100e-003	0.0000	2.1100e-003	3.2000e-004	0.0000	3.2000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.4500e-003	0.0458	0.0266	4.0000e-005		2.4800e-003	2.4800e-003		2.2900e-003	2.2900e-003	0.0000	3.9382	3.9382	1.1600e-003	0.0000	3.9673
Total	4.4500e-003	0.0458	0.0266	4.0000e-005	2.1100e-003	2.4800e-003	4.5900e-003	3.2000e-004	2.2900e-003	2.6100e-003	0.0000	3.9382	3.9382	1.1600e-003	0.0000	3.9673

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	2.4000e-004	8.1400e-003	1.3900e-003	2.0000e-005	8.1000e-004	3.0000e-005	8.4000e-004	2.1000e-004	3.0000e-005	2.4000e-004	0.0000	2.0267	2.0267	1.1000e-004	0.0000	2.0293
Vendor	9.0000e-005	2.5600e-003	5.7000e-004	1.0000e-005	1.3000e-004	2.0000e-005	1.5000e-004	4.0000e-005	2.0000e-005	5.0000e-005	0.0000	0.5328	0.5328	3.0000e-005	0.0000	0.5336
Worker	1.9000e-004	1.4000e-004	1.4600e-003	0.0000	4.0000e-004	0.0000	4.0000e-004	1.1000e-004	0.0000	1.1000e-004	0.0000	0.3627	0.3627	1.0000e-005	0.0000	0.3629
Total	5.2000e-004	0.0108	3.4200e-003	3.0000e-005	1.3400e-003	5.0000e-005	1.3900e-003	3.6000e-004	5.0000e-005	4.0000e-004	0.0000	2.9221	2.9221	1.5000e-004	0.0000	2.9258

Castro Valley Medical Office Building - Alameda County, Annual

3.2 Demolition - 2019

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					9.5000e-004	0.0000	9.5000e-004	7.0000e-005	0.0000	7.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.0600e-003	0.0221	0.0279	4.0000e-005		1.1900e-003	1.1900e-003		1.1900e-003	1.1900e-003	0.0000	3.9382	3.9382	1.1600e-003	0.0000	3.9673
Total	1.0600e-003	0.0221	0.0279	4.0000e-005	9.5000e-004	1.1900e-003	2.1400e-003	7.0000e-005	1.1900e-003	1.2600e-003	0.0000	3.9382	3.9382	1.1600e-003	0.0000	3.9673

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	2.4000e-004	8.1400e-003	1.3900e-003	2.0000e-005	8.1000e-004	3.0000e-005	8.4000e-004	2.1000e-004	3.0000e-005	2.4000e-004	0.0000	2.0267	2.0267	1.1000e-004	0.0000	2.0293
Vendor	9.0000e-005	2.5600e-003	5.7000e-004	1.0000e-005	1.3000e-004	2.0000e-005	1.5000e-004	4.0000e-005	2.0000e-005	5.0000e-005	0.0000	0.5328	0.5328	3.0000e-005	0.0000	0.5336
Worker	1.9000e-004	1.4000e-004	1.4600e-003	0.0000	4.0000e-004	0.0000	4.0000e-004	1.1000e-004	0.0000	1.1000e-004	0.0000	0.3627	0.3627	1.0000e-005	0.0000	0.3629
Total	5.2000e-004	0.0108	3.4200e-003	3.0000e-005	1.3400e-003	5.0000e-005	1.3900e-003	3.6000e-004	5.0000e-005	4.0000e-004	0.0000	2.9221	2.9221	1.5000e-004	0.0000	2.9258

Castro Valley Medical Office Building - Alameda County, Annual

3.2 Demolition - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					2.3200e-003	0.0000	2.3200e-003	3.5000e-004	0.0000	3.5000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.5800e-003	0.0467	0.0287	5.0000e-005		2.4700e-003	2.4700e-003		2.2900e-003	2.2900e-003	0.0000	4.2463	4.2463	1.2800e-003	0.0000	4.2782
Total	4.5800e-003	0.0467	0.0287	5.0000e-005	2.3200e-003	2.4700e-003	4.7900e-003	3.5000e-004	2.2900e-003	2.6400e-003	0.0000	4.2463	4.2463	1.2800e-003	0.0000	4.2782

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	2.4000e-004	8.4000e-003	1.4800e-003	2.0000e-005	8.2000e-004	3.0000e-005	8.5000e-004	2.2000e-004	3.0000e-005	2.4000e-004	0.0000	2.2057	2.2057	1.1000e-004	0.0000	2.2085
Vendor	8.0000e-005	2.5900e-003	5.6000e-004	1.0000e-005	1.4000e-004	1.0000e-005	1.6000e-004	4.0000e-005	1.0000e-005	5.0000e-005	0.0000	0.5819	0.5819	3.0000e-005	0.0000	0.5828
Worker	1.9000e-004	1.4000e-004	1.4400e-003	0.0000	4.3000e-004	0.0000	4.4000e-004	1.2000e-004	0.0000	1.2000e-004	0.0000	0.3866	0.3866	1.0000e-005	0.0000	0.3868
Total	5.1000e-004	0.0111	3.4800e-003	3.0000e-005	1.3900e-003	4.0000e-005	1.4500e-003	3.8000e-004	4.0000e-005	4.1000e-004	0.0000	3.1742	3.1742	1.5000e-004	0.0000	3.1781

Castro Valley Medical Office Building - Alameda County, Annual

3.2 Demolition - 2020

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					1.0400e-003	0.0000	1.0400e-003	8.0000e-005	0.0000	8.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.1700e-003	0.0243	0.0307	5.0000e-005		1.3100e-003	1.3100e-003		1.3100e-003	1.3100e-003	0.0000	4.2463	4.2463	1.2800e-003	0.0000	4.2782
Total	1.1700e-003	0.0243	0.0307	5.0000e-005	1.0400e-003	1.3100e-003	2.3500e-003	8.0000e-005	1.3100e-003	1.3900e-003	0.0000	4.2463	4.2463	1.2800e-003	0.0000	4.2782

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	2.4000e-004	8.4000e-003	1.4800e-003	2.0000e-005	8.2000e-004	3.0000e-005	8.5000e-004	2.2000e-004	3.0000e-005	2.4000e-004	0.0000	2.2057	2.2057	1.1000e-004	0.0000	2.2085
Vendor	8.0000e-005	2.5900e-003	5.6000e-004	1.0000e-005	1.4000e-004	1.0000e-005	1.6000e-004	4.0000e-005	1.0000e-005	5.0000e-005	0.0000	0.5819	0.5819	3.0000e-005	0.0000	0.5828
Worker	1.9000e-004	1.4000e-004	1.4400e-003	0.0000	4.3000e-004	0.0000	4.4000e-004	1.2000e-004	0.0000	1.2000e-004	0.0000	0.3866	0.3866	1.0000e-005	0.0000	0.3868
Total	5.1000e-004	0.0111	3.4800e-003	3.0000e-005	1.3900e-003	4.0000e-005	1.4500e-003	3.8000e-004	4.0000e-005	4.1000e-004	0.0000	3.1742	3.1742	1.5000e-004	0.0000	3.1781

Castro Valley Medical Office Building - Alameda County, Annual

3.3 Site Preparation - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0123	0.0000	0.0123	6.3100e-003	0.0000	6.3100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.3100e-003	0.0371	0.0154	3.0000e-005		1.6700e-003	1.6700e-003		1.5400e-003	1.5400e-003	0.0000	3.0121	3.0121	9.7000e-004	0.0000	3.0365
Total	3.3100e-003	0.0371	0.0154	3.0000e-005	0.0123	1.6700e-003	0.0140	6.3100e-003	1.5400e-003	7.8500e-003	0.0000	3.0121	3.0121	9.7000e-004	0.0000	3.0365

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.0000e-005	2.9000e-004	6.0000e-005	0.0000	2.0000e-005	0.0000	2.0000e-005	0.0000	0.0000	1.0000e-005	0.0000	0.0661	0.0661	0.0000	0.0000	0.0662
Worker	7.0000e-005	5.0000e-005	5.2000e-004	0.0000	1.6000e-004	0.0000	1.6000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.1406	0.1406	0.0000	0.0000	0.1407
Total	8.0000e-005	3.4000e-004	5.8000e-004	0.0000	1.8000e-004	0.0000	1.8000e-004	4.0000e-005	0.0000	5.0000e-005	0.0000	0.2067	0.2067	0.0000	0.0000	0.2069

Castro Valley Medical Office Building - Alameda County, Annual

3.3 Site Preparation - 2020

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					5.5300e-003	0.0000	5.5300e-003	1.4200e-003	0.0000	1.4200e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	8.4000e-004	0.0167	0.0195	3.0000e-005		7.4000e-004	7.4000e-004		7.4000e-004	7.4000e-004	0.0000	3.0121	3.0121	9.7000e-004	0.0000	3.0365
Total	8.4000e-004	0.0167	0.0195	3.0000e-005	5.5300e-003	7.4000e-004	6.2700e-003	1.4200e-003	7.4000e-004	2.1600e-003	0.0000	3.0121	3.0121	9.7000e-004	0.0000	3.0365

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.0000e-005	2.9000e-004	6.0000e-005	0.0000	2.0000e-005	0.0000	2.0000e-005	0.0000	0.0000	1.0000e-005	0.0000	0.0661	0.0661	0.0000	0.0000	0.0662
Worker	7.0000e-005	5.0000e-005	5.2000e-004	0.0000	1.6000e-004	0.0000	1.6000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.1406	0.1406	0.0000	0.0000	0.1407
Total	8.0000e-005	3.4000e-004	5.8000e-004	0.0000	1.8000e-004	0.0000	1.8000e-004	4.0000e-005	0.0000	5.0000e-005	0.0000	0.2067	0.2067	0.0000	0.0000	0.2069

Castro Valley Medical Office Building - Alameda County, Annual

3.4 Grading - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0367	0.0000	0.0367	0.0173	0.0000	0.0173	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0134	0.1500	0.0837	1.6000e-004		6.7200e-003	6.7200e-003		6.1800e-003	6.1800e-003	0.0000	14.4782	14.4782	4.6800e-003	0.0000	14.5953
Total	0.0134	0.1500	0.0837	1.6000e-004	0.0367	6.7200e-003	0.0435	0.0173	6.1800e-003	0.0235	0.0000	14.4782	14.4782	4.6800e-003	0.0000	14.5953

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	4.0000e-005	1.1800e-003	2.5000e-004	0.0000	7.0000e-005	1.0000e-005	7.0000e-005	2.0000e-005	1.0000e-005	2.0000e-005	0.0000	0.2645	0.2645	2.0000e-005	0.0000	0.2649
Worker	4.5000e-004	3.3000e-004	3.4000e-003	1.0000e-005	1.0300e-003	1.0000e-005	1.0400e-003	2.7000e-004	1.0000e-005	2.8000e-004	0.0000	0.9137	0.9137	2.0000e-005	0.0000	0.9143
Total	4.9000e-004	1.5100e-003	3.6500e-003	1.0000e-005	1.1000e-003	2.0000e-005	1.1100e-003	2.9000e-004	2.0000e-005	3.0000e-004	0.0000	1.1782	1.1782	4.0000e-005	0.0000	1.1792

Castro Valley Medical Office Building - Alameda County, Annual

3.4 Grading - 2020

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0165	0.0000	0.0165	3.8900e-003	0.0000	3.8900e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.0400e-003	0.0802	0.0943	1.6000e-004		3.4900e-003	3.4900e-003		3.4900e-003	3.4900e-003	0.0000	14.4782	14.4782	4.6800e-003	0.0000	14.5953
Total	4.0400e-003	0.0802	0.0943	1.6000e-004	0.0165	3.4900e-003	0.0200	3.8900e-003	3.4900e-003	7.3800e-003	0.0000	14.4782	14.4782	4.6800e-003	0.0000	14.5953

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	4.0000e-005	1.1800e-003	2.5000e-004	0.0000	7.0000e-005	1.0000e-005	7.0000e-005	2.0000e-005	1.0000e-005	2.0000e-005	0.0000	0.2645	0.2645	2.0000e-005	0.0000	0.2649
Worker	4.5000e-004	3.3000e-004	3.4000e-003	1.0000e-005	1.0300e-003	1.0000e-005	1.0400e-003	2.7000e-004	1.0000e-005	2.8000e-004	0.0000	0.9137	0.9137	2.0000e-005	0.0000	0.9143
Total	4.9000e-004	1.5100e-003	3.6500e-003	1.0000e-005	1.1000e-003	2.0000e-005	1.1100e-003	2.9000e-004	2.0000e-005	3.0000e-004	0.0000	1.1782	1.1782	4.0000e-005	0.0000	1.1792

Castro Valley Medical Office Building - Alameda County, Annual

3.5 Trenching - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0123	0.1148	0.1282	1.9000e-004		6.8300e-003	6.8300e-003		6.4300e-003	6.4300e-003	0.0000	16.9022	16.9022	4.1300e-003	0.0000	17.0054
Total	0.0123	0.1148	0.1282	1.9000e-004		6.8300e-003	6.8300e-003		6.4300e-003	6.4300e-003	0.0000	16.9022	16.9022	4.1300e-003	0.0000	17.0054

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	2.5900e-003	0.0809	0.0174	1.9000e-004	4.5200e-003	3.8000e-004	4.9000e-003	1.3100e-003	3.6000e-004	1.6700e-003	0.0000	18.2115	18.2115	1.0500e-003	0.0000	18.2377
Worker	2.6500e-003	1.9500e-003	0.0200	6.0000e-005	6.0500e-003	4.0000e-005	6.0900e-003	1.6100e-003	4.0000e-005	1.6500e-003	0.0000	5.3768	5.3768	1.4000e-004	0.0000	5.3803
Total	5.2400e-003	0.0829	0.0375	2.5000e-004	0.0106	4.2000e-004	0.0110	2.9200e-003	4.0000e-004	3.3200e-003	0.0000	23.5884	23.5884	1.1900e-003	0.0000	23.6180

Castro Valley Medical Office Building - Alameda County, Annual

3.5 Trenching - 2020

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	4.4800e-003	0.0980	0.1381	1.9000e-004		6.3600e-003	6.3600e-003		6.3600e-003	6.3600e-003	0.0000	16.9021	16.9021	4.1300e-003	0.0000	17.0054
Total	4.4800e-003	0.0980	0.1381	1.9000e-004		6.3600e-003	6.3600e-003		6.3600e-003	6.3600e-003	0.0000	16.9021	16.9021	4.1300e-003	0.0000	17.0054

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	2.5900e-003	0.0809	0.0174	1.9000e-004	4.5200e-003	3.8000e-004	4.9000e-003	1.3100e-003	3.6000e-004	1.6700e-003	0.0000	18.2115	18.2115	1.0500e-003	0.0000	18.2377
Worker	2.6500e-003	1.9500e-003	0.0200	6.0000e-005	6.0500e-003	4.0000e-005	6.0900e-003	1.6100e-003	4.0000e-005	1.6500e-003	0.0000	5.3768	5.3768	1.4000e-004	0.0000	5.3803
Total	5.2400e-003	0.0829	0.0375	2.5000e-004	0.0106	4.2000e-004	0.0110	2.9200e-003	4.0000e-004	3.3200e-003	0.0000	23.5884	23.5884	1.1900e-003	0.0000	23.6180

Castro Valley Medical Office Building - Alameda County, Annual

3.6 Building Construction - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0325	0.2995	0.2405	4.5000e-004		0.0157	0.0157		0.0151	0.0151	0.0000	38.7142	38.7142	5.9100e-003	0.0000	38.8620
Total	0.0325	0.2995	0.2405	4.5000e-004		0.0157	0.0157		0.0151	0.0151	0.0000	38.7142	38.7142	5.9100e-003	0.0000	38.8620

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	6.4000e-004	0.0219	3.8500e-003	6.0000e-005	1.2700e-003	7.0000e-005	1.3400e-003	3.5000e-004	7.0000e-005	4.2000e-004	0.0000	5.7422	5.7422	2.9000e-004	0.0000	5.7494
Vendor	4.9900e-003	0.1561	0.0336	3.7000e-004	8.7200e-003	7.2000e-004	9.4500e-003	2.5200e-003	6.9000e-004	3.2200e-003	0.0000	35.1270	35.1270	2.0200e-003	0.0000	35.1775
Worker	6.8900e-003	5.0800e-003	0.0521	1.5000e-004	0.0158	1.1000e-004	0.0159	4.1900e-003	1.0000e-004	4.2900e-003	0.0000	14.0009	14.0009	3.6000e-004	0.0000	14.0099
Total	0.0125	0.1831	0.0896	5.8000e-004	0.0257	9.0000e-004	0.0267	7.0600e-003	8.6000e-004	7.9300e-003	0.0000	54.8701	54.8701	2.6700e-003	0.0000	54.9368

Castro Valley Medical Office Building - Alameda County, Annual

3.6 Building Construction - 2020

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0103	0.2169	0.2717	4.5000e-004		0.0132	0.0132		0.0132	0.0132	0.0000	38.7141	38.7141	5.9100e-003	0.0000	38.8619
Total	0.0103	0.2169	0.2717	4.5000e-004		0.0132	0.0132		0.0132	0.0132	0.0000	38.7141	38.7141	5.9100e-003	0.0000	38.8619

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	6.4000e-004	0.0219	3.8500e-003	6.0000e-005	1.2700e-003	7.0000e-005	1.3400e-003	3.5000e-004	7.0000e-005	4.2000e-004	0.0000	5.7422	5.7422	2.9000e-004	0.0000	5.7494
Vendor	4.9900e-003	0.1561	0.0336	3.7000e-004	8.7200e-003	7.2000e-004	9.4500e-003	2.5200e-003	6.9000e-004	3.2200e-003	0.0000	35.1270	35.1270	2.0200e-003	0.0000	35.1775
Worker	6.8900e-003	5.0800e-003	0.0521	1.5000e-004	0.0158	1.1000e-004	0.0159	4.1900e-003	1.0000e-004	4.2900e-003	0.0000	14.0009	14.0009	3.6000e-004	0.0000	14.0099
Total	0.0125	0.1831	0.0896	5.8000e-004	0.0257	9.0000e-004	0.0267	7.0600e-003	8.6000e-004	7.9300e-003	0.0000	54.8701	54.8701	2.6700e-003	0.0000	54.9368

Castro Valley Medical Office Building - Alameda County, Annual

3.7 Architectural Coating - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.0838					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	8.1200e-003	0.0767	0.1052	1.7000e-004		3.5100e-003	3.5100e-003		3.4400e-003	3.4400e-003	0.0000	14.3879	14.3879	3.1100e-003	0.0000	14.4657
Total	0.0919	0.0767	0.1052	1.7000e-004		3.5100e-003	3.5100e-003		3.4400e-003	3.4400e-003	0.0000	14.3879	14.3879	3.1100e-003	0.0000	14.4657

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.2000e-004	3.1000e-004	3.2100e-003	1.0000e-005	9.7000e-004	1.0000e-005	9.8000e-004	2.6000e-004	1.0000e-005	2.6000e-004	0.0000	0.8610	0.8610	2.0000e-005	0.0000	0.8616
Total	4.2000e-004	3.1000e-004	3.2100e-003	1.0000e-005	9.7000e-004	1.0000e-005	9.8000e-004	2.6000e-004	1.0000e-005	2.6000e-004	0.0000	0.8610	0.8610	2.0000e-005	0.0000	0.8616

Castro Valley Medical Office Building - Alameda County, Annual

3.7 Architectural Coating - 2020

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.0838					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.7300e-003	0.0853	0.1152	1.7000e-004		5.9800e-003	5.9800e-003		5.9800e-003	5.9800e-003	0.0000	14.3878	14.3878	3.1100e-003	0.0000	14.4657
Total	0.0875	0.0853	0.1152	1.7000e-004		5.9800e-003	5.9800e-003		5.9800e-003	5.9800e-003	0.0000	14.3878	14.3878	3.1100e-003	0.0000	14.4657

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.2000e-004	3.1000e-004	3.2100e-003	1.0000e-005	9.7000e-004	1.0000e-005	9.8000e-004	2.6000e-004	1.0000e-005	2.6000e-004	0.0000	0.8610	0.8610	2.0000e-005	0.0000	0.8616
Total	4.2000e-004	3.1000e-004	3.2100e-003	1.0000e-005	9.7000e-004	1.0000e-005	9.8000e-004	2.6000e-004	1.0000e-005	2.6000e-004	0.0000	0.8610	0.8610	2.0000e-005	0.0000	0.8616

Castro Valley Medical Office Building - Alameda County, Annual

3.7 Architectural Coating - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.0547					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.8500e-003	0.0461	0.0685	1.1000e-004		1.9200e-003	1.9200e-003		1.8800e-003	1.8800e-003	0.0000	9.3962	9.3962	2.0000e-003	0.0000	9.4461
Total	0.0596	0.0461	0.0685	1.1000e-004		1.9200e-003	1.9200e-003		1.8800e-003	1.8800e-003	0.0000	9.3962	9.3962	2.0000e-003	0.0000	9.4461

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.6000e-004	1.8000e-004	1.9100e-003	1.0000e-005	6.3000e-004	0.0000	6.4000e-004	1.7000e-004	0.0000	1.7000e-004	0.0000	0.5428	0.5428	1.0000e-005	0.0000	0.5431
Total	2.6000e-004	1.8000e-004	1.9100e-003	1.0000e-005	6.3000e-004	0.0000	6.4000e-004	1.7000e-004	0.0000	1.7000e-004	0.0000	0.5428	0.5428	1.0000e-005	0.0000	0.5431

Castro Valley Medical Office Building - Alameda County, Annual

3.7 Architectural Coating - 2021

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.0547					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.4400e-003	0.0557	0.0752	1.1000e-004		3.9000e-003	3.9000e-003		3.9000e-003	3.9000e-003	0.0000	9.3961	9.3961	2.0000e-003	0.0000	9.4461
Total	0.0572	0.0557	0.0752	1.1000e-004		3.9000e-003	3.9000e-003		3.9000e-003	3.9000e-003	0.0000	9.3961	9.3961	2.0000e-003	0.0000	9.4461

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.6000e-004	1.8000e-004	1.9100e-003	1.0000e-005	6.3000e-004	0.0000	6.4000e-004	1.7000e-004	0.0000	1.7000e-004	0.0000	0.5428	0.5428	1.0000e-005	0.0000	0.5431
Total	2.6000e-004	1.8000e-004	1.9100e-003	1.0000e-005	6.3000e-004	0.0000	6.4000e-004	1.7000e-004	0.0000	1.7000e-004	0.0000	0.5428	0.5428	1.0000e-005	0.0000	0.5431

Castro Valley Medical Office Building - Alameda County, Annual

3.8 Paving - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	2.6000e-003	0.0261	0.0273	4.0000e-005		1.4400e-003	1.4400e-003		1.3300e-003	1.3300e-003	0.0000	3.6303	3.6303	1.1500e-003	0.0000	3.6589
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	2.6000e-003	0.0261	0.0273	4.0000e-005		1.4400e-003	1.4400e-003		1.3300e-003	1.3300e-003	0.0000	3.6303	3.6303	1.1500e-003	0.0000	3.6589

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.7000e-004	5.9100e-003	1.0400e-003	2.0000e-005	5.3000e-004	2.0000e-005	5.5000e-004	1.4000e-004	2.0000e-005	1.6000e-004	0.0000	1.5514	1.5514	8.0000e-005	0.0000	1.5534
Vendor	8.0000e-005	2.5900e-003	5.6000e-004	1.0000e-005	1.4000e-004	1.0000e-005	1.6000e-004	4.0000e-005	1.0000e-005	5.0000e-005	0.0000	0.5819	0.5819	3.0000e-005	0.0000	0.5828
Worker	9.9000e-004	7.3000e-004	7.4800e-003	2.0000e-005	2.2600e-003	2.0000e-005	2.2800e-003	6.0000e-004	1.0000e-005	6.2000e-004	0.0000	2.0102	2.0102	5.0000e-005	0.0000	2.0115
Total	1.2400e-003	9.2300e-003	9.0800e-003	5.0000e-005	2.9300e-003	5.0000e-005	2.9900e-003	7.8000e-004	4.0000e-005	8.3000e-004	0.0000	4.1435	4.1435	1.6000e-004	0.0000	4.1476

Castro Valley Medical Office Building - Alameda County, Annual

3.8 Paving - 2020

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	9.8000e-004	0.0203	0.0302	4.0000e-005		1.1700e-003	1.1700e-003		1.1700e-003	1.1700e-003	0.0000	3.6303	3.6303	1.1500e-003	0.0000	3.6589
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	9.8000e-004	0.0203	0.0302	4.0000e-005		1.1700e-003	1.1700e-003		1.1700e-003	1.1700e-003	0.0000	3.6303	3.6303	1.1500e-003	0.0000	3.6589

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.7000e-004	5.9100e-003	1.0400e-003	2.0000e-005	5.3000e-004	2.0000e-005	5.5000e-004	1.4000e-004	2.0000e-005	1.6000e-004	0.0000	1.5514	1.5514	8.0000e-005	0.0000	1.5534
Vendor	8.0000e-005	2.5900e-003	5.6000e-004	1.0000e-005	1.4000e-004	1.0000e-005	1.6000e-004	4.0000e-005	1.0000e-005	5.0000e-005	0.0000	0.5819	0.5819	3.0000e-005	0.0000	0.5828
Worker	9.9000e-004	7.3000e-004	7.4800e-003	2.0000e-005	2.2600e-003	2.0000e-005	2.2800e-003	6.0000e-004	1.0000e-005	6.2000e-004	0.0000	2.0102	2.0102	5.0000e-005	0.0000	2.0115
Total	1.2400e-003	9.2300e-003	9.0800e-003	5.0000e-005	2.9300e-003	5.0000e-005	2.9900e-003	7.8000e-004	4.0000e-005	8.3000e-004	0.0000	4.1435	4.1435	1.6000e-004	0.0000	4.1476

Castro Valley Medical Office Building - Alameda County, Annual

3.8 Paving - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.7500e-003	0.0175	0.0198	3.0000e-005		9.3000e-004	9.3000e-004		8.6000e-004	8.6000e-004	0.0000	2.6400	2.6400	8.3000e-004	0.0000	2.6608
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	1.7500e-003	0.0175	0.0198	3.0000e-005		9.3000e-004	9.3000e-004		8.6000e-004	8.6000e-004	0.0000	2.6400	2.6400	8.3000e-004	0.0000	2.6608

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.2000e-004	3.9700e-003	7.4000e-004	1.0000e-005	5.1000e-004	1.0000e-005	5.2000e-004	1.3000e-004	1.0000e-005	1.4000e-004	0.0000	1.1142	1.1142	6.0000e-005	0.0000	1.1156
Vendor	5.0000e-005	1.7100e-003	3.6000e-004	0.0000	1.1000e-004	0.0000	1.1000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.4192	0.4192	2.0000e-005	0.0000	0.4197
Worker	6.6000e-004	4.7000e-004	4.9600e-003	2.0000e-005	1.6400e-003	1.0000e-005	1.6600e-003	4.4000e-004	1.0000e-005	4.5000e-004	0.0000	1.4112	1.4112	3.0000e-005	0.0000	1.4121
Total	8.3000e-004	6.1500e-003	6.0600e-003	3.0000e-005	2.2600e-003	2.0000e-005	2.2900e-003	6.0000e-004	2.0000e-005	6.2000e-004	0.0000	2.9445	2.9445	1.1000e-004	0.0000	2.9474

Castro Valley Medical Office Building - Alameda County, Annual

3.8 Paving - 2021

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	7.1000e-004	0.0148	0.0220	3.0000e-005		8.5000e-004	8.5000e-004		8.5000e-004	8.5000e-004	0.0000	2.6399	2.6399	8.3000e-004	0.0000	2.6608
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	7.1000e-004	0.0148	0.0220	3.0000e-005		8.5000e-004	8.5000e-004		8.5000e-004	8.5000e-004	0.0000	2.6399	2.6399	8.3000e-004	0.0000	2.6608

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.2000e-004	3.9700e-003	7.4000e-004	1.0000e-005	5.1000e-004	1.0000e-005	5.2000e-004	1.3000e-004	1.0000e-005	1.4000e-004	0.0000	1.1142	1.1142	6.0000e-005	0.0000	1.1156
Vendor	5.0000e-005	1.7100e-003	3.6000e-004	0.0000	1.1000e-004	0.0000	1.1000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.4192	0.4192	2.0000e-005	0.0000	0.4197
Worker	6.6000e-004	4.7000e-004	4.9600e-003	2.0000e-005	1.6400e-003	1.0000e-005	1.6600e-003	4.4000e-004	1.0000e-005	4.5000e-004	0.0000	1.4112	1.4112	3.0000e-005	0.0000	1.4121
Total	8.3000e-004	6.1500e-003	6.0600e-003	3.0000e-005	2.2600e-003	2.0000e-005	2.2900e-003	6.0000e-004	2.0000e-005	6.2000e-004	0.0000	2.9445	2.9445	1.1000e-004	0.0000	2.9474

4.0 Operational Detail - Mobile

Castro Valley Medical Office Building - Alameda County, Annual

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.1671	1.1090	1.7105	6.3400e-003	0.4814	6.0400e-003	0.4874	0.1294	5.6700e-003	0.1351	0.0000	585.5244	585.5244	0.0268	0.0000	586.1934
Unmitigated	0.1671	1.1090	1.7105	6.3400e-003	0.4814	6.0400e-003	0.4874	0.1294	5.6700e-003	0.1351	0.0000	585.5244	585.5244	0.0268	0.0000	586.1934

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Medical Office Building	870.00	215.75	37.25	1,287,032	1,287,032
Parking Lot	0.00	0.00	0.00		
Total	870.00	215.75	37.25	1,287,032	1,287,032

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Medical Office Building	9.50	7.30	7.30	29.60	51.40	19.00	60	30	10
Parking Lot	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Castro Valley Medical Office Building - Alameda County, Annual

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Medical Office Building	0.560371	0.039285	0.190378	0.108244	0.016023	0.005202	0.023981	0.045200	0.002184	0.002561	0.005524	0.000326	0.000721
Parking Lot	0.560371	0.039285	0.190378	0.108244	0.016023	0.005202	0.023981	0.045200	0.002184	0.002561	0.005524	0.000326	0.000721

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	42.8458	42.8458	4.2800e-003	8.9000e-004	43.2171
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	42.8458	42.8458	4.2800e-003	8.9000e-004	43.2171
NaturalGas Mitigated	2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	25.7881	25.7881	4.9000e-004	4.7000e-004	25.9413
NaturalGas Unmitigated	2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	25.7881	25.7881	4.9000e-004	4.7000e-004	25.9413

Castro Valley Medical Office Building - Alameda County, Annual

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Medical Office Building	483250	2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	25.7881	25.7881	4.9000e-004	4.7000e-004	25.9413
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	25.7881	25.7881	4.9000e-004	4.7000e-004	25.9413

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Medical Office Building	483250	2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	25.7881	25.7881	4.9000e-004	4.7000e-004	25.9413
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	25.7881	25.7881	4.9000e-004	4.7000e-004	25.9413

Castro Valley Medical Office Building - Alameda County, Annual

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Medical Office Building	312000	41.0410	4.1000e-003	8.5000e-004	41.3967
Parking Lot	13720	1.8048	1.8000e-004	4.0000e-005	1.8204
Total		42.8458	4.2800e-003	8.9000e-004	43.2171

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Medical Office Building	312000	41.0410	4.1000e-003	8.5000e-004	41.3967
Parking Lot	13720	1.8048	1.8000e-004	4.0000e-005	1.8204
Total		42.8458	4.2800e-003	8.9000e-004	43.2171

6.0 Area Detail

6.1 Mitigation Measures Area

Castro Valley Medical Office Building - Alameda County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.1141	1.0000e-005	1.1300e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003
Unmitigated	0.1141	1.0000e-005	1.1300e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0139					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.1002					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.1000e-004	1.0000e-005	1.1300e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003
Total	0.1141	1.0000e-005	1.1300e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003

Castro Valley Medical Office Building - Alameda County, Annual

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0139					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.1002					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.1000e-004	1.0000e-005	1.1300e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003
Total	0.1141	1.0000e-005	1.1300e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003

7.0 Water Detail

7.1 Mitigation Measures Water

Castro Valley Medical Office Building - Alameda County, Annual

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	3.6178	4.0700e-003	2.4700e-003	4.4543
Unmitigated	3.6178	4.0700e-003	2.4700e-003	4.4543

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Medical Office Building	3.13701 / 0.597526	3.6178	4.0700e-003	2.4700e-003	4.4543
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		3.6178	4.0700e-003	2.4700e-003	4.4543

Castro Valley Medical Office Building - Alameda County, Annual

7.2 Water by Land Use

Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Medical Office Building	3.13701 / 0.597526	3.6178	4.0700e-003	2.4700e-003	4.4543
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		3.6178	4.0700e-003	2.4700e-003	4.4543

8.0 Waste Detail

8.1 Mitigation Measures Waste

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	54.8076	3.2390	0.0000	135.7834
Unmitigated	54.8076	3.2390	0.0000	135.7834

Castro Valley Medical Office Building - Alameda County, Annual

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Medical Office Building	270	54.8076	3.2390	0.0000	135.7834
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		54.8076	3.2390	0.0000	135.7834

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Medical Office Building	270	54.8076	3.2390	0.0000	135.7834
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		54.8076	3.2390	0.0000	135.7834

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

Castro Valley Medical Office Building - Alameda County, Annual

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Castro Valley MOB - Existing Use AQ - Alameda County, Annual

Castro Valley MOB - Existing Use AQ
Alameda County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	9.00	1000sqft	0.21	9,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	63
Climate Zone	5			Operational Year	2022
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MW hr)	290	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics - PG&E 2020 290 rate

Land Use - Estimated land use from Construction Data Sheet

Construction Phase - No construction

Off-road Equipment - No Construction equipment

Vehicle Trips - $[(AM+PM Peak Total)/2]*10 = 175$ daily trips, 175 trips/9 ksf = 19.44 daily, 4.34 saturday, 1.85 Sunday

Energy Use -

Water And Wastewater - 100% aerobic

Castro Valley MOB - Existing Use AQ - Alameda County, Annual

Table Name	Column Name	Default Value	New Value
tblGrading	AcresOfGrading	0.00	0.50
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblProjectCharacteristics	CO2IntensityFactor	641.35	290
tblTripsAndVMT	WorkerTripNumber	0.00	5.00
tblVehicleTrips	ST_TR	2.46	4.34
tblVehicleTrips	SU_TR	1.05	1.85
tblVehicleTrips	WD_TR	11.03	19.44
tblWater	AerobicPercent	87.46	100.00
tblWater	AnaerobicandFacultativeLagoonsPercent	2.21	0.00
tblWater	SepticTankPercent	10.33	0.00

2.0 Emissions Summary

Castro Valley MOB - Existing Use AQ - Alameda County, Annual

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	12-18-2019	3-17-2020	0.0000	0.0000
		Highest	0.0000	0.0000

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.0399	0.0000	8.0000e-005	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6000e-004	1.6000e-004	0.0000	0.0000	1.7000e-004
Energy	9.4000e-004	8.5300e-003	7.1600e-003	5.0000e-005		6.5000e-004	6.5000e-004		6.5000e-004	6.5000e-004	0.0000	24.0585	24.0585	1.6600e-003	4.8000e-004	24.2417
Mobile	0.0362	0.2459	0.3980	1.5300e-003	0.1188	1.4600e-003	0.1203	0.0319	1.3700e-003	0.0333	0.0000	141.3776	141.3776	6.0300e-003	0.0000	141.5283
Waste						0.0000	0.0000		0.0000	0.0000	1.6990	0.0000	1.6990	0.1004	0.0000	4.2093
Water						0.0000	0.0000		0.0000	0.0000	0.5659	1.5899	2.1559	2.1100e-003	1.2600e-003	2.5851
Total	0.0770	0.2544	0.4052	1.5800e-003	0.1188	2.1100e-003	0.1209	0.0319	2.0200e-003	0.0340	2.2650	167.0262	169.2912	0.1102	1.7400e-003	172.5645

Castro Valley MOB - Existing Use AQ - Alameda County, Annual

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.0399	0.0000	8.0000e-005	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6000e-004	1.6000e-004	0.0000	0.0000	1.7000e-004
Energy	9.4000e-004	8.5300e-003	7.1600e-003	5.0000e-005		6.5000e-004	6.5000e-004		6.5000e-004	6.5000e-004	0.0000	24.0585	24.0585	1.6600e-003	4.8000e-004	24.2417
Mobile	0.0362	0.2459	0.3980	1.5300e-003	0.1188	1.4600e-003	0.1203	0.0319	1.3700e-003	0.0333	0.0000	141.3776	141.3776	6.0300e-003	0.0000	141.5283
Waste						0.0000	0.0000		0.0000	0.0000	1.6990	0.0000	1.6990	0.1004	0.0000	4.2093
Water						0.0000	0.0000		0.0000	0.0000	0.5659	1.5899	2.1559	2.1100e-003	1.2600e-003	2.5851
Total	0.0770	0.2544	0.4052	1.5800e-003	0.1188	2.1100e-003	0.1209	0.0319	2.0200e-003	0.0340	2.2650	167.0262	169.2912	0.1102	1.7400e-003	172.5645

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	1/1/2020	1/1/2020	5	1	

Acres of Grading (Site Preparation Phase): 0.5

Castro Valley MOB - Existing Use AQ - Alameda County, Annual

Acres of Grading (Grading Phase): 0

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Graders	0	8.00	187	0.41
Site Preparation	Tractors/Loaders/Backhoes	0	8.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	0	5.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Castro Valley MOB - Existing Use AQ - Alameda County, Annual

3.2 Site Preparation - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					2.7000e-004	0.0000	2.7000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	2.7000e-004	0.0000	2.7000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0000e-005	1.0000e-005	7.0000e-005	0.0000	2.0000e-005	0.0000	2.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0176	0.0176	0.0000	0.0000	0.0176
Total	1.0000e-005	1.0000e-005	7.0000e-005	0.0000	2.0000e-005	0.0000	2.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0176	0.0176	0.0000	0.0000	0.0176

Castro Valley MOB - Existing Use AQ - Alameda County, Annual

3.2 Site Preparation - 2020

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					2.7000e-004	0.0000	2.7000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	2.7000e-004	0.0000	2.7000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0000e-005	1.0000e-005	7.0000e-005	0.0000	2.0000e-005	0.0000	2.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0176	0.0176	0.0000	0.0000	0.0176
Total	1.0000e-005	1.0000e-005	7.0000e-005	0.0000	2.0000e-005	0.0000	2.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0176	0.0176	0.0000	0.0000	0.0176

4.0 Operational Detail - Mobile

Castro Valley MOB - Existing Use AQ - Alameda County, Annual

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.0362	0.2459	0.3980	1.5300e-003	0.1188	1.4600e-003	0.1203	0.0319	1.3700e-003	0.0333	0.0000	141.3776	141.3776	6.0300e-003	0.0000	141.5283
Unmitigated	0.0362	0.2459	0.3980	1.5300e-003	0.1188	1.4600e-003	0.1203	0.0319	1.3700e-003	0.0333	0.0000	141.3776	141.3776	6.0300e-003	0.0000	141.5283

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
General Office Building	174.96	39.06	16.65	317,670	317,670
Total	174.96	39.06	16.65	317,670	317,670

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
General Office Building	9.50	7.30	7.30	33.00	48.00	19.00	77	19	4

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
General Office Building	0.560371	0.039285	0.190378	0.108244	0.016023	0.005202	0.023981	0.045200	0.002184	0.002561	0.005524	0.000326	0.000721

Castro Valley MOB - Existing Use AQ - Alameda County, Annual

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	14.7748	14.7748	1.4800e-003	3.1000e-004	14.9028
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	14.7748	14.7748	1.4800e-003	3.1000e-004	14.9028
NaturalGas Mitigated	9.4000e-004	8.5300e-003	7.1600e-003	5.0000e-005		6.5000e-004	6.5000e-004		6.5000e-004	6.5000e-004	0.0000	9.2837	9.2837	1.8000e-004	1.7000e-004	9.3389
NaturalGas Unmitigated	9.4000e-004	8.5300e-003	7.1600e-003	5.0000e-005		6.5000e-004	6.5000e-004		6.5000e-004	6.5000e-004	0.0000	9.2837	9.2837	1.8000e-004	1.7000e-004	9.3389

Castro Valley MOB - Existing Use AQ - Alameda County, Annual

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
General Office Building	173970	9.4000e-004	8.5300e-003	7.1600e-003	5.0000e-005		6.5000e-004	6.5000e-004		6.5000e-004	6.5000e-004	0.0000	9.2837	9.2837	1.8000e-004	1.7000e-004	9.3389
Total		9.4000e-004	8.5300e-003	7.1600e-003	5.0000e-005		6.5000e-004	6.5000e-004		6.5000e-004	6.5000e-004	0.0000	9.2837	9.2837	1.8000e-004	1.7000e-004	9.3389

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
General Office Building	173970	9.4000e-004	8.5300e-003	7.1600e-003	5.0000e-005		6.5000e-004	6.5000e-004		6.5000e-004	6.5000e-004	0.0000	9.2837	9.2837	1.8000e-004	1.7000e-004	9.3389
Total		9.4000e-004	8.5300e-003	7.1600e-003	5.0000e-005		6.5000e-004	6.5000e-004		6.5000e-004	6.5000e-004	0.0000	9.2837	9.2837	1.8000e-004	1.7000e-004	9.3389

Castro Valley MOB - Existing Use AQ - Alameda County, Annual

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
General Office Building	112320	14.7748	1.4800e-003	3.1000e-004	14.9028
Total		14.7748	1.4800e-003	3.1000e-004	14.9028

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
General Office Building	112320	14.7748	1.4800e-003	3.1000e-004	14.9028
Total		14.7748	1.4800e-003	3.1000e-004	14.9028

6.0 Area Detail

6.1 Mitigation Measures Area

Castro Valley MOB - Existing Use AQ - Alameda County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.0399	0.0000	8.0000e-005	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6000e-004	1.6000e-004	0.0000	0.0000	1.7000e-004
Unmitigated	0.0399	0.0000	8.0000e-005	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6000e-004	1.6000e-004	0.0000	0.0000	1.7000e-004

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	4.6900e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.0352					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.0000e-005	0.0000	8.0000e-005	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6000e-004	1.6000e-004	0.0000	0.0000	1.7000e-004
Total	0.0399	0.0000	8.0000e-005	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6000e-004	1.6000e-004	0.0000	0.0000	1.7000e-004

Castro Valley MOB - Existing Use AQ - Alameda County, Annual

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	4.6900e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.0352					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.0000e-005	0.0000	8.0000e-005	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6000e-004	1.6000e-004	0.0000	0.0000	1.7000e-004
Total	0.0399	0.0000	8.0000e-005	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6000e-004	1.6000e-004	0.0000	0.0000	1.7000e-004

7.0 Water Detail

7.1 Mitigation Measures Water

Castro Valley MOB - Existing Use AQ - Alameda County, Annual

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	2.1559	2.1100e-003	1.2600e-003	2.5851
Unmitigated	2.1559	2.1100e-003	1.2600e-003	2.5851

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
General Office Building	1.5996 / 0.980402	2.1559	2.1100e-003	1.2600e-003	2.5851
Total		2.1559	2.1100e-003	1.2600e-003	2.5851

Castro Valley MOB - Existing Use AQ - Alameda County, Annual

7.2 Water by Land Use

Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
General Office Building	1.5996 / 0.980402	2.1559	2.1100e-003	1.2600e-003	2.5851
Total		2.1559	2.1100e-003	1.2600e-003	2.5851

8.0 Waste Detail

8.1 Mitigation Measures Waste

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	1.6990	0.1004	0.0000	4.2093
Unmitigated	1.6990	0.1004	0.0000	4.2093

Castro Valley MOB - Existing Use AQ - Alameda County, Annual

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
General Office Building	8.37	1.6990	0.1004	0.0000	4.2093
Total		1.6990	0.1004	0.0000	4.2093

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
General Office Building	8.37	1.6990	0.1004	0.0000	4.2093
Total		1.6990	0.1004	0.0000	4.2093

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

Castro Valley MOB - Existing Use AQ - Alameda County, Annual

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Castro Valley Medical Office Building - Alameda County, Annual

HRA

**Castro Valley Medical Office Building
Alameda County, Annual**

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Medical Office Building	25.00	1000sqft	1.28	25,000.00	0
Parking Lot	98.00	Space	0.00	39,200.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	63
Climate Zone	5			Operational Year	2022
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MW hr)	290	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics - PG&E 2020 290 rate

Land Use - Land use inputs from 2/4/2019 plans

Construction Phase - Project applicant provided construction schedule, used total work days which takes into account holidays

Off-road Equipment - Project applicant's equipment usage

Off-road Equipment - Project applicant's equipment usage

Off-road Equipment - Project applicant's equipment usage

Off-road Equipment - Project applicant's equipment usage

Off-road Equipment - Project applicant's equipment usage

Off-road Equipment - Project applicant's equipment usage

Off-road Equipment - Project applicant's equipment usage

Trips and VMT - estimated 110 demo hauling trips for pavement, estimated 75 cement truck trips (round-trip), estimated 46 trips for paving. Vendor trips based on the trucks listed in the construction sheet. TAC trip length 4 miles

Demolition - 9,000-sf of building demo

Grading - Assuming balanced site

Vehicle Trips - 870 trips/ 25 ksf = 34.8 weekday rate, 8.63 saturday rate, 1.49 sunday rate

Energy Use -

Water And Wastewater - 100% aerobic

Construction Off-road Equipment Mitigation - BMPS, Tier 3

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	5.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3

tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstructionPhase	NumDays	10.00	81.00
tblConstructionPhase	NumDays	200.00	166.00
tblConstructionPhase	NumDays	20.00	21.00
tblConstructionPhase	NumDays	4.00	20.00
tblConstructionPhase	NumDays	10.00	76.00
tblConstructionPhase	NumDays	2.00	5.00
tblLandUse	LotAcreage	0.57	1.28
tblLandUse	LotAcreage	0.88	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	1.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	1.00
tblOffRoadEquipment	UsageHours	6.00	3.00
tblOffRoadEquipment	UsageHours	6.00	1.00
tblOffRoadEquipment	UsageHours	8.00	1.00

tblOffRoadEquipment	UsageHours	6.00	1.00
tblOffRoadEquipment	UsageHours	6.00	1.00
tblOffRoadEquipment	UsageHours	8.00	2.00
tblOffRoadEquipment	UsageHours	6.00	2.00
tblOffRoadEquipment	UsageHours	8.00	6.00
tblOffRoadEquipment	UsageHours	6.00	1.00
tblOffRoadEquipment	UsageHours	8.00	1.00
tblOffRoadEquipment	UsageHours	7.00	1.00
tblOffRoadEquipment	UsageHours	8.00	4.00
tblOffRoadEquipment	UsageHours	6.00	4.00
tblOffRoadEquipment	UsageHours	7.00	6.00
tblOffRoadEquipment	UsageHours	6.00	0.00
tblOffRoadEquipment	UsageHours	7.00	6.00
tblOffRoadEquipment	UsageHours	8.00	1.00
tblOffRoadEquipment	UsageHours	8.00	6.00
tblOffRoadEquipment	UsageHours	8.00	1.00
tblProjectCharacteristics	CO2IntensityFactor	641.35	290
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	HaulingTripNumber	41.00	110.00
tblTripsAndVMT	HaulingTripNumber	0.00	150.00
tblTripsAndVMT	HaulingTripNumber	0.00	70.00
tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	VendorTripLength	7.30	1.00

tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	VendorTripNumber	0.00	4.00
tblTripsAndVMT	VendorTripNumber	0.00	1.00
tblTripsAndVMT	VendorTripNumber	0.00	1.00
tblTripsAndVMT	VendorTripNumber	0.00	9.00
tblTripsAndVMT	VendorTripNumber	11.00	16.00
tblTripsAndVMT	VendorTripNumber	0.00	1.00
tblTripsAndVMT	WorkerTripLength	10.80	1.00
tblTripsAndVMT	WorkerTripLength	10.80	1.00
tblTripsAndVMT	WorkerTripLength	10.80	1.00
tblTripsAndVMT	WorkerTripLength	10.80	1.00
tblTripsAndVMT	WorkerTripLength	10.80	1.00
tblTripsAndVMT	WorkerTripLength	10.80	1.00
tblTripsAndVMT	WorkerTripLength	10.80	1.00
tblVehicleTrips	ST_TR	8.96	8.63
tblVehicleTrips	SU_TR	1.55	1.49
tblVehicleTrips	WD_TR	36.13	34.80
tblWater	AerobicPercent	87.46	100.00
tblWater	AerobicPercent	87.46	100.00
tblWater	AnaerobicandFacultativeLagoonsPercent	2.21	0.00
tblWater	AnaerobicandFacultativeLagoonsPercent	2.21	0.00
tblWater	SepticTankPercent	10.33	0.00
tblWater	SepticTankPercent	10.33	0.00

2.0 Emissions Summary

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2019	4.6200e-003	0.0502	0.0277	5.0000e-005	2.2100e-003	2.4800e-003	4.6900e-003	3.5000e-004	2.3000e-003	2.6400e-003	0.0000	4.5132	4.5132	1.2500e-003	0.0000	4.5446
2020	0.1687	0.9138	0.6861	1.3300e-003	0.0559	0.0386	0.0945	0.0252	0.0366	0.0618	0.0000	117.4277	117.4277	0.0241	0.0000	118.0304
2021	0.0617	0.0663	0.0905	1.4000e-004	2.5000e-004	2.8500e-003	3.1100e-003	7.0000e-005	2.7500e-003	2.8200e-003	0.0000	12.6039	12.6039	2.8900e-003	0.0000	12.6762
Maximum	0.1687	0.9138	0.6861	1.3300e-003	0.0559	0.0386	0.0945	0.0252	0.0366	0.0618	0.0000	117.4277	117.4277	0.0241	0.0000	118.0304

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2019	1.2300e-003	0.0265	0.0290	5.0000e-005	1.0500e-003	1.2000e-003	2.2400e-003	1.0000e-004	1.2000e-003	1.2900e-003	0.0000	4.5132	4.5132	1.2500e-003	0.0000	4.5446
2020	0.1174	0.7047	0.7568	1.3300e-003	0.0277	0.0325	0.0602	6.6500e-003	0.0325	0.0392	0.0000	117.4276	117.4276	0.0241	0.0000	118.0303
2021	0.0583	0.0732	0.0995	1.4000e-004	2.5000e-004	4.7600e-003	5.0100e-003	7.0000e-005	4.7600e-003	4.8300e-003	0.0000	12.6039	12.6039	2.8900e-003	0.0000	12.6762
Maximum	0.1174	0.7047	0.7568	1.3300e-003	0.0277	0.0325	0.0602	6.6500e-003	0.0325	0.0392	0.0000	117.4276	117.4276	0.0241	0.0000	118.0303

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	24.76	21.92	-10.07	0.00	50.39	12.35	34.07	73.38	7.64	32.68	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	12-18-2019	3-17-2020	0.3101	0.1654
2	3-18-2020	6-17-2020	0.2270	0.1809

3	6-18-2020	9-17-2020	0.2518	0.1998
4	9-18-2020	12-17-2020	0.2756	0.2451
5	12-18-2020	3-17-2021	0.1733	0.1761
		Highest	0.3101	0.2451

2.2 Overall Operational Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.1141	1.0000e-005	1.1300e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003
Energy	2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	68.6339	68.6339	4.7800e-003	1.3600e-003	69.1584
Mobile	0.1671	1.1090	1.7105	6.3400e-003	0.4814	6.0400e-003	0.4874	0.1294	5.6700e-003	0.1351	0.0000	585.5244	585.5244	0.0268	0.0000	586.1934
Waste						0.0000	0.0000		0.0000	0.0000	54.8076	0.0000	54.8076	3.2390	0.0000	135.7834
Water						0.0000	0.0000		0.0000	0.0000	1.1099	2.5079	3.6178	4.0700e-003	2.4700e-003	4.4543
Total	0.2839	1.1327	1.7315	6.4800e-003	0.4814	7.8400e-003	0.4892	0.1294	7.4700e-003	0.1369	55.9174	656.6684	712.5858	3.2747	3.8300e-003	795.5918

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.1141	1.0000e-005	1.1300e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003
Energy	2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	68.6339	68.6339	4.7800e-003	1.3600e-003	69.1584

Mobile	0.1671	1.1090	1.7105	6.3400e-003	0.4814	6.0400e-003	0.4874	0.1294	5.6700e-003	0.1351	0.0000	585.5244	585.5244	0.0268	0.0000	586.1934
Waste						0.0000	0.0000		0.0000	0.0000	54.8076	0.0000	54.8076	3.2390	0.0000	135.7834
Water						0.0000	0.0000		0.0000	0.0000	1.1099	2.5079	3.6178	4.0700e-003	2.4700e-003	4.4543
Total	0.2839	1.1327	1.7315	6.4800e-003	0.4814	7.8400e-003	0.4892	0.1294	7.4700e-003	0.1369	55.9174	656.6684	712.5858	3.2747	3.8300e-003	795.5918

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	12/18/2019	1/15/2020	5	21	
2	Site Preparation	Site Preparation	1/20/2020	1/24/2020	5	5	
3	Grading	Grading	1/27/2020	2/21/2020	5	20	
4	Trenching	Trenching	2/24/2020	9/23/2020	5	153	
5	Building Construction	Building Construction	3/31/2020	11/17/2020	5	166	
6	Architectural Coating	Architectural Coating	10/26/2020	2/15/2021	5	81	
7	Paving	Paving	11/2/2020	2/15/2021	5	76	

Acres of Grading (Site Preparation Phase): 1.88

Acres of Grading (Grading Phase): 12.5

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 37,500; Non-Residential Outdoor: 12,500; Striped Parking Area:

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	1.00	81	0.73

Demolition	Excavators	1	1.00	158	0.38
Demolition	Rubber Tired Dozers	1	4.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Site Preparation	Graders	1	6.00	187	0.41
Site Preparation	Rubber Tired Dozers	1	6.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Grading	Excavators	1	1.00	158	0.38
Grading	Graders	1	2.00	187	0.41
Grading	Rubber Tired Dozers	1	4.00	247	0.40
Grading	Scrapers	1	4.00	367	0.48
Grading	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Trenching	Concrete/Industrial Saws	1	1.00	81	0.73
Trenching	Excavators	1	1.00	158	0.38
Trenching	Rollers	1	1.00	80	0.38
Trenching	Tractors/Loaders/Backhoes	1	2.00	97	0.37
Building Construction	Cranes	2	1.00	231	0.29
Building Construction	Forklifts	2	1.00	89	0.20
Building Construction	Generator Sets	2	2.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	0	0.00	97	0.37
Building Construction	Welders	1	1.00	46	0.45
Architectural Coating	Aerial Lifts	3	6.00	63	0.31
Architectural Coating	Air Compressors	2	3.00	78	0.48
Paving	Cement and Mortar Mixers	1	1.00	9	0.56
Paving	Pavers	1	1.00	130	0.42
Paving	Paving Equipment	1	1.00	132	0.36
Paving	Rollers	1	1.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	1.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class	
Demolition		4	10.00	4.00	110.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT
Site Preparation		3	8.00	1.00	0.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT
Grading		5	13.00	1.00	0.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT
Trenching		4	10.00	9.00	0.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT
Building Construction		7	24.00	16.00	150.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating		5	5.00	0.00	0.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT
Paving		5	13.00	1.00	70.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

Use Soil Stabilizer

Replace Ground Cover

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

3.2 Demolition - 2019

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					2.1100e-003	0.0000	2.1100e-003	3.2000e-004	0.0000	3.2000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.4500e-003	0.0458	0.0266	4.0000e-005		2.4800e-003	2.4800e-003		2.2900e-003	2.2900e-003	0.0000	3.9382	3.9382	1.1600e-003	0.0000	3.9673
Total	4.4500e-003	0.0458	0.0266	4.0000e-005	2.1100e-003	2.4800e-003	4.5900e-003	3.2000e-004	2.2900e-003	2.6100e-003	0.0000	3.9382	3.9382	1.1600e-003	0.0000	3.9673

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	6.0000e-005	2.9000e-003	3.8000e-004	0.0000	4.0000e-005	0.0000	4.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.3624	0.3624	6.0000e-005	0.0000	0.3640
Vendor	4.0000e-005	1.4900e-003	3.3000e-004	0.0000	2.0000e-005	0.0000	2.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.1694	0.1694	3.0000e-005	0.0000	0.1701
Worker	7.0000e-005	3.0000e-005	4.1000e-004	0.0000	4.0000e-005	0.0000	4.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0432	0.0432	0.0000	0.0000	0.0432
Total	1.7000e-004	4.4200e-003	1.1200e-003	0.0000	1.0000e-004	0.0000	1.0000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.5750	0.5750	9.0000e-005	0.0000	0.5773

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					9.5000e-004	0.0000	9.5000e-004	7.0000e-005	0.0000	7.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.0600e-003	0.0221	0.0279	4.0000e-005		1.1900e-003	1.1900e-003		1.1900e-003	1.1900e-003	0.0000	3.9382	3.9382	1.1600e-003	0.0000	3.9673
Total	1.0600e-003	0.0221	0.0279	4.0000e-005	9.5000e-004	1.1900e-003	2.1400e-003	7.0000e-005	1.1900e-003	1.2600e-003	0.0000	3.9382	3.9382	1.1600e-003	0.0000	3.9673

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	tons/yr										MT/yr					
	Hauling	6.0000e-005	2.9000e-003	3.8000e-004	0.0000	4.0000e-005	0.0000	4.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.3624	0.3624	6.0000e-005	0.0000
Vendor	4.0000e-005	1.4900e-003	3.3000e-004	0.0000	2.0000e-005	0.0000	2.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.1694	0.1694	3.0000e-005	0.0000	0.1701
Worker	7.0000e-005	3.0000e-005	4.1000e-004	0.0000	4.0000e-005	0.0000	4.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0432	0.0432	0.0000	0.0000	0.0432
Total	1.7000e-004	4.4200e-003	1.1200e-003	0.0000	1.0000e-004	0.0000	1.0000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.5750	0.5750	9.0000e-005	0.0000	0.5773

3.2 Demolition - 2020

Unmitigated Construction On-Site

Category	tons/yr										MT/yr					
	Fugitive Dust					2.3200e-003	0.0000	2.3200e-003	3.5000e-004	0.0000	3.5000e-004	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.5800e-003	0.0467	0.0287	5.0000e-005		2.4700e-003	2.4700e-003		2.2900e-003	2.2900e-003	0.0000	4.2463	4.2463	1.2800e-003	0.0000	4.2782
Total	4.5800e-003	0.0467	0.0287	5.0000e-005	2.3200e-003	2.4700e-003	4.7900e-003	3.5000e-004	2.2900e-003	2.6400e-003	0.0000	4.2463	4.2463	1.2800e-003	0.0000	4.2782

Unmitigated Construction Off-Site

Category	tons/yr										MT/yr					
	Hauling	6.0000e-005	3.0800e-003	3.9000e-004	0.0000	4.0000e-005	0.0000	4.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.3980	0.3980	6.0000e-005	0.0000
Vendor	4.0000e-005	1.5700e-003	3.3000e-004	0.0000	2.0000e-005	0.0000	2.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.1859	0.1859	3.0000e-005	0.0000	0.1866
Worker	7.0000e-005	3.0000e-005	4.0000e-004	0.0000	4.0000e-005	0.0000	4.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0461	0.0461	0.0000	0.0000	0.0461

Total	1.7000e-004	4.6800e-003	1.1200e-003	0.0000	1.0000e-004	0.0000	1.0000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.6300	0.6300	9.0000e-005	0.0000	0.6323
--------------	--------------------	--------------------	--------------------	---------------	--------------------	---------------	--------------------	--------------------	---------------	--------------------	---------------	---------------	---------------	--------------------	---------------	---------------

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					1.0400e-003	0.0000	1.0400e-003	8.0000e-005	0.0000	8.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.1700e-003	0.0243	0.0307	5.0000e-005		1.3100e-003	1.3100e-003		1.3100e-003	1.3100e-003	0.0000	4.2463	4.2463	1.2800e-003	0.0000	4.2782
Total	1.1700e-003	0.0243	0.0307	5.0000e-005	1.0400e-003	1.3100e-003	2.3500e-003	8.0000e-005	1.3100e-003	1.3900e-003	0.0000	4.2463	4.2463	1.2800e-003	0.0000	4.2782

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	6.0000e-005	3.0800e-003	3.9000e-004	0.0000	4.0000e-005	0.0000	4.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.3980	0.3980	6.0000e-005	0.0000	0.3996
Vendor	4.0000e-005	1.5700e-003	3.3000e-004	0.0000	2.0000e-005	0.0000	2.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.1859	0.1859	3.0000e-005	0.0000	0.1866
Worker	7.0000e-005	3.0000e-005	4.0000e-004	0.0000	4.0000e-005	0.0000	4.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0461	0.0461	0.0000	0.0000	0.0461
Total	1.7000e-004	4.6800e-003	1.1200e-003	0.0000	1.0000e-004	0.0000	1.0000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.6300	0.6300	9.0000e-005	0.0000	0.6323

3.3 Site Preparation - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0123	0.0000	0.0123	6.3100e-003	0.0000	6.3100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.3100e-003	0.0371	0.0154	3.0000e-005		1.6700e-003	1.6700e-003		1.5400e-003	1.5400e-003	0.0000	3.0121	3.0121	9.7000e-004	0.0000	3.0365
Total	3.3100e-003	0.0371	0.0154	3.0000e-005	0.0123	1.6700e-003	0.0140	6.3100e-003	1.5400e-003	7.8500e-003	0.0000	3.0121	3.0121	9.7000e-004	0.0000	3.0365

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	1.8000e-004	4.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0211	0.0211	0.0000	0.0000	0.0212
Worker	2.0000e-005	1.0000e-005	1.4000e-004	0.0000	1.0000e-005	0.0000	2.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0168	0.0168	0.0000	0.0000	0.0168
Total	2.0000e-005	1.9000e-004	1.8000e-004	0.0000	1.0000e-005	0.0000	2.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0379	0.0379	0.0000	0.0000	0.0380

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Fugitive Dust					5.5300e-003	0.0000	5.5300e-003	1.4200e-003	0.0000	1.4200e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	8.4000e-004	0.0167	0.0195	3.0000e-005		7.4000e-004	7.4000e-004		7.4000e-004	7.4000e-004	0.0000	3.0121	3.0121	9.7000e-004	0.0000	3.0365
Total	8.4000e-004	0.0167	0.0195	3.0000e-005	5.5300e-003	7.4000e-004	6.2700e-003	1.4200e-003	7.4000e-004	2.1600e-003	0.0000	3.0121	3.0121	9.7000e-004	0.0000	3.0365

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	1.8000e-004	4.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0211	0.0211	0.0000	0.0000	0.0212
Worker	2.0000e-005	1.0000e-005	1.4000e-004	0.0000	1.0000e-005	0.0000	2.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0168	0.0168	0.0000	0.0000	0.0168
Total	2.0000e-005	1.9000e-004	1.8000e-004	0.0000	1.0000e-005	0.0000	2.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0379	0.0379	0.0000	0.0000	0.0380

3.4 Grading - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0367	0.0000	0.0367	0.0173	0.0000	0.0173	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0134	0.1500	0.0837	1.6000e-004		6.7200e-003	6.7200e-003		6.1800e-003	6.1800e-003	0.0000	14.4782	14.4782	4.6800e-003	0.0000	14.5953
Total	0.0134	0.1500	0.0837	1.6000e-004	0.0367	6.7200e-003	0.0435	0.0173	6.1800e-003	0.0235	0.0000	14.4782	14.4782	4.6800e-003	0.0000	14.5953

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	2.0000e-005	7.1000e-004	1.5000e-004	0.0000	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0845	0.0845	1.0000e-005	0.0000	0.0848
Worker	1.6000e-004	7.0000e-005	9.4000e-004	0.0000	1.0000e-004	0.0000	1.0000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.1089	0.1089	1.0000e-005	0.0000	0.1090
Total	1.8000e-004	7.8000e-004	1.0900e-003	0.0000	1.1000e-004	0.0000	1.1000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.1934	0.1934	2.0000e-005	0.0000	0.1938

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0165	0.0000	0.0165	3.8900e-003	0.0000	3.8900e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.0400e-003	0.0802	0.0943	1.6000e-004		3.4900e-003	3.4900e-003		3.4900e-003	3.4900e-003	0.0000	14.4782	14.4782	4.6800e-003	0.0000	14.5953
Total	4.0400e-003	0.0802	0.0943	1.6000e-004	0.0165	3.4900e-003	0.0200	3.8900e-003	3.4900e-003	7.3800e-003	0.0000	14.4782	14.4782	4.6800e-003	0.0000	14.5953

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	2.0000e-005	7.1000e-004	1.5000e-004	0.0000	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0845	0.0845	1.0000e-005	0.0000	0.0848
Worker	1.6000e-004	7.0000e-005	9.4000e-004	0.0000	1.0000e-004	0.0000	1.0000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.1089	0.1089	1.0000e-005	0.0000	0.1090
Total	1.8000e-004	7.8000e-004	1.0900e-003	0.0000	1.1000e-004	0.0000	1.1000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.1934	0.1934	2.0000e-005	0.0000	0.1938

3.5 Trenching - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0123	0.1148	0.1282	1.9000e-004		6.8300e-003	6.8300e-003		6.4300e-003	6.4300e-003	0.0000	16.9022	16.9022	4.1300e-003	0.0000	17.0054
Total	0.0123	0.1148	0.1282	1.9000e-004		6.8300e-003	6.8300e-003		6.4300e-003	6.4300e-003	0.0000	16.9022	16.9022	4.1300e-003	0.0000	17.0054

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.2100e-003	0.0491	0.0103	6.0000e-005	6.4000e-004	7.0000e-005	7.1000e-004	1.9000e-004	7.0000e-005	2.5000e-004	0.0000	5.8189	5.8189	8.2000e-004	0.0000	5.8394
Worker	9.3000e-004	4.3000e-004	5.5500e-003	1.0000e-005	5.7000e-004	1.0000e-005	5.8000e-004	1.5000e-004	1.0000e-005	1.6000e-004	0.0000	0.6406	0.6406	3.0000e-005	0.0000	0.6414

Total	2.1400e-003	0.0495	0.0159	7.0000e-005	1.2100e-003	8.0000e-005	1.2900e-003	3.4000e-004	8.0000e-005	4.1000e-004	0.0000	6.4596	6.4596	8.5000e-004	0.0000	6.4808
--------------	--------------------	---------------	---------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	---------------	---------------	---------------	--------------------	---------------	---------------

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	4.4800e-003	0.0980	0.1381	1.9000e-004		6.3600e-003	6.3600e-003		6.3600e-003	6.3600e-003	0.0000	16.9021	16.9021	4.1300e-003	0.0000	17.0054
Total	4.4800e-003	0.0980	0.1381	1.9000e-004		6.3600e-003	6.3600e-003		6.3600e-003	6.3600e-003	0.0000	16.9021	16.9021	4.1300e-003	0.0000	17.0054

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.2100e-003	0.0491	0.0103	6.0000e-005	6.4000e-004	7.0000e-005	7.1000e-004	1.9000e-004	7.0000e-005	2.5000e-004	0.0000	5.8189	5.8189	8.2000e-004	0.0000	5.8394
Worker	9.3000e-004	4.3000e-004	5.5500e-003	1.0000e-005	5.7000e-004	1.0000e-005	5.8000e-004	1.5000e-004	1.0000e-005	1.6000e-004	0.0000	0.6406	0.6406	3.0000e-005	0.0000	0.6414
Total	2.1400e-003	0.0495	0.0159	7.0000e-005	1.2100e-003	8.0000e-005	1.2900e-003	3.4000e-004	8.0000e-005	4.1000e-004	0.0000	6.4596	6.4596	8.5000e-004	0.0000	6.4808

3.6 Building Construction - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0325	0.2995	0.2405	4.5000e-004		0.0157	0.0157		0.0151	0.0151	0.0000	38.7142	38.7142	5.9100e-003	0.0000	38.8620
Total	0.0325	0.2995	0.2405	4.5000e-004		0.0157	0.0157		0.0151	0.0151	0.0000	38.7142	38.7142	5.9100e-003	0.0000	38.8620

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.6000e-004	8.0100e-003	1.0100e-003	1.0000e-005	7.0000e-005	1.0000e-005	7.0000e-005	2.0000e-005	1.0000e-005	2.0000e-005	0.0000	1.0361	1.0361	1.6000e-004	0.0000	1.0402
Vendor	2.3300e-003	0.0947	0.0199	1.2000e-004	1.2200e-003	1.4000e-004	1.3600e-003	3.6000e-004	1.3000e-004	4.9000e-004	0.0000	11.2237	11.2237	1.5800e-003	0.0000	11.2632
Worker	2.4300e-003	1.1200e-003	0.0144	2.0000e-005	1.4800e-003	2.0000e-005	1.5000e-003	4.0000e-004	2.0000e-005	4.1000e-004	0.0000	1.6682	1.6682	8.0000e-005	0.0000	1.6701
Total	4.9200e-003	0.1038	0.0353	1.5000e-004	2.7700e-003	1.7000e-004	2.9300e-003	7.8000e-004	1.6000e-004	9.2000e-004	0.0000	13.9280	13.9280	1.8200e-003	0.0000	13.9735

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Off-Road	0.0103	0.2169	0.2717	4.5000e-004		0.0132	0.0132		0.0132	0.0132	0.0000	38.7141	38.7141	5.9100e-003	0.0000	38.8619
Total	0.0103	0.2169	0.2717	4.5000e-004		0.0132	0.0132		0.0132	0.0132	0.0000	38.7141	38.7141	5.9100e-003	0.0000	38.8619

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.6000e-004	8.0100e-003	1.0100e-003	1.0000e-005	7.0000e-005	1.0000e-005	7.0000e-005	2.0000e-005	1.0000e-005	2.0000e-005	0.0000	1.0361	1.0361	1.6000e-004	0.0000	1.0402
Vendor	2.3300e-003	0.0947	0.0199	1.2000e-004	1.2200e-003	1.4000e-004	1.3600e-003	3.6000e-004	1.3000e-004	4.9000e-004	0.0000	11.2237	11.2237	1.5800e-003	0.0000	11.2632
Worker	2.4300e-003	1.1200e-003	0.0144	2.0000e-005	1.4800e-003	2.0000e-005	1.5000e-003	4.0000e-004	2.0000e-005	4.1000e-004	0.0000	1.6682	1.6682	8.0000e-005	0.0000	1.6701
Total	4.9200e-003	0.1038	0.0353	1.5000e-004	2.7700e-003	1.7000e-004	2.9300e-003	7.8000e-004	1.6000e-004	9.2000e-004	0.0000	13.9280	13.9280	1.8200e-003	0.0000	13.9735

3.7 Architectural Coating - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.0838					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	8.1200e-003	0.0767	0.1052	1.7000e-004		3.5100e-003	3.5100e-003		3.4400e-003	3.4400e-003	0.0000	14.3879	14.3879	3.1100e-003	0.0000	14.4657
Total	0.0919	0.0767	0.1052	1.7000e-004		3.5100e-003	3.5100e-003		3.4400e-003	3.4400e-003	0.0000	14.3879	14.3879	3.1100e-003	0.0000	14.4657

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.5000e-004	7.0000e-005	8.9000e-004	0.0000	9.0000e-005	0.0000	9.0000e-005	2.0000e-005	0.0000	3.0000e-005	0.0000	0.1026	0.1026	0.0000	0.0000	0.1027
Total	1.5000e-004	7.0000e-005	8.9000e-004	0.0000	9.0000e-005	0.0000	9.0000e-005	2.0000e-005	0.0000	3.0000e-005	0.0000	0.1026	0.1026	0.0000	0.0000	0.1027

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.0838					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.7300e-003	0.0853	0.1152	1.7000e-004		5.9800e-003	5.9800e-003		5.9800e-003	5.9800e-003	0.0000	14.3878	14.3878	3.1100e-003	0.0000	14.4657
Total	0.0875	0.0853	0.1152	1.7000e-004		5.9800e-003	5.9800e-003		5.9800e-003	5.9800e-003	0.0000	14.3878	14.3878	3.1100e-003	0.0000	14.4657

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.5000e-004	7.0000e-005	8.9000e-004	0.0000	9.0000e-005	0.0000	9.0000e-005	2.0000e-005	0.0000	3.0000e-005	0.0000	0.1026	0.1026	0.0000	0.0000	0.1027
Total	1.5000e-004	7.0000e-005	8.9000e-004	0.0000	9.0000e-005	0.0000	9.0000e-005	2.0000e-005	0.0000	3.0000e-005	0.0000	0.1026	0.1026	0.0000	0.0000	0.1027

3.7 Architectural Coating - 2021

Unmitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.0547					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.8500e-003	0.0461	0.0685	1.1000e-004		1.9200e-003	1.9200e-003		1.8800e-003	1.8800e-003	0.0000	9.3962	9.3962	2.0000e-003	0.0000	9.4461
Total	0.0596	0.0461	0.0685	1.1000e-004		1.9200e-003	1.9200e-003		1.8800e-003	1.8800e-003	0.0000	9.3962	9.3962	2.0000e-003	0.0000	9.4461

Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.0000e-005	4.0000e-005	5.2000e-004	0.0000	6.0000e-005	0.0000	6.0000e-005	2.0000e-005	0.0000	2.0000e-005	0.0000	0.0647	0.0647	0.0000	0.0000	0.0648

Total	9.0000e-005	4.0000e-005	5.2000e-004	0.0000	6.0000e-005	0.0000	6.0000e-005	2.0000e-005	0.0000	2.0000e-005	0.0000	0.0647	0.0647	0.0000	0.0000	0.0648
-------	-------------	-------------	-------------	--------	-------------	--------	-------------	-------------	--------	-------------	--------	--------	--------	--------	--------	--------

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.0547					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.4400e-003	0.0557	0.0752	1.1000e-004		3.9000e-003	3.9000e-003		3.9000e-003	3.9000e-003	0.0000	9.3961	9.3961	2.0000e-003	0.0000	9.4461
Total	0.0572	0.0557	0.0752	1.1000e-004		3.9000e-003	3.9000e-003		3.9000e-003	3.9000e-003	0.0000	9.3961	9.3961	2.0000e-003	0.0000	9.4461

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.0000e-005	4.0000e-005	5.2000e-004	0.0000	6.0000e-005	0.0000	6.0000e-005	2.0000e-005	0.0000	2.0000e-005	0.0000	0.0647	0.0647	0.0000	0.0000	0.0648
Total	9.0000e-005	4.0000e-005	5.2000e-004	0.0000	6.0000e-005	0.0000	6.0000e-005	2.0000e-005	0.0000	2.0000e-005	0.0000	0.0647	0.0647	0.0000	0.0000	0.0648

3.8 Paving - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	2.6000e-003	0.0261	0.0273	4.0000e-005		1.4400e-003	1.4400e-003		1.3300e-003	1.3300e-003	0.0000	3.6303	3.6303	1.1500e-003	0.0000	3.6589
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	2.6000e-003	0.0261	0.0273	4.0000e-005		1.4400e-003	1.4400e-003		1.3300e-003	1.3300e-003	0.0000	3.6303	3.6303	1.1500e-003	0.0000	3.6589

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	4.0000e-005	2.1700e-003	2.7000e-004	0.0000	3.0000e-005	0.0000	3.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.2799	0.2799	4.0000e-005	0.0000	0.2810
Vendor	4.0000e-005	1.5700e-003	3.3000e-004	0.0000	2.0000e-005	0.0000	2.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.1859	0.1859	3.0000e-005	0.0000	0.1866
Worker	3.5000e-004	1.6000e-004	2.0700e-003	0.0000	2.1000e-004	0.0000	2.2000e-004	6.0000e-005	0.0000	6.0000e-005	0.0000	0.2395	0.2395	1.0000e-005	0.0000	0.2398
Total	4.3000e-004	3.9000e-003	2.6700e-003	0.0000	2.6000e-004	0.0000	2.7000e-004	8.0000e-005	0.0000	8.0000e-005	0.0000	0.7054	0.7054	8.0000e-005	0.0000	0.7074

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Off-Road	9.8000e-004	0.0203	0.0302	4.0000e-005		1.1700e-003	1.1700e-003		1.1700e-003	1.1700e-003	0.0000	3.6303	3.6303	1.1500e-003	0.0000	3.6589
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	9.8000e-004	0.0203	0.0302	4.0000e-005		1.1700e-003	1.1700e-003		1.1700e-003	1.1700e-003	0.0000	3.6303	3.6303	1.1500e-003	0.0000	3.6589

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	4.0000e-005	2.1700e-003	2.7000e-004	0.0000	3.0000e-005	0.0000	3.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.2799	0.2799	4.0000e-005	0.0000	0.2810
Vendor	4.0000e-005	1.5700e-003	3.3000e-004	0.0000	2.0000e-005	0.0000	2.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.1859	0.1859	3.0000e-005	0.0000	0.1866
Worker	3.5000e-004	1.6000e-004	2.0700e-003	0.0000	2.1000e-004	0.0000	2.2000e-004	6.0000e-005	0.0000	6.0000e-005	0.0000	0.2395	0.2395	1.0000e-005	0.0000	0.2398
Total	4.3000e-004	3.9000e-003	2.6700e-003	0.0000	2.6000e-004	0.0000	2.7000e-004	8.0000e-005	0.0000	8.0000e-005	0.0000	0.7054	0.7054	8.0000e-005	0.0000	0.7074

3.8 Paving - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.7500e-003	0.0175	0.0198	3.0000e-005		9.3000e-004	9.3000e-004		8.6000e-004	8.6000e-004	0.0000	2.6400	2.6400	8.3000e-004	0.0000	2.6608
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	1.7500e-003	0.0175	0.0198	3.0000e-005		9.3000e-004	9.3000e-004		8.6000e-004	8.6000e-004	0.0000	2.6400	2.6400	8.3000e-004	0.0000	2.6608

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	3.0000e-005	1.5100e-003	1.9000e-004	0.0000	3.0000e-005	0.0000	3.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.2011	0.2011	3.0000e-005	0.0000	0.2018
Vendor	3.0000e-005	1.0900e-003	2.2000e-004	0.0000	1.0000e-005	0.0000	2.0000e-005	0.0000	0.0000	1.0000e-005	0.0000	0.1337	0.1337	2.0000e-005	0.0000	0.1342
Worker	2.3000e-004	1.0000e-004	1.3600e-003	0.0000	1.5000e-004	0.0000	1.6000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.1683	0.1683	1.0000e-005	0.0000	0.1685
Total	2.9000e-004	2.7000e-003	1.7700e-003	0.0000	1.9000e-004	0.0000	2.1000e-004	5.0000e-005	0.0000	6.0000e-005	0.0000	0.5031	0.5031	6.0000e-005	0.0000	0.5045

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	7.1000e-004	0.0148	0.0220	3.0000e-005		8.5000e-004	8.5000e-004		8.5000e-004	8.5000e-004	0.0000	2.6399	2.6399	8.3000e-004	0.0000	2.6608
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	7.1000e-004	0.0148	0.0220	3.0000e-005		8.5000e-004	8.5000e-004		8.5000e-004	8.5000e-004	0.0000	2.6399	2.6399	8.3000e-004	0.0000	2.6608

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	tons/yr										MT/yr					
	Hauling	3.0000e-005	1.5100e-003	1.9000e-004	0.0000	3.0000e-005	0.0000	3.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.2011	0.2011	3.0000e-005	0.0000
Vendor	3.0000e-005	1.0900e-003	2.2000e-004	0.0000	1.0000e-005	0.0000	2.0000e-005	0.0000	0.0000	1.0000e-005	0.0000	0.1337	0.1337	2.0000e-005	0.0000	0.1342
Worker	2.3000e-004	1.0000e-004	1.3600e-003	0.0000	1.5000e-004	0.0000	1.6000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.1683	0.1683	1.0000e-005	0.0000	0.1685
Total	2.9000e-004	2.7000e-003	1.7700e-003	0.0000	1.9000e-004	0.0000	2.1000e-004	5.0000e-005	0.0000	6.0000e-005	0.0000	0.5031	0.5031	6.0000e-005	0.0000	0.5045

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Category	tons/yr										MT/yr					
	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Mitigated	0.1671	1.1090	1.7105	6.3400e-003	0.4814	6.0400e-003	0.4874	0.1294	5.6700e-003	0.1351	0.0000	585.5244	585.5244	0.0268	0.0000	586.1934
Unmitigated	0.1671	1.1090	1.7105	6.3400e-003	0.4814	6.0400e-003	0.4874	0.1294	5.6700e-003	0.1351	0.0000	585.5244	585.5244	0.0268	0.0000	586.1934

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Medical Office Building	870.00	215.75	37.25	1,287,032	1,287,032
Parking Lot	0.00	0.00	0.00		
Total	870.00	215.75	37.25	1,287,032	1,287,032

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Medical Office Building	9.50	7.30	7.30	29.60	51.40	19.00	60	30	10
Parking Lot	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Medical Office Building	0.560371	0.039285	0.190378	0.108244	0.016023	0.005202	0.023981	0.045200	0.002184	0.002561	0.005524	0.000326	0.000721
Parking Lot	0.560371	0.039285	0.190378	0.108244	0.016023	0.005202	0.023981	0.045200	0.002184	0.002561	0.005524	0.000326	0.000721

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	42.8458	42.8458	4.2800e-003	8.9000e-004	43.2171
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	42.8458	42.8458	4.2800e-003	8.9000e-004	43.2171
NaturalGas Mitigated	2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	25.7881	25.7881	4.9000e-004	4.7000e-004	25.9413
NaturalGas Unmitigated	2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	25.7881	25.7881	4.9000e-004	4.7000e-004	25.9413

5.2 Energy by Land Use - NaturalGas

Unmitigated

	Natural Gas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Medical Office Building	483250	2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	25.7881	25.7881	4.9000e-004	4.7000e-004	25.9413
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	25.7881	25.7881	4.9000e-004	4.7000e-004	25.9413

Mitigated

	Natural Gas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Medical Office Building	483250	2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	25.7881	25.7881	4.9000e-004	4.7000e-004	25.9413
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	25.7881	25.7881	4.9000e-004	4.7000e-004	25.9413

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Medical Office Building	312000	41.0410	4.1000e-003	8.5000e-004	41.3967
Parking Lot	13720	1.8048	1.8000e-004	4.0000e-005	1.8204

Total		42.8458	4.2800e-003	8.9000e-004	43.2171
-------	--	---------	-------------	-------------	---------

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Medical Office Building	312000	41.0410	4.1000e-003	8.5000e-004	41.3967
Parking Lot	13720	1.8048	1.8000e-004	4.0000e-005	1.8204
Total		42.8458	4.2800e-003	8.9000e-004	43.2171

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.1141	1.0000e-005	1.1300e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003
Unmitigated	0.1141	1.0000e-005	1.1300e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
SubCategory	tons/yr										MT/yr						
Architectural Coating	0.0139					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.1002					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.1000e-004	1.0000e-005	1.1300e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003	
Total	0.1141	1.0000e-005	1.1300e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003	

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0139					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.1002					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.1000e-004	1.0000e-005	1.1300e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003
Total	0.1141	1.0000e-005	1.1300e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003

7.0 Water Detail

7.1 Mitigation Measures Water

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	3.6178	4.0700e-003	2.4700e-003	4.4543
Unmitigated	3.6178	4.0700e-003	2.4700e-003	4.4543

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Medical Office Building	3.13701 / 0.597526	3.6178	4.0700e-003	2.4700e-003	4.4543
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		3.6178	4.0700e-003	2.4700e-003	4.4543

Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			

Medical Office Building	3.13701 / 0.597526	3.6178	4.0700e-003	2.4700e-003	4.4543
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		3.6178	4.0700e-003	2.4700e-003	4.4543

8.0 Waste Detail

8.1 Mitigation Measures Waste

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	54.8076	3.2390	0.0000	135.7834
Unmitigated	54.8076	3.2390	0.0000	135.7834

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Medical Office Building	270	54.8076	3.2390	0.0000	135.7834
Parking Lot	0	0.0000	0.0000	0.0000	0.0000

Total		54.8076	3.2390	0.0000	135.7834
-------	--	---------	--------	--------	----------

Mitigated

Land Use	Waste Disposed tons	Total CO2 MT/yr	CH4 MT/yr	N2O MT/yr	CO2e MT/yr
Medical Office Building	270	54.8076	3.2390	0.0000	135.7834
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		54.8076	3.2390	0.0000	135.7834

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Castro Valley Medical Office Building AQ - Alameda County, Annual

Castro Valley Medical Office Building AQ
Alameda County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Medical Office Building	25.00	1000sqft	1.28	25,000.00	0
Parking Lot	98.00	Space	0.00	39,200.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	63
Climate Zone	5			Operational Year	2030
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MW hr)	290	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Castro Valley Medical Office Building AQ - Alameda County, Annual

Project Characteristics - PG&E 2020 290 rate

Land Use - Land use inputs from 2/4/2019 plans

Construction Phase - Project applicant provided construction schedule, used total work days which takes into account holidays

Off-road Equipment - Project applicant's equipment usage

Off-road Equipment - Project applicant's equipment usage

Off-road Equipment - Project applicant's equipment usage

Off-road Equipment - Project applicant's equipment usage

Off-road Equipment - Project applicant's equipment usage

Off-road Equipment - Project applicant's equipment usage

Off-road Equipment - Project applicant's equipment usage

Trips and VMT - estimated 150 demo hauling trips, estimated 75 cement truck trips (round-trip), estimated 42 trips for paving

Demolition - 9,000-sf of building demo

Grading - Assuming balanced site

Vehicle Trips - 870 trips/ 25 ksf = 34.8 weekday rate, 8.63 saturday rate, 1.49 sunday rate

Energy Use -

Water And Wastewater - 100% aerobic

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	10.00	81.00
tblConstructionPhase	NumDays	200.00	166.00
tblConstructionPhase	NumDays	20.00	21.00
tblConstructionPhase	NumDays	4.00	20.00
tblConstructionPhase	NumDays	10.00	76.00
tblConstructionPhase	NumDays	2.00	5.00
tblLandUse	LotAcreage	0.57	1.28

Castro Valley Medical Office Building AQ - Alameda County, Annual

tblLandUse	LotAcreage	0.88	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	1.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	1.00
tblOffRoadEquipment	UsageHours	6.00	3.00
tblOffRoadEquipment	UsageHours	6.00	1.00
tblOffRoadEquipment	UsageHours	8.00	1.00
tblOffRoadEquipment	UsageHours	6.00	1.00
tblOffRoadEquipment	UsageHours	6.00	1.00
tblOffRoadEquipment	UsageHours	8.00	2.00
tblOffRoadEquipment	UsageHours	6.00	2.00
tblOffRoadEquipment	UsageHours	8.00	6.00
tblOffRoadEquipment	UsageHours	6.00	1.00
tblOffRoadEquipment	UsageHours	8.00	1.00
tblOffRoadEquipment	UsageHours	7.00	1.00
tblOffRoadEquipment	UsageHours	8.00	4.00
tblOffRoadEquipment	UsageHours	6.00	4.00
tblOffRoadEquipment	UsageHours	7.00	6.00
tblOffRoadEquipment	UsageHours	6.00	0.00
tblOffRoadEquipment	UsageHours	7.00	6.00
tblOffRoadEquipment	UsageHours	8.00	1.00
tblOffRoadEquipment	UsageHours	8.00	6.00
tblOffRoadEquipment	UsageHours	8.00	1.00

Castro Valley Medical Office Building AQ - Alameda County, Annual

tblProjectCharacteristics	CO2IntensityFactor	641.35	290
tblTripsAndVMT	HaulingTripNumber	41.00	150.00
tblTripsAndVMT	HaulingTripNumber	0.00	150.00
tblTripsAndVMT	HaulingTripNumber	0.00	42.00
tblVehicleTrips	ST_TR	8.96	8.63
tblVehicleTrips	SU_TR	1.55	1.49
tblVehicleTrips	WD_TR	36.13	34.80
tblWater	AerobicPercent	87.46	100.00
tblWater	AerobicPercent	87.46	100.00
tblWater	AnaerobicandFacultativeLagoonsPercent	2.21	0.00
tblWater	AnaerobicandFacultativeLagoonsPercent	2.21	0.00
tblWater	SepticTankPercent	10.33	0.00
tblWater	SepticTankPercent	10.33	0.00

2.0 Emissions Summary

Castro Valley Medical Office Building AQ - Alameda County, Annual

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2019	4.9700e-003	0.0570	0.0299	8.0000e-005	3.6100e-003	2.5200e-003	6.1300e-003	7.1000e-004	2.3300e-003	3.0400e-003	0.0000	7.0645	7.0645	1.3200e-003	0.0000	7.0974
2020	0.1768	0.9037	0.7467	1.7100e-003	0.0867	0.0391	0.1258	0.0335	0.0371	0.0706	0.0000	152.8914	152.8914	0.0237	0.0000	153.4846
2021	0.0623	0.0665	0.0956	1.7000e-004	2.5800e-003	2.8700e-003	5.4500e-003	6.8000e-004	2.7600e-003	3.4500e-003	0.0000	14.6586	14.6586	2.9100e-003	0.0000	14.7314
Maximum	0.1768	0.9037	0.7467	1.7100e-003	0.0867	0.0391	0.1258	0.0335	0.0371	0.0706	0.0000	152.8914	152.8914	0.0237	0.0000	153.4846

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2019	4.9700e-003	0.0570	0.0299	8.0000e-005	3.6100e-003	2.5200e-003	6.1300e-003	7.1000e-004	2.3300e-003	3.0400e-003	0.0000	7.0645	7.0645	1.3200e-003	0.0000	7.0974
2020	0.1768	0.9037	0.7467	1.7100e-003	0.0867	0.0391	0.1258	0.0335	0.0371	0.0706	0.0000	152.8913	152.8913	0.0237	0.0000	153.4844
2021	0.0623	0.0665	0.0956	1.7000e-004	2.5800e-003	2.8700e-003	5.4500e-003	6.8000e-004	2.7600e-003	3.4500e-003	0.0000	14.6586	14.6586	2.9100e-003	0.0000	14.7314
Maximum	0.1768	0.9037	0.7467	1.7100e-003	0.0867	0.0391	0.1258	0.0335	0.0371	0.0706	0.0000	152.8913	152.8913	0.0237	0.0000	153.4844

Castro Valley Medical Office Building AQ - Alameda County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	12-18-2019	3-17-2020	0.3196	0.3196
2	3-18-2020	6-17-2020	0.2181	0.2181
3	6-18-2020	9-17-2020	0.2447	0.2447
4	9-18-2020	12-17-2020	0.2856	0.2856
5	12-18-2020	3-17-2021	0.1749	0.1749
		Highest	0.3196	0.3196

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.1141	1.0000e-005	1.1200e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003
Energy	2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	68.6339	68.6339	4.7800e-003	1.3600e-003	69.1584
Mobile	0.1050	0.8130	1.0625	5.2900e-003	0.4810	3.3100e-003	0.4843	0.1292	3.0900e-003	0.1323	0.0000	491.4272	491.4272	0.0191	0.0000	491.9052
Waste						0.0000	0.0000		0.0000	0.0000	54.8076	0.0000	54.8076	3.2390	0.0000	135.7834
Water						0.0000	0.0000		0.0000	0.0000	1.1099	2.5079	3.6178	4.0700e-003	2.4700e-003	4.4543
Total	0.2217	0.8367	1.0835	5.4300e-003	0.4810	5.1100e-003	0.4861	0.1292	4.8900e-003	0.1341	55.9174	562.5712	618.4886	3.2670	3.8300e-003	701.3037

Castro Valley Medical Office Building AQ - Alameda County, Annual

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.1141	1.0000e-005	1.1200e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003
Energy	2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	68.6339	68.6339	4.7800e-003	1.3600e-003	69.1584
Mobile	0.1050	0.8130	1.0625	5.2900e-003	0.4810	3.3100e-003	0.4843	0.1292	3.0900e-003	0.1323	0.0000	491.4272	491.4272	0.0191	0.0000	491.9052
Waste						0.0000	0.0000		0.0000	0.0000	54.8076	0.0000	54.8076	3.2390	0.0000	135.7834
Water						0.0000	0.0000		0.0000	0.0000	1.1099	2.5079	3.6178	4.0700e-003	2.4700e-003	4.4543
Total	0.2217	0.8367	1.0835	5.4300e-003	0.4810	5.1100e-003	0.4861	0.1292	4.8900e-003	0.1341	55.9174	562.5712	618.4886	3.2670	3.8300e-003	701.3037

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Castro Valley Medical Office Building AQ - Alameda County, Annual

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	12/18/2019	1/15/2020	5	21	
2	Site Preparation	Site Preparation	1/20/2020	1/24/2020	5	5	
3	Grading	Grading	1/27/2020	2/21/2020	5	20	
4	Trenching	Trenching	2/24/2020	9/23/2020	5	153	
5	Building Construction	Building Construction	3/31/2020	11/17/2020	5	166	
6	Architectural Coating	Architectural Coating	10/26/2020	2/15/2021	5	81	
7	Paving	Paving	11/2/2020	2/15/2021	5	76	

Acres of Grading (Site Preparation Phase): 1.88

Acres of Grading (Grading Phase): 12.5

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 37,500; Non-Residential Outdoor: 12,500; Striped Parking Area: 2,352 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	1.00	81	0.73
Demolition	Excavators	1	1.00	158	0.38
Demolition	Rubber Tired Dozers	1	4.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Site Preparation	Graders	1	6.00	187	0.41
Site Preparation	Rubber Tired Dozers	1	6.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Grading	Excavators	1	1.00	158	0.38
Grading	Graders	1	2.00	187	0.41

Castro Valley Medical Office Building AQ - Alameda County, Annual

Grading	Rubber Tired Dozers	1	4.00	247	0.40
Grading	Scrapers	1	4.00	367	0.48
Grading	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Trenching	Concrete/Industrial Saws	1	1.00	81	0.73
Trenching	Excavators	1	1.00	158	0.38
Trenching	Rollers	1	1.00	80	0.38
Trenching	Tractors/Loaders/Backhoes	1	2.00	97	0.37
Building Construction	Cranes	2	1.00	231	0.29
Building Construction	Forklifts	2	1.00	89	0.20
Building Construction	Generator Sets	2	2.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	0	0.00	97	0.37
Building Construction	Welders	1	1.00	46	0.45
Architectural Coating	Aerial Lifts	3	6.00	63	0.31
Architectural Coating	Air Compressors	2	3.00	78	0.48
Paving	Cement and Mortar Mixers	1	1.00	9	0.56
Paving	Pavers	1	1.00	130	0.42
Paving	Paving Equipment	1	1.00	132	0.36
Paving	Rollers	1	1.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	1.00	97	0.37

Trips and VMT

Castro Valley Medical Office Building AQ - Alameda County, Annual

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	4	10.00	0.00	150.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	3	8.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Grading	5	13.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Trenching	4	10.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	7	24.00	11.00	150.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	5	5.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Paving	5	13.00	0.00	42.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2019

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					2.1100e-003	0.0000	2.1100e-003	3.2000e-004	0.0000	3.2000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.4500e-003	0.0458	0.0266	4.0000e-005		2.4800e-003	2.4800e-003		2.2900e-003	2.2900e-003	0.0000	3.9382	3.9382	1.1600e-003	0.0000	3.9673
Total	4.4500e-003	0.0458	0.0266	4.0000e-005	2.1100e-003	2.4800e-003	4.5900e-003	3.2000e-004	2.2900e-003	2.6100e-003	0.0000	3.9382	3.9382	1.1600e-003	0.0000	3.9673

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.2 Demolition - 2019

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	3.3000e-004	0.0111	1.9000e-003	3.0000e-005	1.1000e-003	4.0000e-005	1.1400e-003	2.9000e-004	4.0000e-005	3.3000e-004	0.0000	2.7636	2.7636	1.4000e-004	0.0000	2.7672
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.9000e-004	1.4000e-004	1.4600e-003	0.0000	4.0000e-004	0.0000	4.0000e-004	1.1000e-004	0.0000	1.1000e-004	0.0000	0.3627	0.3627	1.0000e-005	0.0000	0.3629
Total	5.2000e-004	0.0112	3.3600e-003	3.0000e-005	1.5000e-003	4.0000e-005	1.5400e-003	4.0000e-004	4.0000e-005	4.4000e-004	0.0000	3.1263	3.1263	1.5000e-004	0.0000	3.1301

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					2.1100e-003	0.0000	2.1100e-003	3.2000e-004	0.0000	3.2000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.4500e-003	0.0458	0.0266	4.0000e-005		2.4800e-003	2.4800e-003		2.2900e-003	2.2900e-003	0.0000	3.9382	3.9382	1.1600e-003	0.0000	3.9673
Total	4.4500e-003	0.0458	0.0266	4.0000e-005	2.1100e-003	2.4800e-003	4.5900e-003	3.2000e-004	2.2900e-003	2.6100e-003	0.0000	3.9382	3.9382	1.1600e-003	0.0000	3.9673

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.2 Demolition - 2019

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	3.3000e-004	0.0111	1.9000e-003	3.0000e-005	1.1000e-003	4.0000e-005	1.1400e-003	2.9000e-004	4.0000e-005	3.3000e-004	0.0000	2.7636	2.7636	1.4000e-004	0.0000	2.7672
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.9000e-004	1.4000e-004	1.4600e-003	0.0000	4.0000e-004	0.0000	4.0000e-004	1.1000e-004	0.0000	1.1000e-004	0.0000	0.3627	0.3627	1.0000e-005	0.0000	0.3629
Total	5.2000e-004	0.0112	3.3600e-003	3.0000e-005	1.5000e-003	4.0000e-005	1.5400e-003	4.0000e-004	4.0000e-005	4.4000e-004	0.0000	3.1263	3.1263	1.5000e-004	0.0000	3.1301

3.2 Demolition - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					2.3200e-003	0.0000	2.3200e-003	3.5000e-004	0.0000	3.5000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.5800e-003	0.0467	0.0287	5.0000e-005		2.4700e-003	2.4700e-003		2.2900e-003	2.2900e-003	0.0000	4.2463	4.2463	1.2800e-003	0.0000	4.2782
Total	4.5800e-003	0.0467	0.0287	5.0000e-005	2.3200e-003	2.4700e-003	4.7900e-003	3.5000e-004	2.2900e-003	2.6400e-003	0.0000	4.2463	4.2463	1.2800e-003	0.0000	4.2782

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.2 Demolition - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	3.3000e-004	0.0115	2.0100e-003	3.0000e-005	1.1200e-003	4.0000e-005	1.1500e-003	2.9000e-004	4.0000e-005	3.3000e-004	0.0000	3.0078	3.0078	1.5000e-004	0.0000	3.0116
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.9000e-004	1.4000e-004	1.4400e-003	0.0000	4.3000e-004	0.0000	4.4000e-004	1.2000e-004	0.0000	1.2000e-004	0.0000	0.3866	0.3866	1.0000e-005	0.0000	0.3868
Total	5.2000e-004	0.0116	3.4500e-003	3.0000e-005	1.5500e-003	4.0000e-005	1.5900e-003	4.1000e-004	4.0000e-005	4.5000e-004	0.0000	3.3944	3.3944	1.6000e-004	0.0000	3.3984

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					2.3200e-003	0.0000	2.3200e-003	3.5000e-004	0.0000	3.5000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.5800e-003	0.0467	0.0287	5.0000e-005		2.4700e-003	2.4700e-003		2.2900e-003	2.2900e-003	0.0000	4.2463	4.2463	1.2800e-003	0.0000	4.2782
Total	4.5800e-003	0.0467	0.0287	5.0000e-005	2.3200e-003	2.4700e-003	4.7900e-003	3.5000e-004	2.2900e-003	2.6400e-003	0.0000	4.2463	4.2463	1.2800e-003	0.0000	4.2782

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.2 Demolition - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	3.3000e-004	0.0115	2.0100e-003	3.0000e-005	1.1200e-003	4.0000e-005	1.1500e-003	2.9000e-004	4.0000e-005	3.3000e-004	0.0000	3.0078	3.0078	1.5000e-004	0.0000	3.0116
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.9000e-004	1.4000e-004	1.4400e-003	0.0000	4.3000e-004	0.0000	4.4000e-004	1.2000e-004	0.0000	1.2000e-004	0.0000	0.3866	0.3866	1.0000e-005	0.0000	0.3868
Total	5.2000e-004	0.0116	3.4500e-003	3.0000e-005	1.5500e-003	4.0000e-005	1.5900e-003	4.1000e-004	4.0000e-005	4.5000e-004	0.0000	3.3944	3.3944	1.6000e-004	0.0000	3.3984

3.3 Site Preparation - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0123	0.0000	0.0123	6.3100e-003	0.0000	6.3100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.3100e-003	0.0371	0.0154	3.0000e-005		1.6700e-003	1.6700e-003		1.5400e-003	1.5400e-003	0.0000	3.0121	3.0121	9.7000e-004	0.0000	3.0365
Total	3.3100e-003	0.0371	0.0154	3.0000e-005	0.0123	1.6700e-003	0.0140	6.3100e-003	1.5400e-003	7.8500e-003	0.0000	3.0121	3.0121	9.7000e-004	0.0000	3.0365

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.3 Site Preparation - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.0000e-005	5.0000e-005	5.2000e-004	0.0000	1.6000e-004	0.0000	1.6000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.1406	0.1406	0.0000	0.0000	0.1407
Total	7.0000e-005	5.0000e-005	5.2000e-004	0.0000	1.6000e-004	0.0000	1.6000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.1406	0.1406	0.0000	0.0000	0.1407

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0123	0.0000	0.0123	6.3100e-003	0.0000	6.3100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.3100e-003	0.0371	0.0154	3.0000e-005		1.6700e-003	1.6700e-003		1.5400e-003	1.5400e-003	0.0000	3.0121	3.0121	9.7000e-004	0.0000	3.0365
Total	3.3100e-003	0.0371	0.0154	3.0000e-005	0.0123	1.6700e-003	0.0140	6.3100e-003	1.5400e-003	7.8500e-003	0.0000	3.0121	3.0121	9.7000e-004	0.0000	3.0365

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.3 Site Preparation - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.0000e-005	5.0000e-005	5.2000e-004	0.0000	1.6000e-004	0.0000	1.6000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.1406	0.1406	0.0000	0.0000	0.1407
Total	7.0000e-005	5.0000e-005	5.2000e-004	0.0000	1.6000e-004	0.0000	1.6000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.1406	0.1406	0.0000	0.0000	0.1407

3.4 Grading - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0367	0.0000	0.0367	0.0173	0.0000	0.0173	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0134	0.1500	0.0837	1.6000e-004		6.7200e-003	6.7200e-003		6.1800e-003	6.1800e-003	0.0000	14.4782	14.4782	4.6800e-003	0.0000	14.5953
Total	0.0134	0.1500	0.0837	1.6000e-004	0.0367	6.7200e-003	0.0435	0.0173	6.1800e-003	0.0235	0.0000	14.4782	14.4782	4.6800e-003	0.0000	14.5953

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.4 Grading - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.5000e-004	3.3000e-004	3.4000e-003	1.0000e-005	1.0300e-003	1.0000e-005	1.0400e-003	2.7000e-004	1.0000e-005	2.8000e-004	0.0000	0.9137	0.9137	2.0000e-005	0.0000	0.9143
Total	4.5000e-004	3.3000e-004	3.4000e-003	1.0000e-005	1.0300e-003	1.0000e-005	1.0400e-003	2.7000e-004	1.0000e-005	2.8000e-004	0.0000	0.9137	0.9137	2.0000e-005	0.0000	0.9143

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0367	0.0000	0.0367	0.0173	0.0000	0.0173	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0134	0.1500	0.0837	1.6000e-004		6.7200e-003	6.7200e-003		6.1800e-003	6.1800e-003	0.0000	14.4782	14.4782	4.6800e-003	0.0000	14.5953
Total	0.0134	0.1500	0.0837	1.6000e-004	0.0367	6.7200e-003	0.0435	0.0173	6.1800e-003	0.0235	0.0000	14.4782	14.4782	4.6800e-003	0.0000	14.5953

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.4 Grading - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.5000e-004	3.3000e-004	3.4000e-003	1.0000e-005	1.0300e-003	1.0000e-005	1.0400e-003	2.7000e-004	1.0000e-005	2.8000e-004	0.0000	0.9137	0.9137	2.0000e-005	0.0000	0.9143
Total	4.5000e-004	3.3000e-004	3.4000e-003	1.0000e-005	1.0300e-003	1.0000e-005	1.0400e-003	2.7000e-004	1.0000e-005	2.8000e-004	0.0000	0.9137	0.9137	2.0000e-005	0.0000	0.9143

3.5 Trenching - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0123	0.1148	0.1282	1.9000e-004		6.8300e-003	6.8300e-003		6.4300e-003	6.4300e-003	0.0000	16.9022	16.9022	4.1300e-003	0.0000	17.0054
Total	0.0123	0.1148	0.1282	1.9000e-004		6.8300e-003	6.8300e-003		6.4300e-003	6.4300e-003	0.0000	16.9022	16.9022	4.1300e-003	0.0000	17.0054

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.5 Trenching - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.6500e-003	1.9500e-003	0.0200	6.0000e-005	6.0500e-003	4.0000e-005	6.0900e-003	1.6100e-003	4.0000e-005	1.6500e-003	0.0000	5.3768	5.3768	1.4000e-004	0.0000	5.3803
Total	2.6500e-003	1.9500e-003	0.0200	6.0000e-005	6.0500e-003	4.0000e-005	6.0900e-003	1.6100e-003	4.0000e-005	1.6500e-003	0.0000	5.3768	5.3768	1.4000e-004	0.0000	5.3803

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0123	0.1148	0.1282	1.9000e-004		6.8300e-003	6.8300e-003		6.4300e-003	6.4300e-003	0.0000	16.9021	16.9021	4.1300e-003	0.0000	17.0054
Total	0.0123	0.1148	0.1282	1.9000e-004		6.8300e-003	6.8300e-003		6.4300e-003	6.4300e-003	0.0000	16.9021	16.9021	4.1300e-003	0.0000	17.0054

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.5 Trenching - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.6500e-003	1.9500e-003	0.0200	6.0000e-005	6.0500e-003	4.0000e-005	6.0900e-003	1.6100e-003	4.0000e-005	1.6500e-003	0.0000	5.3768	5.3768	1.4000e-004	0.0000	5.3803
Total	2.6500e-003	1.9500e-003	0.0200	6.0000e-005	6.0500e-003	4.0000e-005	6.0900e-003	1.6100e-003	4.0000e-005	1.6500e-003	0.0000	5.3768	5.3768	1.4000e-004	0.0000	5.3803

3.6 Building Construction - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0325	0.2995	0.2405	4.5000e-004		0.0157	0.0157		0.0151	0.0151	0.0000	38.7142	38.7142	5.9100e-003	0.0000	38.8620
Total	0.0325	0.2995	0.2405	4.5000e-004		0.0157	0.0157		0.0151	0.0151	0.0000	38.7142	38.7142	5.9100e-003	0.0000	38.8620

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.6 Building Construction - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	6.4000e-004	0.0219	3.8500e-003	6.0000e-005	1.2700e-003	7.0000e-005	1.3400e-003	3.5000e-004	7.0000e-005	4.2000e-004	0.0000	5.7422	5.7422	2.9000e-004	0.0000	5.7494
Vendor	3.4300e-003	0.1073	0.0231	2.5000e-004	6.0000e-003	5.0000e-004	6.4900e-003	1.7300e-003	4.8000e-004	2.2100e-003	0.0000	24.1498	24.1498	1.3900e-003	0.0000	24.1845
Worker	6.8900e-003	5.0800e-003	0.0521	1.5000e-004	0.0158	1.1000e-004	0.0159	4.1900e-003	1.0000e-004	4.2900e-003	0.0000	14.0009	14.0009	3.6000e-004	0.0000	14.0099
Total	0.0110	0.1343	0.0791	4.6000e-004	0.0230	6.8000e-004	0.0237	6.2700e-003	6.5000e-004	6.9200e-003	0.0000	43.8929	43.8929	2.0400e-003	0.0000	43.9439

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0325	0.2995	0.2405	4.5000e-004		0.0157	0.0157		0.0151	0.0151	0.0000	38.7141	38.7141	5.9100e-003	0.0000	38.8619
Total	0.0325	0.2995	0.2405	4.5000e-004		0.0157	0.0157		0.0151	0.0151	0.0000	38.7141	38.7141	5.9100e-003	0.0000	38.8619

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.6 Building Construction - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	6.4000e-004	0.0219	3.8500e-003	6.0000e-005	1.2700e-003	7.0000e-005	1.3400e-003	3.5000e-004	7.0000e-005	4.2000e-004	0.0000	5.7422	5.7422	2.9000e-004	0.0000	5.7494
Vendor	3.4300e-003	0.1073	0.0231	2.5000e-004	6.0000e-003	5.0000e-004	6.4900e-003	1.7300e-003	4.8000e-004	2.2100e-003	0.0000	24.1498	24.1498	1.3900e-003	0.0000	24.1845
Worker	6.8900e-003	5.0800e-003	0.0521	1.5000e-004	0.0158	1.1000e-004	0.0159	4.1900e-003	1.0000e-004	4.2900e-003	0.0000	14.0009	14.0009	3.6000e-004	0.0000	14.0099
Total	0.0110	0.1343	0.0791	4.6000e-004	0.0230	6.8000e-004	0.0237	6.2700e-003	6.5000e-004	6.9200e-003	0.0000	43.8929	43.8929	2.0400e-003	0.0000	43.9439

3.7 Architectural Coating - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.0838					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	8.1200e-003	0.0767	0.1052	1.7000e-004		3.5100e-003	3.5100e-003		3.4400e-003	3.4400e-003	0.0000	14.3879	14.3879	3.1100e-003	0.0000	14.4657
Total	0.0919	0.0767	0.1052	1.7000e-004		3.5100e-003	3.5100e-003		3.4400e-003	3.4400e-003	0.0000	14.3879	14.3879	3.1100e-003	0.0000	14.4657

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.7 Architectural Coating - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.2000e-004	3.1000e-004	3.2100e-003	1.0000e-005	9.7000e-004	1.0000e-005	9.8000e-004	2.6000e-004	1.0000e-005	2.6000e-004	0.0000	0.8610	0.8610	2.0000e-005	0.0000	0.8616
Total	4.2000e-004	3.1000e-004	3.2100e-003	1.0000e-005	9.7000e-004	1.0000e-005	9.8000e-004	2.6000e-004	1.0000e-005	2.6000e-004	0.0000	0.8610	0.8610	2.0000e-005	0.0000	0.8616

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.0838					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	8.1200e-003	0.0767	0.1052	1.7000e-004		3.5100e-003	3.5100e-003		3.4400e-003	3.4400e-003	0.0000	14.3878	14.3878	3.1100e-003	0.0000	14.4657
Total	0.0919	0.0767	0.1052	1.7000e-004		3.5100e-003	3.5100e-003		3.4400e-003	3.4400e-003	0.0000	14.3878	14.3878	3.1100e-003	0.0000	14.4657

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.7 Architectural Coating - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.2000e-004	3.1000e-004	3.2100e-003	1.0000e-005	9.7000e-004	1.0000e-005	9.8000e-004	2.6000e-004	1.0000e-005	2.6000e-004	0.0000	0.8610	0.8610	2.0000e-005	0.0000	0.8616
Total	4.2000e-004	3.1000e-004	3.2100e-003	1.0000e-005	9.7000e-004	1.0000e-005	9.8000e-004	2.6000e-004	1.0000e-005	2.6000e-004	0.0000	0.8610	0.8610	2.0000e-005	0.0000	0.8616

3.7 Architectural Coating - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.0547					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.8500e-003	0.0461	0.0685	1.1000e-004		1.9200e-003	1.9200e-003		1.8800e-003	1.8800e-003	0.0000	9.3962	9.3962	2.0000e-003	0.0000	9.4461
Total	0.0596	0.0461	0.0685	1.1000e-004		1.9200e-003	1.9200e-003		1.8800e-003	1.8800e-003	0.0000	9.3962	9.3962	2.0000e-003	0.0000	9.4461

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.7 Architectural Coating - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.6000e-004	1.8000e-004	1.9100e-003	1.0000e-005	6.3000e-004	0.0000	6.4000e-004	1.7000e-004	0.0000	1.7000e-004	0.0000	0.5428	0.5428	1.0000e-005	0.0000	0.5431
Total	2.6000e-004	1.8000e-004	1.9100e-003	1.0000e-005	6.3000e-004	0.0000	6.4000e-004	1.7000e-004	0.0000	1.7000e-004	0.0000	0.5428	0.5428	1.0000e-005	0.0000	0.5431

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.0547					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.8500e-003	0.0461	0.0685	1.1000e-004		1.9200e-003	1.9200e-003		1.8800e-003	1.8800e-003	0.0000	9.3961	9.3961	2.0000e-003	0.0000	9.4461
Total	0.0596	0.0461	0.0685	1.1000e-004		1.9200e-003	1.9200e-003		1.8800e-003	1.8800e-003	0.0000	9.3961	9.3961	2.0000e-003	0.0000	9.4461

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.7 Architectural Coating - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.6000e-004	1.8000e-004	1.9100e-003	1.0000e-005	6.3000e-004	0.0000	6.4000e-004	1.7000e-004	0.0000	1.7000e-004	0.0000	0.5428	0.5428	1.0000e-005	0.0000	0.5431
Total	2.6000e-004	1.8000e-004	1.9100e-003	1.0000e-005	6.3000e-004	0.0000	6.4000e-004	1.7000e-004	0.0000	1.7000e-004	0.0000	0.5428	0.5428	1.0000e-005	0.0000	0.5431

3.8 Paving - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	2.6000e-003	0.0261	0.0273	4.0000e-005		1.4400e-003	1.4400e-003		1.3300e-003	1.3300e-003	0.0000	3.6303	3.6303	1.1500e-003	0.0000	3.6589
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	2.6000e-003	0.0261	0.0273	4.0000e-005		1.4400e-003	1.4400e-003		1.3300e-003	1.3300e-003	0.0000	3.6303	3.6303	1.1500e-003	0.0000	3.6589

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.8 Paving - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.0000e-004	3.5500e-003	6.2000e-004	1.0000e-005	3.2000e-004	1.0000e-005	3.3000e-004	8.0000e-005	1.0000e-005	9.0000e-005	0.0000	0.9308	0.9308	5.0000e-005	0.0000	0.9320
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.9000e-004	7.3000e-004	7.4800e-003	2.0000e-005	2.2600e-003	2.0000e-005	2.2800e-003	6.0000e-004	1.0000e-005	6.2000e-004	0.0000	2.0102	2.0102	5.0000e-005	0.0000	2.0115
Total	1.0900e-003	4.2800e-003	8.1000e-003	3.0000e-005	2.5800e-003	3.0000e-005	2.6100e-003	6.8000e-004	2.0000e-005	7.1000e-004	0.0000	2.9410	2.9410	1.0000e-004	0.0000	2.9435

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	2.6000e-003	0.0261	0.0273	4.0000e-005		1.4400e-003	1.4400e-003		1.3300e-003	1.3300e-003	0.0000	3.6303	3.6303	1.1500e-003	0.0000	3.6589
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	2.6000e-003	0.0261	0.0273	4.0000e-005		1.4400e-003	1.4400e-003		1.3300e-003	1.3300e-003	0.0000	3.6303	3.6303	1.1500e-003	0.0000	3.6589

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.8 Paving - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.0000e-004	3.5500e-003	6.2000e-004	1.0000e-005	3.2000e-004	1.0000e-005	3.3000e-004	8.0000e-005	1.0000e-005	9.0000e-005	0.0000	0.9308	0.9308	5.0000e-005	0.0000	0.9320
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.9000e-004	7.3000e-004	7.4800e-003	2.0000e-005	2.2600e-003	2.0000e-005	2.2800e-003	6.0000e-004	1.0000e-005	6.2000e-004	0.0000	2.0102	2.0102	5.0000e-005	0.0000	2.0115
Total	1.0900e-003	4.2800e-003	8.1000e-003	3.0000e-005	2.5800e-003	3.0000e-005	2.6100e-003	6.8000e-004	2.0000e-005	7.1000e-004	0.0000	2.9410	2.9410	1.0000e-004	0.0000	2.9435

3.8 Paving - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.7500e-003	0.0175	0.0198	3.0000e-005		9.3000e-004	9.3000e-004		8.6000e-004	8.6000e-004	0.0000	2.6400	2.6400	8.3000e-004	0.0000	2.6608
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	1.7500e-003	0.0175	0.0198	3.0000e-005		9.3000e-004	9.3000e-004		8.6000e-004	8.6000e-004	0.0000	2.6400	2.6400	8.3000e-004	0.0000	2.6608

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.8 Paving - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	7.0000e-005	2.3800e-003	4.4000e-004	1.0000e-005	3.0000e-004	1.0000e-005	3.1000e-004	8.0000e-005	1.0000e-005	9.0000e-005	0.0000	0.6685	0.6685	3.0000e-005	0.0000	0.6693
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.6000e-004	4.7000e-004	4.9600e-003	2.0000e-005	1.6400e-003	1.0000e-005	1.6600e-003	4.4000e-004	1.0000e-005	4.5000e-004	0.0000	1.4112	1.4112	3.0000e-005	0.0000	1.4121
Total	7.3000e-004	2.8500e-003	5.4000e-003	3.0000e-005	1.9400e-003	2.0000e-005	1.9700e-003	5.2000e-004	2.0000e-005	5.4000e-004	0.0000	2.0797	2.0797	6.0000e-005	0.0000	2.0814

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.7500e-003	0.0175	0.0198	3.0000e-005		9.3000e-004	9.3000e-004		8.6000e-004	8.6000e-004	0.0000	2.6399	2.6399	8.3000e-004	0.0000	2.6608
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	1.7500e-003	0.0175	0.0198	3.0000e-005		9.3000e-004	9.3000e-004		8.6000e-004	8.6000e-004	0.0000	2.6399	2.6399	8.3000e-004	0.0000	2.6608

Castro Valley Medical Office Building AQ - Alameda County, Annual

3.8 Paving - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	7.0000e-005	2.3800e-003	4.4000e-004	1.0000e-005	3.0000e-004	1.0000e-005	3.1000e-004	8.0000e-005	1.0000e-005	9.0000e-005	0.0000	0.6685	0.6685	3.0000e-005	0.0000	0.6693
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.6000e-004	4.7000e-004	4.9600e-003	2.0000e-005	1.6400e-003	1.0000e-005	1.6600e-003	4.4000e-004	1.0000e-005	4.5000e-004	0.0000	1.4112	1.4112	3.0000e-005	0.0000	1.4121
Total	7.3000e-004	2.8500e-003	5.4000e-003	3.0000e-005	1.9400e-003	2.0000e-005	1.9700e-003	5.2000e-004	2.0000e-005	5.4000e-004	0.0000	2.0797	2.0797	6.0000e-005	0.0000	2.0814

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Castro Valley Medical Office Building AQ - Alameda County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.1050	0.8130	1.0625	5.2900e-003	0.4810	3.3100e-003	0.4843	0.1292	3.0900e-003	0.1323	0.0000	491.4272	491.4272	0.0191	0.0000	491.9052
Unmitigated	0.1050	0.8130	1.0625	5.2900e-003	0.4810	3.3100e-003	0.4843	0.1292	3.0900e-003	0.1323	0.0000	491.4272	491.4272	0.0191	0.0000	491.9052

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Medical Office Building	870.00	215.75	37.25	1,287,032	1,287,032
Parking Lot	0.00	0.00	0.00		
Total	870.00	215.75	37.25	1,287,032	1,287,032

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Medical Office Building	9.50	7.30	7.30	29.60	51.40	19.00	60	30	10
Parking Lot	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Medical Office Building	0.566339	0.035990	0.189848	0.102849	0.012430	0.005068	0.026569	0.050520	0.002280	0.001770	0.005305	0.000389	0.000644
Parking Lot	0.566339	0.035990	0.189848	0.102849	0.012430	0.005068	0.026569	0.050520	0.002280	0.001770	0.005305	0.000389	0.000644

Castro Valley Medical Office Building AQ - Alameda County, Annual

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	42.8458	42.8458	4.2800e-003	8.9000e-004	43.2171
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	42.8458	42.8458	4.2800e-003	8.9000e-004	43.2171
NaturalGas Mitigated	2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	25.7881	25.7881	4.9000e-004	4.7000e-004	25.9413
NaturalGas Unmitigated	2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	25.7881	25.7881	4.9000e-004	4.7000e-004	25.9413

Castro Valley Medical Office Building AQ - Alameda County, Annual

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Medical Office Building	483250	2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	25.7881	25.7881	4.9000e-004	4.7000e-004	25.9413
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	25.7881	25.7881	4.9000e-004	4.7000e-004	25.9413

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Medical Office Building	483250	2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	25.7881	25.7881	4.9000e-004	4.7000e-004	25.9413
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		2.6100e-003	0.0237	0.0199	1.4000e-004		1.8000e-003	1.8000e-003		1.8000e-003	1.8000e-003	0.0000	25.7881	25.7881	4.9000e-004	4.7000e-004	25.9413

Castro Valley Medical Office Building AQ - Alameda County, Annual

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Medical Office Building	312000	41.0410	4.1000e-003	8.5000e-004	41.3967
Parking Lot	13720	1.8048	1.8000e-004	4.0000e-005	1.8204
Total		42.8458	4.2800e-003	8.9000e-004	43.2171

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Medical Office Building	312000	41.0410	4.1000e-003	8.5000e-004	41.3967
Parking Lot	13720	1.8048	1.8000e-004	4.0000e-005	1.8204
Total		42.8458	4.2800e-003	8.9000e-004	43.2171

6.0 Area Detail

6.1 Mitigation Measures Area

Castro Valley Medical Office Building AQ - Alameda County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.1141	1.0000e-005	1.1200e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003
Unmitigated	0.1141	1.0000e-005	1.1200e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0139					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.1002					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.0000e-004	1.0000e-005	1.1200e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003
Total	0.1141	1.0000e-005	1.1200e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003

Castro Valley Medical Office Building AQ - Alameda County, Annual

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0139					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.1002					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.0000e-004	1.0000e-005	1.1200e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003
Total	0.1141	1.0000e-005	1.1200e-003	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	2.2000e-003	2.2000e-003	1.0000e-005	0.0000	2.3400e-003

7.0 Water Detail

7.1 Mitigation Measures Water

Castro Valley Medical Office Building AQ - Alameda County, Annual

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	3.6178	4.0700e-003	2.4700e-003	4.4543
Unmitigated	3.6178	4.0700e-003	2.4700e-003	4.4543

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Medical Office Building	3.13701 / 0.597526	3.6178	4.0700e-003	2.4700e-003	4.4543
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		3.6178	4.0700e-003	2.4700e-003	4.4543

Castro Valley Medical Office Building AQ - Alameda County, Annual

7.2 Water by Land Use

Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Medical Office Building	3.13701 / 0.597526	3.6178	4.0700e-003	2.4700e-003	4.4543
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		3.6178	4.0700e-003	2.4700e-003	4.4543

8.0 Waste Detail

8.1 Mitigation Measures Waste

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	54.8076	3.2390	0.0000	135.7834
Unmitigated	54.8076	3.2390	0.0000	135.7834

Castro Valley Medical Office Building AQ - Alameda County, Annual

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Medical Office Building	270	54.8076	3.2390	0.0000	135.7834
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		54.8076	3.2390	0.0000	135.7834

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Medical Office Building	270	54.8076	3.2390	0.0000	135.7834
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		54.8076	3.2390	0.0000	135.7834

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

Castro Valley Medical Office Building AQ - Alameda County, Annual

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Attachment 3: Construction Health Risk Calculations

Castro Valley Medical Office Buildings, Castro Valley, CA

DPM Emissions and Modeling Emission Rates - Unmitigated

Emissions Model	Activity	DPM (ton/year)	Area Source	DPM Emissions			Modeled Area (m ²)	DPM Emission Rate (g/s/m ²)
				(lb/yr)	(lb/hr)	(g/s)		
2019	Construction	0.0025	DPM	5.0	0.00151	1.90E-04	5,128	3.71E-08
2020	Construction	0.0386	DPM	77.2	0.02350	2.96E-03	5,128	5.77E-07
2021	Construction	0.0029	DPM	5.7	0.00174	2.19E-04	5,128	4.26E-08
Total		0.0439		82.2	0.0250	0.0032		

Operation Hours

hr/day = 9 (7am - 4pm)
 days/yr = 365
 hours/year = 3285

PM2.5 Fugitive Dust Emissions for Modeling - Unmitigated

Construction Year	Activity	Area Source	Area (ton/year)	PM2.5 Emissions			Modeled Area (m ²)	PM2.5 Emission Rate (g/m ²)
				(lb/yr)	(lb/hr)	(g/s)		
2019	Construction	FUG	0.0003	0.7	0.00021	2.61E-05	5,128	5.09E-09
2020	Construction	FUG	0.0252	50.4	0.01534	1.93E-03	5,128	3.77E-07
2021	Construction	FUG	0.0001	0.1	0.00004	5.37E-06	5,128	1.05E-09
Total			0.0256	51.1	0.0155	0.0020		

Operation Hours

hr/day = 9 (7am - 4pm)
 days/yr = 365
 hours/year = 3285

Castro Valley Medical Office Buildings, Castro Valley, CA

Construction Health Impacts Summary

Maximum Impacts at Construction MEI Location - Unmitigated

Emissions Year	Maximum Concentrations		Cancer Risk (per million)		Hazard Index (-)	Maximum Annual PM2.5 Concentration (µg/m ³)
	Exhaust PM10/DPM (µg/m ³)	Fugitive PM2.5 (µg/m ³)	Child	Adult		
	2019	0.0027	0.0006	0.48	0.01	0.001
2020	0.0420	0.0429	6.90	0.12	0.008	0.08
2021	0.0031	0.0001	0.09	0.01	0.001	0.00
Total	-	-	7.5	0.1	-	-
Maximum	0.0420	0.0429	-	-	0.008	0.08

**Castro Valley Medical Office Buildings, Castro Valley, CA-Unmitigated Emissions
Maximum DPM Cancer Risk Calculations From Construction
Impacts at Off-Site Receptors-1.5 meter receptor height**

Cancer Risk (per million) = CPF x Inhalation Dose x ASF x ED/AT x FAH x 1.0E6

Where: CPF = Cancer potency factor (mg/kg-day)⁻¹
 ASF = Age sensitivity factor for specified age group
 ED = Exposure duration (years)
 AT = Averaging time for lifetime cancer risk (years)
 FAH = Fraction of time spent at home (unitless)

Inhalation Dose = C_{air} x DBR x A x (EF/365) x 10⁻⁶

Where: C_{air} = concentration in air (µg/m³)
 DBR = daily breathing rate (L/kg body weight-day)
 A = Inhalation absorption factor
 EF = Exposure frequency (days/year)
 10⁻⁶ = Conversion factor

Values

Age --> Parameter	Infant/Child				Adult
	3rd Trimester	0 - 2	2 - 9	2 - 16	16 - 30
ASF =	10	10	3	3	1
CPF =	1.10E+00	1.10E+00	1.10E+00	1.10E+00	1.10E+00
DBR* =	361	1090	631	572	261
A =	1	1	1	1	1
EF =	350	350	350	350	350
AT =	70	70	70	70	70
FAH =	1.00	1.00	1.00	1.00	0.73

* 95th percentile breathing rates for infants and 80th percentile for children and adults

Construction Cancer Risk by Year - Maximum Impact Receptor Location

Exposure Year	Exposure Duration (years)	Age	Infant/Child - Exposure Information			Infant/Child Cancer Risk (per million)	Adult - Exposure Information			Adult Cancer Risk (per million)	Fugitive PM2.5	Total PM2.5
			DPM Conc (ug/m3)		Age Sensitivity		Modeled		Age Sensitivity			
			Year	Annual	Factor		Year	Annual	Factor			
0	0.25	-0.25 - 0*	2019	0.0027	10	0.04	2019	0.0027	-	-		
1	1	0 - 1	2019	0.0027	10	0.44	2019	0.0027	1	0.01	0.0006	0.0033
2	1	1 - 2	2020	0.0420	10	6.90	2020	0.0420	1	0.12	0.0429	0.0849
3	1	2 - 3		0.0031	3	0.09	2021	0.0031	1	0.01	0.0001	0.0032
4	1	3 - 4		0.0000	3	0.00		0.0000	1	0.00		
5	1	4 - 5		0.0000	3	0.00		0.0000	1	0.00		
6	1	5 - 6		0.0000	3	0.00		0.0000	1	0.00		
7	1	6 - 7		0.0000	3	0.00		0.0000	1	0.00		
8	1	7 - 8		0.0000	3	0.00		0.0000	1	0.00		
9	1	8 - 9		0.0000	3	0.00		0.0000	1	0.00		
10	1	9 - 10		0.0000	3	0.00		0.0000	1	0.00		
11	1	10 - 11		0.0000	3	0.00		0.0000	1	0.00		
12	1	11 - 12		0.0000	3	0.00		0.0000	1	0.00		
13	1	12 - 13		0.0000	3	0.00		0.0000	1	0.00		
14	1	13 - 14		0.0000	3	0.00		0.0000	1	0.00		
15	1	14 - 15		0.0000	3	0.00		0.0000	1	0.00		
16	1	15 - 16		0.0000	3	0.00		0.0000	1	0.00		
17	1	16-17		0.0000	1	0.00		0.0000	1	0.00		
18	1	17-18		0.0000	1	0.00		0.0000	1	0.00		
19	1	18-19		0.0000	1	0.00		0.0000	1	0.00		
20	1	19-20		0.0000	1	0.00		0.0000	1	0.00		
21	1	20-21		0.0000	1	0.00		0.0000	1	0.00		
22	1	21-22		0.0000	1	0.00		0.0000	1	0.00		
23	1	22-23		0.0000	1	0.00		0.0000	1	0.00		
24	1	23-24		0.0000	1	0.00		0.0000	1	0.00		
25	1	24-25		0.0000	1	0.00		0.0000	1	0.00		
26	1	25-26		0.0000	1	0.00		0.0000	1	0.00		
27	1	26-27		0.0000	1	0.00		0.0000	1	0.00		
28	1	27-28		0.0000	1	0.00		0.0000	1	0.00		
29	1	28-29		0.0000	1	0.00		0.0000	1	0.00		
30	1	29-30		0.0000	1	0.00		0.0000	1	0.00		
Total Increased Cancer Risk						7.5				0.14		

* Third trimester of pregnancy

Maximum Impacts at Happiness Hill Preschool & Crossroads Christian Elementary School

Construction Year	Unmitigated Emissions				
	Maximum Concentrations		Child Cancer Risk (per million)	Hazard Index (-)	Maximum Annual PM2.5 Concentration ($\mu\text{g}/\text{m}^3$)
	Exhaust PM2.5/DPM ($\mu\text{g}/\text{m}^3$)	Fugitive PM2.5 ($\mu\text{g}/\text{m}^3$)			
2019	0.00013	0.00002	0.01	0.000	0.00015
2020	0.00236	0.00177	0.09	0.000	0.00413
2021	0.00018	0.00000	0.007	0.000	0.00018
Total	-	-	0.10		
Maximum	0.0024			0.0005	0.004

Happiness Hill Preschool & Crossroads Christian Elementary School, Castro Valley, CA - Construction In Maximum DPM Cancer Risk Calculations From Construction - Without Mitigation Daycare & Elementary School - 1.0 meters - Child Exposure

Cancer Risk (per million) = $\text{CPF} \times \text{Inhalation Dose} \times \text{ASF} \times \text{ED}/\text{AT} \times \text{FAH} \times 1.0\text{E}6$

- Where: CPF = Cancer potency factor ($\text{mg}/\text{kg}\text{-day}$)⁻¹
 ASF = Age sensitivity factor for specified age group
 ED = Exposure duration (years)
 AT = Averaging time for lifetime cancer risk (years)
 FAH = Fraction of time spent at home (unitless)

Inhalation Dose = $C_{\text{air}} \times \text{DBR} \times A \times (\text{EF}/365) \times 10^{-6}$

- Where: C_{air} = concentration in air ($\mu\text{g}/\text{m}^3$)
 DBR = daily breathing rate (L/kg body weight-day)
 A = Inhalation absorption factor
 EF = Exposure frequency (days/year)
 10^{-6} = Conversion factor

Values

Age --> Parameter	Infant/Child				Adult
	3rd Trimester	0 - 2	2 - 9	2 - 16	16 - 30
ASF =	10	10	3	3	1
CPF =	1.10E+00	1.10E+00	1.10E+00	1.10E+00	1.10E+00
DBR* =	361	1090	861	572	261
A =	1	1	1	1	1
EF =	350	350	350	350	350
AT =	70	70	70	70	70
FAH =	1.00	1.00	1.00	1.00	0.73

* 95th percentile breathing rates for infants and 80th percentile for children and adults

Construction Cancer Risk by Year - Maximum Impact Receptor Location

Exposure Year	Exposure Duration (years)	Child - Exposure Information			Child Cancer Risk (per million)	Maximum	
		DPM Conc ($\mu\text{g}/\text{m}^3$)		Age* Sensitivity Factor		Fugitive	Total
		Year	Annual		Factor	PM2.5	PM2.5
1	1	2019	0.0001	3	0.005	0.0000	0.000
2	1	2020	0.0024	3	0.092	0.0018	0.004
3	1	2021	0.0002	3	0.007	0.0000	0.000

* Students assumed to be from 2 to 9 years of age

Attachment 4: Screening Community Risk Calculations



BAY AREA AIR QUALITY MANAGEMENT DISTRICT

District's Response to Inquiry

Risk & Hazard Stationary Source Inquiry Form

This form is required when users request stationary source data from BAAQMD

This form is to be used with the BAAQMD's Google Earth stationary source screening tables.

[Click here for guidance on conducting risk & hazard screening, including roadways & freeways, refer to the District's Risk & Hazard Analysis flow chart.](#)

[Click here for District's Recommended Methods for Screening and Modeling Local Risks and Hazards document.](#)

Table A: Requester Contact Information

Date of Request	3/25/2019
Contact Name	Mimi McNamara
Affiliation	Illingworth & Rodkin, Inc.
Phone	707-794-040 X111 mcmnamara@illingworthrodkin.com
Email	
Project Name	Castro Valley Medical Office Building
Address	20630 & 20642 John Drive
City	Castro Valley
County	Alameda County
Type (residential, commercial, mixed use, industrial, etc.)	Medical Offices
Project Size (if of units or building square feet)	55,688 square feet
Comments:	

For Air District assistance, the following steps must be completed:

- Complete all the contact and project information requested in **Table A**. Incomplete forms will not be processed. Please include a project site map.
- Download and install the free program Google Earth, <http://www.google.com/earth/download/ge/>, and then download the county specific Google Earth stationary source application files from the District's website, <http://www.baaqmd.gov/Divisions/Planning-and-Research/CEQA-GUIDELINES/Tools-and-Methodology.aspx>. The small points on the map represent stationary sources permitted by the District (Map A on right). These permitted sources include diesel back-up generators, gas stations, dry cleaners, boilers, printers, auto spray booths, etc. Click on a point to view the source's Information Table, including the name, location, and preliminary estimated cancer risk, hazard index, and PM2.5 concentration.
- Find the project site in Google Earth by inputting the site's address in the Google Earth search box.
- Identify stationary sources within at least a 1000ft radius of project site. Verify that the location of the source on the map matches with the source's address in the Information Table, by using the Google Earth address search box to confirm the source's address location. Please report any mapping errors to the District.
- List the stationary source information in **Table B** - blue section only.
- Note that a small percentage of the stationary sources have Health Risk Screening Assessment (HRSAs) data INSTEAD of screening level data. These sources will be noted by an asterisk next to the source name in the Information Table (Map B on right). If HRSAs values are presented, these values have already been modeled and cannot be adjusted further.
- Email this completed form to District staff. District staff will provide the most recent risk, hazard, and PM2.5 data that are available for the source(s). If this information or data are not available, source emissions data will be provided. Staff will respond to inquiries within three weeks.

Note that a public records request received for the same stationary source information will cancel the processing of your SSIF request.

Submit forms, maps, and questions to Areana Flores at 415-749-4616, or afores@baaqmd.gov

Table B: Google Earth data

Distance from Receptor (feet) or ME ¹	Facility Name	Address	Plant No.	Cancer Risk ²	Hazard Risk ²	PM _{2.5} ²	Source No. ³	Type of Source ⁴	Fuel Code ⁵	Status/Comments
	Stop & Save	20570 Stanton Ave	107480	10.920248	0.0539		S1	Gas Dispensing Facility		Use GDF multiplier
	Verizon Wireless- 814303 (Castro Valley)	2569 Castro Valley Blvd	16293	7.161	0.0067	0.009232	S1	Generator		use Diesel ICE multiplier
	Seesan Enterprises Inc	2445 Castro Valley Blvd, Castro Valley	111565	17.670	0.0872		S1	Gas Dispensing Facility		Use GDF multiplier

Footnotes:

- Maximally exposed individual
- These Cancer Risk, Hazard Index, and PM2.5 columns represent the values in the Google Earth Plant Information Table.
- Each plant may have multiple permits and sources.
- Permitted sources include diesel back-up generators, gas stations, dry cleaners, boilers, printers, auto spray booths, etc.
- Fuel codes: 98 = diesel, 189 = Natural Gas.
- If a Health Risk Screening Assessment (HRSAs) was completed for the source, the application number will be listed here.
- The date that the HRSAs was completed.
- Engineer who completed the HRSAs. For District purposes only.
- All HRSAs completed before 1/5/2010 need to be multiplied by an age sensitivity factor of 1.7.
- The HRSAs "Chronic Health" number represents the Hazard Index.
- Further information about common sources:
 - Sources that only include diesel internal combustion engines can be adjusted using the BAAQMD's Diesel Multiplier worksheet.
 - The risk from natural gas boilers used for space heating when <25 MM BTU/hr would have an estimated cancer risk of one in a million or less, and a chronic hazard
 - BAAQMD Reg 11 Rule 16 required that all co-residential (sharing a wall, floor, ceiling or is in the same building as a residential unit) dry cleaners cease use of perc on July 1, 2010. Therefore, there is no cancer risk, hazard or PM2.5 concentrations from co-residential dry cleaning businesses in the BAAQMD.
 - Non co-residential dry cleaners must phase out use of perc by Jan. 1, 2023. Therefore, the risk from these dry cleaners does not need to be factored in over a 70-year period, but
 - Gas stations can be adjusted using BAAQMD's Gas Station Distance Multiplier worksheet.
 - Unless otherwise noted, exempt sources are considered insignificant. See BAAQMD Reg 2 Rule 1 for a list of exempt sources.
 - This spray booth is considered to be insignificant.

Date last updated:
03/13/2018



BAY AREA AIR QUALITY MANAGEMENT DISTRICT

Risk & Hazard Stationary Source Inquiry Form

This form is required when users request stationary source data from BAAQMD

This form is to be used with the BAAQMD's Google Earth stationary source screening tables.

[Click here for guidance on conducting risk & hazard screening, including roadways & freeways, refer to the District's Risk & Hazard Analysis flow chart.](#)

[Click here for District's Recommended Methods for Screening and Modeling Local Risks and Hazards document.](#)

Table A: Requester Contact Information	
Date of Request	3/25/2019
Contact Name	Mimi McNamara
Affiliation	Illingworth & Rodkin, Inc.
Phone	707-794-040 X111 mcmnamara@illingworthrodkin.com
Email	
Project Name	Castro Valley Medical Office Building
Address	20630 & 20642 John Drive
City	Castro Valley
County	Alameda County
Type (residential, commercial, mixed use, industrial, etc.)	Medical Offices
Project Size (if of units or building square feet)	55,688 square feet
Comments:	

For Air District assistance, the following steps must be completed:

- Complete all the contact and project information requested in **Table A**. Incomplete forms will not be processed. Please include a project site map.
- Download and install the free program Google Earth, <http://www.google.com/earth/download/ge/>, and then download the county specific Google Earth stationary source application files from the District's website, <http://www.baaqmd.gov/Divisions/Planning-and-Research/CEQA-GUIDELINES/Tools-and-Methodology.aspx>. The small points on the map represent stationary sources permitted by the District (Map A on right). These permitted sources include diesel back-up generators, gas stations, dry cleaners, boilers, printers, auto spray booths, etc. Click on a point to view the source's Information Table, including the name, location, and preliminary estimated cancer risk, hazard index, and PM2.5 concentration.
- Find the project site in Google Earth by inputting the site's address in the Google Earth search box.
- Identify stationary sources within at least a 1000ft radius of project site. Verify that the location of the source on the map matches with the source's address in the Information Table, by using the Google Earth address search box to confirm the source's address location. Please report any mapping errors to the District.
- List the stationary source information in **Table B** (blue section only).
- Note that a small percentage of the stationary sources have Health Risk Screening Assessment (HRS) data INSTEAD of screening level data. These sources will be noted by an asterisk next to the source name (Map B on right). If HRS values are presented, these values have already been modeled and cannot be adjusted further.
- Mail this completed form to District staff. District staff will provide the most recent risk, hazard, and PM2.5 data that are available for the source(s). If this information or data are not available, source emissions data will be provided. Staff will respond to inquiries within three weeks.

Note that a public records request received for the same stationary source information will cancel the processing of your SSIF request.

Submit forms, maps, and questions to Areana Flores at 415-749-4616, or aflores@baaqmd.gov

Table B: Google Earth data

Construction MEI

Distance from Receptor (feet) or MEI ¹	Facility Name	Address	Plant No.	Cancer Risk ²	Hazard Risk ²	PM _{2.5} ²	Source No. ³	Type of Source ⁴	Fuel Code ⁵	Status/Comments	Construction MEI			
											Distance Adjustment Multiplier	Adjusted Cancer Risk Estimate	Adjusted Hazard Risk	Adjusted PM _{2.5}
450	Stop & Save	20570 Stanton Ave	107480	10.920248	0.0539		S1	Gas Dispensing Facility		Use GDF multiplier	0.05	0.60	0.0029	
1000	Verizon Wireless- 814303 (Castro Valley)	2569 Castro Valley Blvd	16293	7.161	0.0067	0.009232	S1	Generator		use Diesel ICE multiplier	0.04	0.29	0.0003	0.0004
560	Seesan Enterprises Inc	2445 Castro Valley Blvd, Castro Valley	111565	17.670	0.0872		S1	Gas Dispensing Facility		Use GDF multiplier	0.04	0.67	0.0033	

Footnotes:

- Maximally exposed individual
- These Cancer Risk, Hazard Index, and PM2.5 columns represent the values in the Google Earth Plant Information Table.
- Each plant may have multiple permits and sources.
- Permitted sources include diesel back-up generators, gas stations, dry cleaners, boilers, printers, auto spray booths, etc.
- Fuel codes: 98 = diesel, 189 = Natural Gas.
- If a Health Risk Screening Assessment (HRS) was completed for the source, the application number will be listed here.
- The date that the HRS was completed.
- Engineer who completed the HRS. For District purposes only.
- All HRS completed before 1/5/2010 need to be multiplied by an age sensitivity factor of 1.7.
- The HRS "Chronic Health" number represents the Hazard index.
- Further information about common sources:
 - Sources that only include diesel internal combustion engines can be adjusted using the BAAQMD's Diesel Multiplier worksheet.
 - The risk from natural gas boilers used for space heating when <25 MM BTU/hr would have an estimated cancer risk of one in a million or less, and a chronic hazard
 - BAAQMD Reg 11 Rule 16 required that all co-residential (sharing a wall, floor, ceiling or is in the same building as a residential unit) dry cleaners cease use of perc on July 1, 2010. Therefore, there is no cancer risk, hazard or PM2.5 concentrations from co-residential dry cleaning businesses in the BAAQMD.
 - Non co-residential dry cleaners must phase out use of perc by Jan. 1, 2023. Therefore, the risk from these dry cleaners does not need to be factored in over a 70-year period, but
 - Gas stations can be adjusted using BAAQMD's Gas Station Distance Multiplier worksheet.
 - Unless otherwise noted, exempt sources are considered insignificant. See BAAQMD Reg 2 Rule 1 for a list of exempt sources.
 - This spray booth is considered to be insignificant.

Date last updated:
03/13/2018

How to Use the Distance Adjustment Multiplier Tool for Gasoline Dispensing Facilities (GDF)

This distance multiplier tool refines the screening values for cancer risk and chronic hazard index found in the District's Stationary Source Screening Analysis Tool to represent adjusted risk and hazard impacts that can be expected with farther distances from the source of emissions (GDF's).

1. Obtain the GDF cancer risk and/or chronic hazard index from the District's Stationary Source Screening Analysis tool for facilities where the Plant No. is preceded with a 'G'. If the distance to the nearest receptor is less than 20 meters, the distance adjustment multiplier table cannot be used and an air dispersion modeling analysis using site-specific information is needed to refine the cancer risk and/or chronic hazard index estimate.

2. Determine the shortest distance from the GDF to the nearest receptor.

3. In the table below, enter the cancer risk and/or chronic hazard index found in step 1 for the GDF in the row which aligns with the shortest distance from each GDF to the nearest receptor (found in step 2). If the shortest distance to the receptor falls between two distance values, select the multiplier corresponding to the smaller distance. For distances beyond 300 meters, use the multiplier 0.015. The resulting product is the adjusted cancer risk in a million or the adjusted chronic hazard index for the GDF.

Note: These distance adjustment multipliers may be used only for the screening level health risk values indicated in the District's Stationary Source Screening Analysis tool for gasoline dispensing facilities. This distance multiplier tool may not be used to adjust values from an HRA if an HRA for the facility was conducted.

Distance meters	Distance feet	Distance adjustment multiplier	Enter Cancer Risk	Adjusted Cancer Risk	Enter Chronic Hazard Index	Adjusted Chronic Hazard Index
20	66	1.000		0		0
25	82	0.728		0		0
30	98	0.559		0		0
35	115	0.445		0		0
40	131	0.365		0		0
45	148	0.305		0		0
50	164	0.260		0		0
55	180	0.225		0		0
60	197	0.197		0		0
65	213	0.174		0		0
70	230	0.155		0		0
75	246	0.139		0		0
80	262	0.126		0		0
85	279	0.114		0		0
90	295	0.104		0		0
95	312	0.096		0		0
100	328	0.088		0		0
105	344	0.082		0		0
110	361	0.076		0		0
115	377	0.071		0		0
120	394	0.066		0		0
125	410	0.062		0		0
130	426	0.058		0		0
135	443	0.055		0		0
140	459	0.052		0		0
145	476	0.049		0		0
150	492	0.046		0		0
155	508	0.044		0		0
160	525	0.042		0		0
165	541	0.040		0		0
170	558	0.038		0		0
175	574	0.036		0		0
180	590	0.034		0		0
185	607	0.033		0		0
190	623	0.031		0		0
195	640	0.030		0		0
200	656	0.029		0		0
205	672	0.028		0		0
210	689	0.027		0		0
215	705	0.026		0		0
220	722	0.025		0		0
225	738	0.024		0		0
230	754	0.023		0		0
235	771	0.022		0		0
240	787	0.022		0		0
245	804	0.021		0		0
250	820	0.020		0		0
255	836	0.020		0		0
260	853	0.019		0		0
265	869	0.018		0		0
270	886	0.018		0		0
275	902	0.017		0		0
280	918	0.017		0		0
285	935	0.016		0		0
290	951	0.016		0		0
295	968	0.015		0		0
300	984	0.015		0		0

How to Use the Distance Adjustment Multiplier Tool for Diesel Internal Combustion (IC) Engines

This distance multiplier tool refines the screening values for cancer risk and PM2.5 concentrations found in the District's Stationary Source Screening Analysis Tool for permitted facilities which contain only diesel IC engines, to represent adjusted risk and hazard impacts that can be expected with farther distances from the source of emissions.

1. Obtain the facility diesel IC engine(s) cancer risk and/or PM2.5 concentration from the District's Stationary Source Screening Analysis tool only for facilities where the source is listed as "generator." If the distance to the nearest receptor is less than 25 meters, the distance adjustment multiplier table cannot be used and an air dispersion modeling analysis using site-specific information is needed to refine the cancer risk, chronic hazard index or PM2.5 estimates.
2. Determine the shortest distance from each diesel IC engine to the nearest receptor. Select the shortest distance to receptor found.
3. In the table below, enter the cancer risk and/or PM2.5 concentration found in step 1 for the diesel IC engine in the row which aligns with the shortest distance from each diesel IC engine to the nearest receptor (found in step 2). If the shortest distance to the receptor falls between two distance values, select the multiplier corresponding to the smaller distance. For distances beyond 280 meters, use the multiplier 0.04. The resulting product is the adjusted cancer risk in a million or the adjusted PM2.5 concentration for the diesel IC engine

Note: This distance adjustment multiplier may be used only for the screening level health risk values indicated in the District's Stationary Source Screening Analysis tool for diesel IC engines. This distance multiplier tool may not be used to adjust values from an HRA if an HRA for the facility was conducted.

Note: This distance adjustment multiplier may also be used to adjust the screening values for chronic hazard index found in the District's Stationary Source Screening Analysis Tool for facilities with only diesel IC engines.

Distance (meters)	Distance (feet)	Distance Adjustment Multiplier	Enter Cancer Risk Estimate	Adjusted Cancer Risk Estimate	Enter PM2.5 Concentration	Adjusted PM2.5 Concentration
25	82	0.85		0		0
30	98.4	0.73		0		0
35	115	0.64		0		0
40	131	0.58		0		0
50	164	0.5		0		0
60	197	0.41		0		0
70	230	0.31		0		0
80	262	0.28		0		0
90	295	0.25		0		0
100	328	0.22		0		0
110	361	0.18		0		0
120	394	0.16		0		0
130	426	0.15		0		0
140	459	0.14		0		0
150	492	0.12		0		0
160	525	0.1		0		0
180	590	0.09		0		0
200	656	0.08		0		0
220	722	0.07		0		0
240	787	0.06		0		0
260	853	0.05		0		0
280	918	0.04		0		0

Roadway Screening Analysis Calculator

County specific tables containing estimates of risk and hazard impacts from roadways in the Bay Area.

INSTRUCTIONS:

Input the site-specific characteristics of your project by using the drop down menu in the "Search Parameter" box. We recommend that this analysis be used for roadways with 10,000 AADT and above.

- **County:** Select the County where the project is located. The calculator is only applicable for projects within the nine Bay Area counties.
- **Roadway Direction:** Select the orientation that best matches the roadway. If the roadway orientation is neither clearly north-south nor east-west, use the highest values predicted from either orientation.
- **Side of the Roadway:** Identify on which side of the roadway the project is located.
- **Distance from Roadway:** Enter the distance in feet from the nearest edge of the roadway to the project site. The calculator estimates values for distances greater than 10 feet and less than 1000 feet. For distances greater than 1000 feet, the user can choose to extrapolate values using a distribution curve or apply 1000 feet values for greater distances.
- **Annual Average Daily Traffic (ADT):** Enter the annual average daily traffic on the roadway. These data may be collected from the city or the county (if the area is unincorporated).

When the user has completed the data entries, the screening level PM2.5 annual average concentration and the cancer risk results will appear in the Results Box on the right. Please note that the roadway tool is not applicable for California State Highways and the District refers the user to the Highway Screening Analysis Tool at: <http://www.baaqmd.gov/Divisions/Planning-and-Research/CEQA-GUIDELINES/Tools-and-Methodology.aspx>.

Notes and References listed below the Search Boxes

Search Parameters

County:

Roadway Direction:

Side of the Roadway:

Distance from Roadway: feet

Annual Average Daily Traffic (ADT):

Results

Alameda County

EAST-WEST DIRECTIONAL ROADWAY

PM2.5 annual average

0.089 ($\mu\text{g}/\text{m}^3$)

Cancer Risk

4.84 (per million)

Castro Valley Blvd, MEI

Cumulative plus project volumes from traffic report
Data for Alameda County based on meteorological data collected from Pleasanton in 2005

Adjusted for 2015 OEHHA
and EMFAC2014 for 2018

3.33

(per million)

Note that EMFAC2014 predicts DSL PM2.5 aggregate rates in 2018 that are 46% of EMFAC2011 for 2014. TOG gasoline rates are 56% of EMFAC2011 year 2014 rates. This is for light- and medium-duty vehicles traveling at 30 mph for Bay Area

Notes and References:

1. Emissions were developed using EMFAC2011 for fleet mix in 2014 assuming 10,000 AADT and includes impacts from diesel and gasoline vehicle exhaust, brake and tire wear, and resuspended dust.
2. Roadways were modeled using CALINE4 Cal3qhc air dispersion model assuming a source length of one kilometer. Meteorological data used to estimate the screening values are noted at the bottom of the "Results" box.
3. Cancer risks were estimated for 70 year lifetime exposure starting in 2014 that includes sensitivity values for early life exposures and OEHHA toxicity values adopted in 2013.